

#Gzip

```
<ifmodule mod_deflate.c>
```

```
AddOutputFilterByType DEFLATE text/text text/html image/svg+xml text/plain text/xml  
text/css application/x-javascript application/javascript text/javascript
```

```
</ifmodule>
```

```
<IfModule mod_filter.c>
```

```
AddOutputFilterByType DEFLATE "application/atom+xml" \  
"application/javascript" \  
"application/json" \  
"application/ld+json" \  
"application/manifest+json" \  
"application/rdf+xml" \  
"application/rss+xml" \  
"application/schema+json" \  
"application/vnd.geo+json" \  
"application/vnd.ms-fontobject" \  
"application/x-font-ttf" \  
"application/x-javascript" \  
"application/x-web-app-manifest+json" \  
"application/xhtml+xml" \  
"application/xml" \  
"font/eot" \  
"font/opentype" \  
"image/bmp" \  
"image/svg+xml" \  
"image/vnd.microsoft.icon" \  
"image/x-icon" \  
"text/cache-manifest" \  
"text/css" \  
"text/html" \  
"text/javascript" \  
"text/plain" \  
"text/vcard" \  
"text/vnd.rim.location.xloc" \  
"text/vtt" \  
"text/x-component" \  
"text/x-cross-domain-policy" \  
"text/xml"
```

```
</IfModule>
```

```
#End of file
```

```

#END gzip
## EXPIRES CACHING ##
<IfModule mod_expires.c>
# Fonts
# Add correct content-type for fonts
AddType application/vnd.ms-fontobject .eot
AddType application/x-font-ttf .ttf
AddType application/x-font-opentype .otf
AddType application/x-font-woff .woff
AddType image/svg+xml .svg

# Compress compressible fonts
# only uncomment if you dont have compression turned on already. Otherwise it will cause
all other filetypes not to get compressed
# AddOutputFilterByType DEFLATE application/x-font-ttf application/x-font-opentype
image/svg+xml

ExpiresActive On
ExpiresByType image/jpg "access 1 year"
ExpiresByType image/jpeg "access 1 year"
ExpiresByType image/gif "access 1 year"
ExpiresByType image/png "access 1 year"
ExpiresByType text/css "access 1 month"
ExpiresByType application/pdf "access 1 month"
ExpiresByType application/javascript "access 1 month"
ExpiresByType application/x-javascript "access 1 month"
ExpiresByType application/x-shockwave-flash "access 1 month"
ExpiresByType image/x-icon "access 1 year"
# Add a far future Expires header for fonts
ExpiresByType application/vnd.ms-fontobject "access plus 1 year"
ExpiresByType application/x-font-ttf "access plus 1 year"
ExpiresByType application/x-font-opentype "access plus 1 year"
ExpiresByType application/x-font-woff "access plus 1 year"
ExpiresByType image/svg+xml "access plus 1 year"

ExpiresDefault "access 2 days"
</IfModule>
## EXPIRES CACHING ##

<IfModule mod_headers.c>
<FilesMatch "\.(svg|ttf|otf|eot|woff|woff2)$">
    Header set Cache-Control "max-age=31536000"

```

```
Header set Access-Control-Allow-Origin "*"
</FilesMatch>
</IfModule>
RewriteBase /
RewriteRule ^index\.html$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.html [L]
```