

#-> Item-System Requirements

#####

#php_flag register_globals off #-> HOSTGATOR CRASHED WITH THIS

#php_flag magic_quotes_gpc off #-> HOSTGATOR CRASHED WITH THIS

#php_value session.use_trans_sid 0 #-> HOSTGATOR CRASHED WITH THIS

AddDefaultCharset UTF-8

#-> If uncommenting following line produces errors, keep it commented

Options +FollowSymLinks

Options -Indexes

#-> Attention GoDaddy users: In order to remove the extensions you need to

enable MultiViews first. The code should look like this:

Options -MultiViews

#-> For the ones worried that search engines might index some pages as duplicate

content, take a look at the canonical meta tag in your HTML head

#-> Rewrites

#####

<IfModule mod_rewrite.c>

#Options +FollowSymLinks # Uncomment if your server allow you to have it

RewriteEngine on

#-> Only allow GET and POST Request Methods

#RewriteCond %{REQUEST_METHOD} !^(GET|POST)

#RewriteRule . - [F]*

#-> If you have installed Item-System in a sub-folder then set this path properly

#RewriteBase /relative/web/path/

#-> Redirect www.YOURDOMAINNAME.com to YOURDOMAINNAME.com (but not local installation)

#RewriteCond %{HTTP_HOST} !^YOURDOMAINNAME.com\$ [NC]

#RewriteCond %{REMOTE_ADDR} !^127\.\.0\.\.0\.\.1

#RewriteRule ^(.)\$ http://www.YOURDOMAINNAME.com/\$1 [R=301,L]*

#-> Change URL suffix to .html

RewriteRule *\..html\$ index.php [NC]

\ Test!----

```
#-> testing:
#RewriteRule ^(ar|br|csl|del|el|en|esl|fil|fr|hr|hul|it|lt|nl|pl|pt|rul|svl|tr)/([a-z]+)/([a-
z]+) index.php?lng=$1&action=$2&id=$3 [NC]
#RewriteRule ^(ar|br|csl|del|el|en|esl|fil|fr|hr|hul|it|lt|nl|pl|pt|rul|svl|tr)/([a-z]+)/([0-
9]+) index.php?lng=$1&action=$2&id=$3 [NC]
#RewriteRule ^(ar|br|csl|del|el|en|esl|fil|fr|hr|hul|it|lt|nl|pl|pt|rul|svl|tr)/([a-z]+)/
index.php?lng=$1&action=$2 [NC]
#RewriteRule ^(ar|br|csl|del|el|en|esl|fil|fr|hr|hul|it|lt|nl|pl|pt|rul|svl|tr)
index.php?lng=$1 [NC]
#-> Much Better:
RewriteRule ^([a-z]{2})/([a-z]+)/([a-z]+) index.php?lng=$1&action=$2&id=$3 [NC]
RewriteRule ^([a-z]{2})/([a-z]+)/([0-9]+) index.php?lng=$1&action=$2&id=$3 [NC]
RewriteRule ^([a-z]{2})/([a-z]+) index.php?lng=$1&action=$2 [NC]
RewriteRule ^([a-z]{2})/?$ index.php?lng=$1 [NC]
RewriteRule ^([a-z]+)/([a-z]+) index.php?action=$1&id=$2 [NC]
RewriteRule ^([a-z]+)/([0-9]+) index.php?action=$1&id=$2 [NC]
RewriteRule ^([a-z]+)/ index.php?action=$1 [NC]

#-> Stop browser prefetching
SetEnvIfNoCase X-Forwarded-For .+ proxy=yes
SetEnvIfNoCase X-moz-prefetch no_access=yes
# block pre-fetch requests with X-moz headers
RewriteCond %{ENV:no_access} yes
RewriteRule .* - [F,L]

</IfModule>

#-> Error pages (set the path properly)
#####
ErrorDocument 401 /is_errors/401.php
ErrorDocument 403 /is_errors/403.php
ErrorDocument 404 /is_errors/404.php
ErrorDocument 406 /is_errors/406.php
ErrorDocument 500 /is_errors/500.php

#-> http://developer.yahoo.com/performance/rules.html
#-> If your wish, an online test: http://www.gidnetwork.com/tools/gzip-test.php
#####
#-> Apache need to have mod_expires enabled - So set expires headers
#-> Wish to know more? http://www.mnot.net/cache_docs/
<IfModule mod_expires.c>
```

```

#-> Turn on expires and set default to A0
ExpiresActive On
ExpiresDefault A0
Header set Cache-Control "no-cache, no-store, must-revalidate, max-age=0, proxy-
revalidate, no-transform"
Header set Pragma "no-cache"
<FilesMatch "\.(html html)$">
    #-> 3 minutes
    ExpiresDefault "access plus 3 minutes"
    Header append Cache-Control "proxy-revalidate"
</FilesMatch>
<FilesMatch "\.(css|js|php|txt|xml)$">
    #-> 3 minutes
    ExpiresDefault "access plus 3 days"
    Header append Cache-Control "proxy-revalidate"
</FilesMatch>
<FilesMatch "\.(gif|ico|jpg|jpeg|png|swf)$">
    #-> 3 days
    ExpiresDefault "access plus 1 week"
    Header append Cache-Control "public"
</FilesMatch>
</IfModule>

```

```

#-> Apache comes standard with the mod_deflate module...
#-> http://httpd.apache.org/docs/2.0/mod/mod_deflate.html

```

```

<IfModule mod_deflate.c>
    SetOutputFilter DEFLATE
    #-> Properly handle old browsers that do not support compression
    BrowserMatch ^Mozilla/4 gzip-only-text/html
    BrowserMatch ^Mozilla/4\.0[678] no-gzip
    BrowserMatch \bMSIE[E] !no-gzip !gzip-only-text/html
    #-> Compress:
    AddOutputFilter DEFLATE text/html text/plain text/css text/javascript text/xml
    image/svg+xml application/javascript application/x-javascript application/atom+xml
    application/rss+xml application/xml ap$
    #-> Do not compress:
    SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ \ no-gzip dont-vary
    SetEnvIfNoCase Request_URI \.(?:exe|t?gz|zip|bz2|sit|rar)$ \no-gzip dont-vary
    #-> Uncomment if you use any:
    #SetEnvIfNoCase Request_URI \.asf$ no-gzip dont-vary
    #SetEnvIfNoCase Request_URI \.asx$ no-gzip dont-vary

```

```
#SetEnvIfNoCase Request_URI \.avi$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.mcf$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.mov$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.mpg$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.mp2$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.mp3$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.mp4$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.pdf$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.pls$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.rm$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.swf$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.wav$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.wax$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.wm$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.wma$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.wmd$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.wmv$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.wmz$ no-gzip dont-vary
#SetEnvIfNoCase Request_URI \.wmx$ no-gzip dont-vary
#Make sure proxies don't deliver the wrong content
Header append Vary User-Agent env=! dont-vary
```

```
</IfModule>
```

#-> Apache need to have mod_headers enabled - So unset Etags

```
<IfModule mod_headers.c>
```

```
#ServerAdmin SOMETHING@YOURDOMAIN.COM
```

```
#ServerName YOURDOMAIN.COM
```

```
#ServerAlias www.YOURDOMAIN.COM
```

```
#DocumentRoot /var/www
```

```
Header unset ETag
```

```
FileETag None
```

```
</IfModule>
```