

```

<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    <FilesMatch "\.(gif|ic|jpe?g|png|svg|svgz|webp)$">
      SetEnvIf Origin ":" IS_CORS
      Header set Access-Control-Allow-Origin "*" env=IS_CORS
    </FilesMatch>
  </IfModule>
</IfModule>

```

```

<IfModule mod_headers.c>
  <FilesMatch "\.(eot|font. css|otf|ttf|woff)$">
    Header set Access-Control-Allow-Origin "*"
  </FilesMatch>
</IfModule>

```

```

AddType application/javascript js jsonp
AddType application/json json
AddType audio/mp4 m4a f4a f4b
AddType audio/ogg oga ogg
AddType video/mp4 mp4 m4v f4v f4p
AddType video/ogg ogv
AddType video/webm webm
AddType video/x-flv flv
AddType image/svg+xml svg svgz
AddEncoding gzip svgz
AddType application/vnd.ms-fontobject eot
AddType application/x-font-ttf ttf ttc
AddType application/x-font-woff woff
AddType font/opentype otf
AddType application/octet-stream safariextz
AddType application/x-chrome-extension crx
AddType application/x-opera-extension oex
AddType application/x-shockwave-flash swf
AddType application/x-web-app-manifest+json webapp
AddType application/x-xpinstall xpi
AddType application/xml rss atom xml rdf
AddType image/webp webp
AddType image/x-icon ico
AddType text/cache-manifest appcache manifest
AddType text/vtt vtt
AddType text/x-ecmascript ecma

```

```
HeaderType text/x-component ntc
AddType text/x-vcard vcf
```

```
<IfModule mod_deflate.c>
  <IfModule mod_setenvif.c>
    <IfModule mod_headers.c>
      SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encodng|X(15)|^(15)|-(15))$
      ^((gzip|deflate)\s*,?\s*)+([X"]){4,13}$ HAVE_Accept-Encoding
      RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
    </IfModule>
  </IfModule>
```

```
<IfModule mod_filter.c>
  AddOutputFilterByType DEFLATE application/atom+xml \
    application/javascript \
    application/json \
    application/rss+xml \
    application/vnd.ms-fontobject \
    application/x-font-ttf \
    application/xhtml+xml \
    application/xml \
    font/opentype \
    image/svg+xml \
    image/x-icon \
    text/css \
    text/html \
    text/plain \
    text/x-component \
    text/xml
</IfModule>
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
  ExpiresActive on

  ExpiresDefault "access plus 1 month"
  ExpiresByType text/cache-manifest "access plus 0 seconds"
  ExpiresByType text/html "access plus 0 seconds"
  ExpiresByType application/json "access plus 0 seconds"
  ExpiresByType application/xml "access plus 0 seconds"
  ExpiresByType application/xhtml+xml "access plus 0 seconds"
```

```

ExpiresByType text/xml "access plus 0 seconds"
ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"
ExpiresByType image/x-icon "access plus 1 week"
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"
ExpiresByType text/x-component "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType application/x-font-ttf "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType application/javascript "access plus 1 year"
ExpiresByType text/css "access plus 1 year"
</IfModule>

<IfModule mod_headers.c>
    Header unset ETag
</IfModule>

FileETag None
Options -MultiViews
ErrorDocument 404 /404.html
AddDefaultCharset utf-8
AddCharset utf-8 .atom .css .js .json .rss .vtt .xml

<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>

<FilesMatch "\.(bak|config|dist|fla|incl|ini|log|psd|shl|sql|swp|l*)">
    Order allow,deny
    Deny from all
    Satisfy All
</FilesMatch>

```

```
<IfModule mod_php5.c>  
    php_value session.cookie_httponly true  
</IfModule>
```

```
<IfModule mod_rewrite.c>  
Options +FollowSymlinks  
RewriteEngine On
```

```
RewriteRule "(^|/)\." - [F]
```

```
RewriteCond %{REQUEST_FILENAME} !-f  
RewriteCond %{REQUEST_FILENAME} !-d  
RewriteRule . index.php  
</IfModule>
```