

```
# Multiple Environment config, set this to development, staging or production
# SetEnv FUEL_ENV production
```

```
<IfModule mod_rewrite.c>
```

```
    # Make sure directory listing is disabled
```

```
Options +FollowSymLinks -Indexes
```

```
RewriteEngine on
```

```
# NOTICE: If you get a 404 play with combinations of the following commented out lines
```

```
#AllowOverride All
```

```
#RewriteBase /wherever/fuel/
```

```
# Restrict your site to only one domain
```

```
# !important USE ONLY ONE OPTION
```

```
# Option 1: To rewrite "www.domain.com -> domain.com" uncomment the following lines.
```

```
RewriteCond %{HTTPS} !=on
```

```
RewriteCond %{HTTP_HOST} ^www\.(.+) [NC]
```

```
RewriteRule ^(.*)$ http://%1/$1 [R=301,L]
```

```
# Option 2: To rewrite "domain.com -> www.domain.com" uncomment the following lines.
```

```
#RewriteCond %{HTTPS} !=on
```

```
#RewriteCond %{HTTP_HOST} !^www\.(.+) [NC]
```

```
#RewriteCond %{HTTP_HOST} (.+) [NC]
```

```
#RewriteRule ^(.*)$ http://www.%1/$1 [R=301,L]
```

```
# Remove index.php from URL
```

```
RewriteCond %{HTTP: X-Requested-With} !^XMLHttpRequest$
```

```
RewriteCond %{THE_REQUEST} ^[^\s]*index\.php [NC]
```

```
RewriteRule ^index\.php(.*)$ $1 [R=301,NS,L]
```

```
# Send request via index.php (again, not if its a real file or folder)
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
# deal with php5-cgi first
```

```
<IfModule mod_fcgid.c>
```

```
    RewriteRule ^(.*)$ index.php?/$1 [QSA,L]
```

```
</IfModule>
```



```
application/x-font-ttf \  
application/x-web-app-manifest+json \  
application/xhtml+xml \  
application/xml \  
font/opentype \  
image/svg+xml \  
image/x-icon \  
text/css \  
text/html \  
text/plain \  
text/x-component \  
text/xml
```

```
</IfModule>
```

```
</IfModule>
```

```
# -----  
# | ETag removal |  
# -----
```

```
# Since we're sending far-future expires headers (see below), ETags can  
# be removed: http://developer.yahoo.com/performance/rules.html#etags.
```

```
# `FileETag None` is not enough for every server.
```

```
<IfModule mod_headers.c>
```

```
    Header unset ETag
```

```
</IfModule>
```

```
FileETag None
```

```
# -----  
# | Expires headers (for better cache control) |  
# -----
```

```
# The following expires headers are set pretty far in the future. If you don't  
# control versioning with filename-based cache busting, consider lowering the  
# cache time for resources like CSS and JS to something like 1 week.
```

```
<IfModule mod_expires.c>
```

```
    ExpiresActive on
```

```
ExpiresDefault "access plus 1 month"
```

#### *# CSS*

```
ExpiresByType text/css "access plus 1 year"
```

#### *# Data interchange*

```
ExpiresByType application/json "access plus 0 seconds"
```

```
ExpiresByType application/xml "access plus 0 seconds"
```

```
ExpiresByType text/xml "access plus 0 seconds"
```

#### *# Favicon (cannot be renamed!) and cursor images*

```
ExpiresByType image/x-icon "access plus 1 week"
```

#### *# HTML components (HTCs)*

```
ExpiresByType text/x-component "access plus 1 month"
```

#### *# HTML*

```
ExpiresByType text/html "access plus 0 seconds"
```

#### *# JavaScript*

```
ExpiresByType application/javascript "access plus 1 year"
```

#### *# Manifest files*

```
ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
```

```
ExpiresByType text/cache-manifest "access plus 0 seconds"
```

#### *# Media*

```
ExpiresByType audio/ogg "access plus 1 month"
```

```
ExpiresByType image/gif "access plus 1 month"
```

```
ExpiresByType image/jpeg "access plus 1 month"
```

```
ExpiresByType image/png "access plus 1 month"
```

```
ExpiresByType video/mp4 "access plus 1 month"
```

```
ExpiresByType video/ogg "access plus 1 month"
```

```
ExpiresByType video/webm "access plus 1 month"
```

#### *# Web feeds*

```
ExpiresByType application/atom+xml "access plus 1 hour"
```

```
ExpiresByType application/rss+xml "access plus 1 hour"
```

#### *# Web fonts*

```
ExpiresByType application/font-woff "access plus 1 month"
```

```
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"  
ExpiresByType application/x-font-ttf "access plus 1 month"  
ExpiresByType font/opentype "access plus 1 month"  
ExpiresByType image/svg+xml "access plus 1 month"
```

```
</IfModule>
```

```
</IfModule>
```