

```
##### REWRITE SETTINGS #####
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine on
```

```
    RewriteBase /
```

```
    RewriteCond %{QUERY_STRING} ^_escaped_fragment_=(.*)$
```

```
    RewriteRule ^(.*)$ http://www.%{HTTP_HOST}%1? [L,R=301]
```

```
#if trailing / remove it with a permanent redirect
```

```
    RewriteCond %{REQUEST_FILENAME} !-d
```

```
    RewriteRule ^(.*)/$ /$1 [L,R=301]
```

```
#if missing www. add it with a permanent redirect
```

```
    RewriteCond %{HTTP_HOST} !^www\.
```

```
    RewriteRule ^(.*)$ http://www.%{HTTP_HOST}/$1 [L,R=301]
```

```
#requests for index.php never rewritten
```

```
    RewriteRule ^index\.php$ - [L]
```

```
#if file or directory are missing, route to index.php
```

```
    RewriteCond %{REQUEST_FILENAME} !-f
```

```
    RewriteCond %{REQUEST_FILENAME} !-d
```

```
    RewriteRule . /index.php [L]
```

```
</IfModule>
```

```
##### COMPRESSION #####
```

```
<IfModule pagespeed_module>
```

```
    ModPagespeed on
```

```
    ModPagespeedEnableFilters
```

```
    extend_cache,combine_css,combine_javascript,collapse_whitespace,move_css_to_head
```

```
</IfModule>
```

```
<ifModule mod_deflate.c>
```

```
# Compress all files matching the following extensions
```

```
<filesMatch "\.(css|js|x?html?|php)$">
```

```
    SetOutputFilter DEFLATE
```

```
</filesMatch>
```

```
# Compress all output labeled with one of the following MIME-types
```

```
<SetOutputFilter DEFLATE>
```

```
<!ifModule mod_filter.c>
```

```
    AddOutputFilterByType DEFLATE application/atom+xml \
                                application/javascript \
                                application/json \
                                application/rss+xml \
                                application/vnd.ms-fontobject \
                                application/x-font-ttf \
                                application/x-web-app-manifest+json \
                                application/xhtml+xml \
                                application/xml \
                                font/opentype \
                                image/svg+xml \
                                image/x-icon \
                                text/css \
                                text/html \
                                text/plain \
                                text/x-component \
                                text/xml
```

```
</ifModule>
```

```
</ifModule>
```

```
<ifModule mod_gzip.c>
```

```
    mod_gzip_on Yes
```

```
    mod_gzip_dechunk Yes
```

```
    mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
```

```
    mod_gzip_item_include handler ^cgi-script$
```

```
    mod_gzip_item_include mime ^text/.*
```

```
    mod_gzip_item_include mime ^application/x-javascript.*
```

```
    mod_gzip_item_exclude mime ^image/.*
```

```
    mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
```

```
</ifModule>
```

```
##### EXPIRATION OF FILES #####
```

```
<IfModule mod_expires.c>
```

```
    ExpiresActive on
```

```
    ExpiresDefault                                     "access plus 1 month"
```

```
# CSS
```

```
    ExpiresByType text/css                             "access plus 1 week"
```

```
# Data interchange
```

```
    ExpiresByType application/javascript               "access plus 1 month"
```

```

ExpiresByType application/json "access plus 1 seconds"
ExpiresByType application/ld+json "access plus 1 seconds"
ExpiresByType application/vnd.geo+json "access plus 1 seconds"
ExpiresByType application/xml "access plus 1 seconds"
ExpiresByType text/xml "access plus 1 seconds"

# Favicon and cursor images
ExpiresByType image/x-icon "access plus 1 week"

# HTML components (HTCs)
ExpiresByType text/x-component "access plus 1 month"

# HTML
ExpiresByType text/html "access plus 1 hour"

# JavaScript
ExpiresByType text/x-javascript "access plus 1 week"
ExpiresByType application/javascript "access plus 1 week"
ExpiresByType application/x-javascript "access plus 1 week"

# Manifest files
ExpiresByType application/manifest+json "access plus 1 year"
ExpiresByType application/x-web-app-manifest+json "access plus 1 seconds"
ExpiresByType text/cache-manifest "access plus 1 seconds"

# Media
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# Web feeds
ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"

# Web fonts
ExpiresByType application/font-woff "access plus 1 month"
ExpiresByType application/font-woff2 "access plus 1 month"

```

```
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType application/x-font-ttf "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
```

```
</IfModule>
```

```
# END Expires
```