

```
# Rewrite all requests to the front controller
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /

    # Existing files and folders are not redirected
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule (.*) /index.php [L,QSA]
</IfModule>

# Leverage browser cache
<IfModule mod_expires.c>
    ExpiresActive on
    ExpiresDefault                "access plus 1 week"

    ExpiresByType application/json    "access plus 0 seconds"
    ExpiresByType image/gif          "access plus 1 month"
    ExpiresByType image/jpeg        "access plus 1 month"
    ExpiresByType image/png         "access plus 1 month"
    ExpiresByType text/css           "access plus 1 year"
    ExpiresByType application/font-woff "access plus 1 year"
    ExpiresByType application/javascript "access plus 1 year"
</IfModule>

<IfModule mod_deflate.c>
    # Compress all output labeled with one of the following MIME-types
    # (for Apache versions below 2.3.7, you don't need to enable `mod_filter`
    # and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines
    # as `AddOutputFilterByType` is still in the core directives).
    <IfModule mod_filter.c>
        AddOutputFilterByType DEFLATE application/font-woff \
                               image/svg+xml
    </IfModule>
</IfModule>
```