```
# Use the front controller as index file. It serves as a fallback solution when
# every other rewrite/redirect fails (e.g. in an aliased environment without
# mod_rewrite). Additionally, this reduces the matching process for the
# start page (path "/") because otherwise Apache will apply the rewriting rules
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).
DirectoryIndex app.php
<IfModule mod_rewrite.c>
  RewriteEngine On
  # Determine the RewriteBase automatically and set it as environment variable.
  # If you are using Apache aliases to do mass virtual hosting or installed the
  # project in a subdirectory, the base path will be prepended to allow proper
  # resolution of the app.php file and to redirect to the correct URI. It will
  # work in environments without path prefix as well, providing a safe, one-size
  # fits all solution. But as you do not need it in this case, you can comment
  # the following 2 lines to eliminate the overhead.
  RewriteCond %(REQUEST_URI):: $1 ^(/.+)/(.*):: \2$
  RewriteRule ^(.*) - [E=BASE: %1]
  # Sets the HTTP_AUTHORIZATION header removed by apache
  RewriteCond %(HTTP: Authorization) .
  RewriteRule . * - [E=HTTP_AUTHORIZATION: %(HTTP: Authorization)]
  # Redirect to URI without front controller to prevent duplicate content
  # (with and without `/app.php`). Only do this redirect on the initial
  # rewrite by Apache and not on subsequent cycles. Otherwise we would get an
  # endless redirect loop (request -> rewrite to front controller ->
  # redirect -> request -> ...).
  # So in case you get a "too many redirects" error or you always get redirected
  # to the start page because your Apache does not expose the REDIRECT_STATUS
  # environment variable, you have 2 choices:
  # - disable this feature by commenting the following 2 lines or
  # — use Apache >= 2.3.9 and replace all L flags by END flags and remove the
     following RewriteCond (best solution)
  RewriteCond %(ENV: REDIRECT_STATUS) ^$
  RewriteRule ^app\.php(/(.*)|$) %(ENV: BASE)/$2 [R=301,L]
  # If the requested filename exists, simply serve it.
  # We only want to let Apache serve files and not directories.
```