

```

# General Apache options
AddHandler fastcgi-script .fcgi
AddHandler cgi-script .cgi
Options +FollowSymLinks +ExecCGI

# If you don't want Rails to look in certain directories,
# use the following rewrite rules so that Apache won't rewrite certain requests
#
# Example:
# RewriteCond %{REQUEST_URI} ^/notrails.*
# RewriteRule .* - [L]

# Redirect all requests not available on the filesystem to Rails
# By default the cgi dispatcher is used which is very slow
#
# For better performance replace the dispatcher with the fastcgi one
#
# Example:
# RewriteRule ^(.*)$ dispatch.fcgi [QSA,L]
RewriteEngine On

RewriteBase /
RewriteCond %{REQUEST_URI} ^/(stats|failed_auth\.html)/?(.*)$ [NC]
RewriteRule ^.*$ - [L]

# Prevent hotlinking to images
RewriteCond %{HTTP_REFERER} !^http://(www\.)?golaberto\.com\.br/ [NC]
RewriteCond %{HTTP_REFERER} !^$
RewriteRule \.(jpe?g|gif|png)$ - [F]

# If your Rails application is accessed via an Alias directive,
# then you MUST also set the RewriteBase in this htaccess file.
#
# Example:
# Alias /myrailsapp /path/to/myrailsapp/public
# RewriteBase /myrailsapp

RewriteRule ^$ index.html [QSA]
RewriteRule ^([\^.]*)$ $1.html [QSA]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^.*$ /index.html [QSA]

```

```
RewriteRule \.(*)$ dispatch.fcgi [QSA,L]
```

```
# In case Rails experiences terminal errors
```

```
# Instead of displaying this message you can supply a file here which will be rendered instead
```

```
#
```

```
# Example:
```

```
# ErrorDocument 500 /500.html
```

```
ErrorDocument 500 "<h2>Application error</h2>Rails application failed to start properly"
```

```
# BEGIN GZIP
```

```
<ifmodule mod_deflate.c>
```

```
  AddOutputFilterByType DEFLATE text/text text/html text/plain text/xml text/css  
  application/x-javascript application/javascript
```

```
</ifmodule>
```

```
# END GZIP
```

```
ExpiresActive On
```

```
ExpiresDefault "access plus 1 year"
```