

```

<IfModule mod_rewrite.c>
  Options +FollowSymlinks
  RewriteEngine On

  # if a file exists, use it directly
  RewriteCond %{REQUEST_FILENAME} !-f

  # otherwise forward it to index.php
  RewriteRule . index.php

  # Adaptive-Images -----
  -----

  # Add any directories you wish to omit from the Adaptive-Images process on a new line,
  as follows:
  # RewriteCond %{REQUEST_URI} !ignore-this-directory
  # RewriteCond %{REQUEST_URI} !and-ignore-this-directory-too

  RewriteCond %{REQUEST_URI} !assets

  # don't apply the AI behaviour to images inside AI's cache folder:
  RewriteCond %{REQUEST_URI} !ai-cache

  # Send any GIF, JPG, or PNG request that IS NOT stored inside one of the above
  directories
  # to adaptive-images.php so we can select appropriately sized versions

  RewriteRule \.(?:jpe?g|gif|png)$ adaptive-images.php

  # END Adaptive-Images -----
  -----
</IfModule>

# -----
# Expires headers (for better cache control)
# -----

# these are pretty far-future expires headers
# they assume you control versioning with cachebusting query params like
# <script src="application.js?20100608">
# ...

```

```
# additionally, consider that outdated proxies may misccache
# www.stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring/

# if you don't use filenames to version, lower the css and js to something like
# "access plus 1 week" or so

<IfModule mod_expires.c>
    ExpiresActive on

    # Perhaps better to whitelist expires rules? Perhaps.
    ExpiresDefault                                "access plus 1 month"

    # cache, appcache needs re-requests in FF 3.6 (thx Remy "Introducing HTML5")
    ExpiresByType text/cache-manifest            "access plus 0 seconds"

    # your document html
    ExpiresByType text/html                       "access plus 0 seconds"

    # data
    ExpiresByType text/xml                        "access plus 0 seconds"
    ExpiresByType application/xml                "access plus 0 seconds"
    ExpiresByType application/json              "access plus 0 seconds"

    # rss feed
    ExpiresByType application/rss+xml            "access plus 1 hour"

    # favicon (cannot be renamed)
    ExpiresByType image/x-icon                   "access plus 1 week"

    # media: images, video, audio
    ExpiresByType image/gif                      "access plus 1 month"
    ExpiresByType image/png                      "access plus 1 month"
    ExpiresByType image/jpg                     "access plus 1 month"
    ExpiresByType image/jpeg                    "access plus 1 month"
    ExpiresByType video/ogg                     "access plus 1 month"
    ExpiresByType audio/ogg                     "access plus 1 month"
    ExpiresByType video/mp4                     "access plus 1 month"
    ExpiresByType video/webm                    "access plus 1 month"

    # htc files (css3pie)
    ExpiresByType text/x-component               "access plus 1 month"
```

```
# webfonts
ExpiresByType font/truetype "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
```

```
# css and javascript
ExpiresByType text/css "access plus 2 months"
ExpiresByType application/javascript "access plus 2 months"
ExpiresByType text/javascript "access plus 2 months"
```

```
<IfModule mod_headers.c>
  Header append Cache-Control "public"
</IfModule>
```

```
</IfModule>
```

```
# -----
# ETag removal
# -----
```

```
# Since we're sending far-future expires, we don't need ETags for
# static content.
# developer.yahoo.com/performance/rules.html#etags
FileETag None
```