

```

<IfModule mod_rewrite.c>

RewriteEngine On
RewriteBase /

# Remove www uncomment to activate
#RewriteCond %{HTTP_HOST} ^www\. (.*)$ [NC]
#RewriteRule ^(.*)$ http://%1/%1 [R=301,L]

# Force ssl uncomment to activate
#RewriteCond %{HTTPS} !on
#RewriteRule (.*) https://%{HTTP_HOST}%{REQUEST_URI} [R=301,L]

# Allow any files or directories that exist to be displayed directly
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d

# Remove Trailing slash uncomment to activate
#RewriteCond %{REQUEST_URI} (.+)/$
#RewriteRule ^ %1 [R=301,L]

RewriteRule ^(.*)$ index.php?$1 [QSA,L]

</IfModule>

# Remove ETags as resources are sent with far-future expires headers.
# http://developer.yahoo.com/performance/rules.html#etags.

# FileETag None doesn't work in all cases.
<IfModule mod_headers.c>
    Header unset ETag
</IfModule>

FileETag None

# Force Internet Explorer to render pages in the highest available mode
# in the various cases when it may not.
# http://hsivonen.iki.fi/doctype/ie-mode.pdf

<IfModule mod_headers.c>
    Header set X-UA-Compatible "IE=edge"

```



```
application/x-web-app-manifest+json \  
application/xhtml+xml \  
application/xml \  
font/opentype \  
image/svg+xml \  
image/x-icon \  
text/css \  
text/html \  
text/plain \  
text/x-component \  
text/xml
```

```
</IfModule>
```

```
</IfModule>
```

```
# The following expires headers are set pretty far in the future. If you  
# don't control versioning with filename-based cache busting, consider  
# lowering the cache time for resources such as style sheets and JavaScript  
# files to something like one week.
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive on  
ExpiresDefault 'access plus 1 month'
```

```
# CSS
```

```
ExpiresByType text/css 'access plus 1 year'
```

```
# Data interchange
```

```
ExpiresByType application/json 'access plus 0 seconds'
```

```
ExpiresByType application/ld+json 'access plus 0 seconds'
```

```
ExpiresByType application/xml 'access plus 0 seconds'
```

```
ExpiresByType text/xml 'access plus 0 seconds'
```

```
# Favicon (cannot be renamed!) and cursor images
```

```
ExpiresByType image/x-icon 'access plus 1 week'
```

```
# HTML components (HTCs)
```

```
ExpiresByType text/x-component 'access plus 1 month'
```

```
# HTML
```

```
ExpiresByType text/html 'access plus 0 seconds'

# JavaScript
ExpiresByType application/javascript 'access plus 1 year'

# Manifest files
ExpiresByType application/x-web-app-manifest+json 'access plus 0 seconds'
ExpiresByType text/cache-manifest 'access plus 0 seconds'

# Media
ExpiresByType audio/ogg 'access plus 1 month'
ExpiresByType image/gif 'access plus 1 month'
ExpiresByType image/jpeg 'access plus 1 month'
ExpiresByType image/png 'access plus 1 month'
ExpiresByType video/mp4 'access plus 1 month'
ExpiresByType video/ogg 'access plus 1 month'
ExpiresByType video/webm 'access plus 1 month'

# Web feeds
ExpiresByType application/atom+xml 'access plus 1 hour'
ExpiresByType application/rss+xml 'access plus 1 hour'

# Web fonts
ExpiresByType application/font-woff 'access plus 1 month'
ExpiresByType application/vnd.ms-fontobject 'access plus 1 month'
ExpiresByType application/x-font-ttf 'access plus 1 month'
ExpiresByType font/opentype 'access plus 1 month'
ExpiresByType image/svg+xml 'access plus 1 month'

</IfModule>
```