

```
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /gobrenix.com/
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /gobrenix.com/index.php [L]
</IfModule>

# END WordPress

# disable hotlinking of images with forbidden or custom image option
#RewriteEngine on
#RewriteCond %{HTTP_REFERER} !^$
#RewriteCond %{HTTP_REFERER} !^http(s)?://(www\.)?sparringmind.com [NC]
#RewriteCond %{HTTP_REFERER} !^http(s)?://(www\.)?google.com [NC]
#RewriteCond %{HTTP_REFERER} !^http(s)?://(www\.)?feed.gobrenix.com [NC]
#RewriteRule \.(jpg|jpeg|png|gif)$ - [NC,F,L]

# An Expires header is a way to specify a time that the clients
# don't have to re-fetch any static content (such as images etc).
<IfModule mod_expires.c>
    ExpiresActive On
    ExpiresByType text/html M3600
    ExpiresByType text/css M3600
    ExpiresByType application/x-javascript M3600
    ExpiresByType image/bmp M3600
    ExpiresByType image/gif M3600
    ExpiresByType image/x-icon M3600
    ExpiresByType image/jpeg M3600
    ExpiresByType image/png A2592000
    ExpiresByType image/jpg A2592000
</IfModule>

# Compress I/O over HTTP
<IfModule mod_deflate.c>
    AddOutputFilterByType DEFLATE text/html text/css application/x-javascript text/plain
    text/xml image/x-icon
</IfModule>
```