

```
# .htaccess
```

```
#####
```

```
# MonkeyWrench Apache htaccess file. #
```

```
#####
```

```
# mod_rewrite settings.
```

```
RewriteEngine On
```

```
Options +FollowSymlinks
```

```
RewriteBase /
```

```
# Ultimate htaccess Blacklist from Perishable Press
```

```
RewriteCond %{HTTP_USER_AGENT} almaden [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Anarchie [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^ASPSeek [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^attach [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^autoemailspider [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^BackWeb [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Bandit [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^BatchFTP [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto:craftbot@yahoo.com [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Buddy [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^bumblebee [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^CherryPicker [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^CICC [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Collector [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Copier [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Crescent [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Custo [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^DA [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^DIIBot [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^DISCo [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^DISCo\ Pump [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Download\ Wonder [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Downloader [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Drip [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^DSurf15a [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^G-Data [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} elatchn [OR]
RewriteCond %{HTTP_USER_AGENT} ^EasyDL/2.99 [OR]
RewriteCond %{HTTP_USER_AGENT} ^EirGrabber [OR]
RewriteCond %{HTTP_USER_AGENT} email [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailCollector [OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailSiphon [OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailWolf [OR]
RewriteCond %{HTTP_USER_AGENT} ^Express\ WebPictures [OR]
RewriteCond %{HTTP_USER_AGENT} ^ExtractorPro [OR]
RewriteCond %{HTTP_USER_AGENT} ^EyeNetIE [OR]
RewriteCond %{HTTP_USER_AGENT} ^FileHound [OR]
RewriteCond %{HTTP_USER_AGENT} ^FlashGet [OR]
RewriteCond %{HTTP_USER_AGENT} FrontPage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^GetRight [OR]
RewriteCond %{HTTP_USER_AGENT} ^GetSmart [OR]
RewriteCond %{HTTP_USER_AGENT} ^GetWeb! [OR]
RewriteCond %{HTTP_USER_AGENT} ^gigabaz [OR]
RewriteCond %{HTTP_USER_AGENT} ^Go\! Zilla [OR]
RewriteCond %{HTTP_USER_AGENT} ^Go! Zilla [OR]
RewriteCond %{HTTP_USER_AGENT} ^Go-Ahead-Got-It [OR]
RewriteCond %{HTTP_USER_AGENT} ^gotit [OR]
RewriteCond %{HTTP_USER_AGENT} ^Grabber [OR]
RewriteCond %{HTTP_USER_AGENT} ^GrabNet [OR]
RewriteCond %{HTTP_USER_AGENT} ^Grafula [OR]
RewriteCond %{HTTP_USER_AGENT} ^grub-client [OR]
RewriteCond %{HTTP_USER_AGENT} ^HMView [OR]
RewriteCond %{HTTP_USER_AGENT} ^HTTrack [OR]
RewriteCond %{HTTP_USER_AGENT} ^httpdown [OR]
RewriteCond %{HTTP_USER_AGENT} .*httrack.* [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ia_archiver [OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [OR]
RewriteCond %{HTTP_USER_AGENT} ^Indy*Library [OR]
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [OR]
RewriteCond %{HTTP_USER_AGENT} ^InternetLinkagent [OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [OR]
RewriteCond %{HTTP_USER_AGENT} ^InternetSeer.com [OR]
RewriteCond %{HTTP_USER_AGENT} ^Iria [OR]
RewriteCond %{HTTP_USER_AGENT} ^JBH*agent [OR]
RewriteCond %{HTTP_USER_AGENT} ^JetCar [OR]
```

RewriteCond %{HTTP\_USER\_AGENT} ^JUC\ Web\ Spider [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^JustView [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^larbin [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^LeechFTP [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^LexiBot [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^lftp [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Link\*Sleuth [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^likse [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Link [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^LinkWalker [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mag-Net [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Magnet [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mass\ Downloader [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Memo [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Microsoft. URL [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^MIDown\ tool [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mirror [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mister\ PiX [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla.\*Indy [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla.\*NEWT [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla\*MSIECrawler [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^MS\ FrontPage\* [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^MSFrontPage [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^MSIECrawler [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^MSProxy [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Navroad [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NearSite [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NetAnts [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NetMechanic [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NetSpider [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Net\ Vampire [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NetZIP [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NICERsPRO [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Ninja [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Octopus [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Offline\ Explorer [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Offline\ Navigator [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Openfind [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^PageGrabber [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Papa\ Foto [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^pavuk [OR]

RewriteCond %{HTTP\_USER\_AGENT} ^pcBrowser [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Ping [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^PingALink [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Pockey [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^psbot [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Pump [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^QRVA [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^RealDownload [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Reaper [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Recorder [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^ReGet [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Scooter [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Seeker [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Siphon [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^sitecheck.internetseer.com [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SiteSnagger [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SlySearch [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SmartDownload [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Snake [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SpaceBison [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^sproose [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Stripper [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Sucker [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SuperBot [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SuperHTTP [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Surfbot [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Szukacz [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^tAkeOut [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Teleport\ Pro [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^URLSpiderPro [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Vacuum [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^VoidEYE [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Image\ Collector [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Sucker [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebAuto [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^[Ww]eb[Bb]andit [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^webcollage [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebCopier [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Downloader [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebEMailExtrac.\* [OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebFetch [OR]

```
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebHook [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebMiner [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebMirror [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ eXtractor [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [OR]
RewriteCond %{HTTP_USER_AGENT} ^Webster [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [OR]
RewriteCond %{HTTP_USER_AGENT} WebWhacker [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [OR]
RewriteCond %{HTTP_USER_AGENT} ^Whacker [OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [OR]
RewriteCond %{HTTP_USER_AGENT} ^WMMOFFLE [OR]
RewriteCond %{HTTP_USER_AGENT} ^X-Tractor [OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Xenu [OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus.*Webster [OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus
RewriteRule ^.* - [F,L]
```

*# Can't remember what this is, need to review at some stage.*

```
#RewriteCond %{HTTP_HOST} ^(?!(www\.)([a-z]+\.)com)$ [NC]
```

```
#RewriteRule /(.* ) http://www.%1/$1 [R=permanent,L]
```

*# If file or directory does not exist send request to /index.php*

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule . /index.php [L]
```