

```
<IfModule mod_headers.c>

    Header set X-UA-Compatible "IE=edge"

    # `mod_headers` cannot match based on the content-type, however,
    # the `X-UA-Compatible` response header should be send only for
    # HTML documents and not for the other resources.

    <FilesMatch "\.
    (appcache|atom|bbaw|bmp|crx|css|curl|eot|f4[abpv]|flv|geojson|gif|htc|ico|jpe?
    |js|json|ld)?
    |m4[av]|manifest|map|mp4|oex|og[agv]|opus|otf|pdf|png|rdf|rss|safariextz|svgz?
    |swf|topojson|tt[cf]|txt|vcard|vcf|vtt|webapp|web[mp]|woff2?|xloc|xsl|xpi)$">
        Header unset X-UA-Compatible
    </FilesMatch>

</IfModule>

<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>

<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /github/scorporativo/

    #Removes access to the system folder by users.
    #Additionally this will allow you to create a System.php controller,
    #previously this would not have been possible.
    #'system' can be replaced if you have renamed your system folder.
    RewriteCond %{REQUEST_URI} ^system.*
    RewriteRule ^(.*)$ index.php/$1 [L]

    #Checks to see if the user is attempting to access a valid file,
    #such as an image or css document, if this isn't true it sends the
    #request to index.php
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule ^(.*)$ index.php/$1 [L]
</IfModule>
```

```

<IfModule !mod_rewrite.c>
    # If we don't have mod_rewrite installed, all 404's
    # can be sent to index.php, and everything works as normal.
    # Submitted by: ElliotHaughin

    ErrorDocument 404 index.php
</IfModule>

# Option 1:
# Rewrite "www.example.com -> example.com".

# <IfModule mod_rewrite.c>
# RewriteCond %{HTTPS} !=on
# RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
# RewriteRule ^https://%1%{REQUEST_URI} [R=301,L]
# </IfModule>

# Option 2:
# Rewrite "example.com -> www.example.com".
# Be aware that the following rule might not be a good idea if you use "real"
# subdomains for certain parts of your website.

# <IfModule mod_rewrite.c>
# RewriteEngine On
# RewriteCond %{HTTPS} !on
# RewriteRule (.*) https://%{HTTP_HOST}%{REQUEST_URI}
# </IfModule>

<FilesMatch "(^#.#|\.|(bak|conf|dist|fla|in[ci]|log|psd|sh|sql|sw[op])|")$" >

    # Apache < 2.3
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
        Satisfy All
    </IfModule>

    # Apache ≥ 2.3
    <IfModule mod_authz_core.c>
        Require all denied

```

```
</IfModule>
```

```
</FilesMatch>
```

```
ServerSignature Off
```