```
# Use the front controller as index file. It serves as fallback solution when
# every other rewrite/redirect fails (e.g. in an aliased environment without
# mod_rewrite). Additionally, this reduces the matching process for the
# startpage (path "/") because otherwise Apache will apply the rewritting rules
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).
DirectoryIndex app.php
<IfModule mod_headers.c>
    Header set X-UA-Compatible "IE=Edge,chrome=1"
    Header set Access-Control-Allow-Origin "*"
</If Module>
<FilesMatch "\.(ttflotfleotlwoff)$">
    <IfModule mod_headers.c>
       Header set Access-Control-Allow-Origin "*"
    </If Module>
</
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteCond %{HTTP_HOST} ^www\.(.*)$ [NC]
    RewriteRule ^(.*)$ http://%1/$1 [R=301,L]
    # Determine the RewriteBase automatically and set it as environment variable.
    # If you are using Apache aliases to do mass virtual hosting or installed the
    # project in a subdirectory, the base path will be prepended to allow proper
    # resolution of the app php file and to redirect to the correct URI. It will
    # work in environments without path prefix as well, providing a safe, one-size
    # fits all solution. But as you do not need it in this case, you can comment
    # the following 2 lines to eliminate the overhead.
    RewriteCond %(REQUEST_URI)::$1 ^(/.+)/(.*)::\2$
    RewriteRule ^(.*) - [E=BASE: %1]
    # Redirect to URI without front controller to prevent duplicate content
    # (with and without `/app.php`). Only do this redirect on the initial
    # rewrite by Apache and not on subsequent cycles. Otherwise we would get an
    # endless redirect loop (request -> rewrite to front controller ->
    # redirect -> request -> ...).
    # So in case you get a "too many redirects" error or you always get redirected
```

```
# to the startpage because your Hpache does not expose the KEVIKEVI_SIHIUS
    # environment variable, you have 2 choices:
    # - disable this feature by commenting the following 2 lines or
    # - use Apache >= 2.3.9 and replace all L flags by END flags and remove the
         following RewriteCond (best solution)
    RewriteCond %(ENV: REDIRECT STATUS) ^$
    RewriteRule ^app\.php(/(.*)|$) %(ENV:BASE)/$2 [R=301,L]
    # If the requested filename exists, simply serve it.
    # We only want to let Apache serve files and not directories.
    RewriteCond %(REQUEST FILENAME) -f
    RewriteRule .? - [L]
    # Rewrite all other queries to the front controller.
    RewriteRule .? %(ENV: BASE)/app.php [L]
<IfModule ! mod rewrite. c>
    <IfModule mod alias.c>
         # When mod_rewrite is not available, we instruct a temporary redirect of
         # the startpage to the front controller explicitly so that the website
         # and the generated links can still be used.
         RedirectMatch 302 ^/$ /app.php/
         # RedirectTemp cannot be used instead
    </IfModule>
</IfModule>
<IfModule mod_deflate.c>
    SetOutputFilter DEFLATE
    AddOutputFilterByType DEFLATE text/html text/css text/plain text/xml application/x-
javascript application/javascript application/json

</p
<IfModule mod_expires.c>
  ExpiresActive on
# Perhaps better to whitelist expires rules? Perhaps.
                                                 "access plus 1 week"
  ExpiresDefault
# cache appoache needs re-requests in FF 3.6 (thanks Remy "Introducing HTML5)
  ExpiresByType text/cache-manifest "access plus 0 seconds"
```

```
# Your document html
                                           "access plus 0 seconds"
 ExpiresByType text/html
# Data
 ExpiresByType text/xml
                                           "access plus 0 seconds"
                                           "access plus 0 seconds"
 ExpiresBuTupe application/xml
                                           "access plus 0 seconds"
 ExpiresByType application/json
# Feed
                                           "access plus 1 hour"
 ExpiresByType application/rss+xml
                                           "access plus 1 hour"
 ExpiresByType application/atom+xml
# Favicon (cannot be renamed)
                                           "access plus 1 week"
 ExpiresBuTupe image/x-icon
# Media: images, video, audio
                                           "access plus 1 week"
 ExpiresByType image/gif
                                           "access plus 1 week"
 ExpiresByType image/png
                                           "access plus 1 week"
 ExpiresByType image/jpg
                                           "access plus 1 week"
 ExpiresByType image/jpeg
                                           "access plus 1 week"
 ExpiresByType video/ogg
                                           "access plus 1 week"
 ExpiresByType audio/ogg
                                          "access plus 1 week"
 ExpiresByType video/mp4
                                           "access plus 1 week"
 ExpiresByType video/webm
# HTC files (css3pie)
                                           "access plus 1 week"
 ExpiresByType text/x-component
# Webfonts
                                           "access plus 1 week"
 ExpiresByType application/x-font-ttf
                                           "access plus 1 week"
 ExpiresByType font/opentype
                                           "access plus 1 week"
 ExpiresByType application/x-font-woff
                                           "access plus 1 week"
 ExpiresByType image/svg+xml
 ExpiresByType application/vnd.ms-fontobject "access plus 1 week"
# CSS and JavaScript
                                           "access plus 1 month"
 ExpiresByType text/css
                                           "access plus 1 month"
 ExpiresByType application/javascript
```