

```
# osCommerce Online Merchant
#
# @copyright Copyright (c) 2011 osCommerce; http://www.oscommerce.com
# @license BSD License; http://www.oscommerce.com/bsdlicense.txt

# This is used with Apache web servers. For this to work, you must include the
# parameter 'Options' to the AllowOverride configuration.
#
# Example:
#
# <Directory "/usr/local/apache/htdocs">
#   AllowOverride Options
# </Directory>
#
# 'All' will also work. (This configuration is in the apache/conf/httpd.conf
# file)

#####
# The following makes adjustments to the SSL protocol for Internet Explorer 5
# browsers.
#####

<IfModule mod_setenvif.c>
# <IfDefine SSL>
#   SetEnvIf User-Agent ".MSIE.*" \
#       nokeepalive ssl-unclean-shutdown \
#       downgrade-1.0 force-response-1.0
# </IfDefine>
</IfModule>

#####
# Fix certain PHP values.
#####

#php_value session.use_trans_sid 0
#php_value magic_quotes_gpc 0

#####
# Redirect all none index.php requests to index.php for a cleaner URL scheme.
#####
```

```
#<IfModule mod_rewrite.c>
# RewriteEngine On
#
# RewriteCond %{REQUEST_FILENAME} !-f
# RewriteCond %{REQUEST_FILENAME} !-d
#
# RewriteRule ^(.*)$ index.php/$1 [PT,L]
#</IfModule>
```