

BEGIN Better WP Security

Order Allow,Deny

Deny from env=DenyAccess

Allow from all

```
SetEnvIF REMOTE_ADDR "^101\.51\.136\.173$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^101\.51\.136\.173$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^101\.51\.136\.173$" DenyAccess
SetEnvIF REMOTE_ADDR "^101\.51\.141\.188$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^101\.51\.141\.188$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^101\.51\.141\.188$" DenyAccess
SetEnvIF REMOTE_ADDR "^103\.10\.208\.2$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^103\.10\.208\.2$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^103\.10\.208\.2$" DenyAccess
SetEnvIF REMOTE_ADDR "^109\.197\.193\.202$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\.197\.193\.202$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\.197\.193\.202$" DenyAccess
SetEnvIF REMOTE_ADDR "^109\.2\.86\.217$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\.2\.86\.217$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\.2\.86\.217$" DenyAccess
SetEnvIF REMOTE_ADDR "^109\.62\.27\.136$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\.62\.27\.136$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\.62\.27\.136$" DenyAccess
SetEnvIF REMOTE_ADDR "^109\.83\.107\.131$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\.83\.107\.131$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\.83\.107\.131$" DenyAccess
SetEnvIF REMOTE_ADDR "^109\.92\.230\.5$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^109\.92\.230\.5$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^109\.92\.230\.5$" DenyAccess
SetEnvIF REMOTE_ADDR "^110\.168\.66\.232$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^110\.168\.66\.232$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^110\.168\.66\.232$" DenyAccess
SetEnvIF REMOTE_ADDR "^111\.118\.173\.242$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^111\.118\.173\.242$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^111\.118\.173\.242$" DenyAccess
SetEnvIF REMOTE_ADDR "^112\.205\.179\.113$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^112\.205\.179\.113$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^112\.205\.179\.113$" DenyAccess
SetEnvIF REMOTE_ADDR "^112\.205\.198\.188$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^112\.205\.198\.188$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^112\.205\.198\.188$" DenyAccess
SetEnvIF REMOTE_ADDR "^115\.248\.248\.145$" DenyAccess
```

```
SetEnvIf REMOTE_ADDR "115\.248\.34\.146$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^115\.248\.34\.146$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^115\.248\.34\.146$" DenyAccess
SetEnvIf REMOTE_ADDR "^117\.0\.190\.11$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^117\.0\.190\.11$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^117\.0\.190\.11$" DenyAccess
SetEnvIf REMOTE_ADDR "^118\.71\.103\.135$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^118\.71\.103\.135$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^118\.71\.103\.135$" DenyAccess
SetEnvIf REMOTE_ADDR "^123\.22\.16\.250$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^123\.22\.16\.250$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^123\.22\.16\.250$" DenyAccess
SetEnvIf REMOTE_ADDR "^123\.27\.43\.155$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^123\.27\.43\.155$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^123\.27\.43\.155$" DenyAccess
SetEnvIf REMOTE_ADDR "^123\.63\.13\.117$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^123\.63\.13\.117$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^123\.63\.13\.117$" DenyAccess
SetEnvIf REMOTE_ADDR "^124\.120\.134\.206$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^124\.120\.134\.206$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^124\.120\.134\.206$" DenyAccess
SetEnvIf REMOTE_ADDR "^128\.73\.157\.191$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^128\.73\.157\.191$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^128\.73\.157\.191$" DenyAccess
SetEnvIf REMOTE_ADDR "^142\.4\.211\.151$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^142\.4\.211\.151$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^142\.4\.211\.151$" DenyAccess
SetEnvIf REMOTE_ADDR "^151\.238\.5\.32$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^151\.238\.5\.32$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^151\.238\.5\.32$" DenyAccess
SetEnvIf REMOTE_ADDR "^162\.201\.152\.207$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^162\.201\.152\.207$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^162\.201\.152\.207$" DenyAccess
SetEnvIf REMOTE_ADDR "^171\.4\.224\.172$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^171\.4\.224\.172$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^171\.4\.224\.172$" DenyAccess
SetEnvIf REMOTE_ADDR "^171\.5\.140\.144$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^171\.5\.140\.144$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^171\.5\.140\.144$" DenyAccess
SetEnvIf REMOTE_ADDR "^176\.221\.21\.190$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^176\.221\.21\.190$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^176\.221\.21\.190$" DenyAccess
```

SetEnvIF X-CLUSTER-CLIENT-IP ""176\ 221\ 21\ 190\$" DenyAccess
SetEnvIF REMOTE_ADDR ""176\ 73\ 145\ 126\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""176\ 73\ 145\ 126\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""176\ 73\ 145\ 126\$" DenyAccess
SetEnvIF REMOTE_ADDR ""177\ 17\ 88\ 30\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""177\ 17\ 88\ 30\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""177\ 17\ 88\ 30\$" DenyAccess
SetEnvIF REMOTE_ADDR ""177\ 19\ 134\ 226\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""177\ 19\ 134\ 226\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""177\ 19\ 134\ 226\$" DenyAccess
SetEnvIF REMOTE_ADDR ""177\ 99\ 172\ 126\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""177\ 99\ 172\ 126\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""177\ 99\ 172\ 126\$" DenyAccess
SetEnvIF REMOTE_ADDR ""178\ 122\ 152\ 109\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""178\ 122\ 152\ 109\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""178\ 122\ 152\ 109\$" DenyAccess
SetEnvIF REMOTE_ADDR ""178\ 123\ 190\ 26\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""178\ 123\ 190\ 26\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""178\ 123\ 190\ 26\$" DenyAccess
SetEnvIF REMOTE_ADDR ""178\ 123\ 60\ 126\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""178\ 123\ 60\ 126\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""178\ 123\ 60\ 126\$" DenyAccess
SetEnvIF REMOTE_ADDR ""178\ 137\ 112\ 2\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""178\ 137\ 112\ 2\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""178\ 137\ 112\ 2\$" DenyAccess
SetEnvIF REMOTE_ADDR ""178\ 153\ 116\ 241\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""178\ 153\ 116\ 241\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""178\ 153\ 116\ 241\$" DenyAccess
SetEnvIF REMOTE_ADDR ""178\ 236\ 53\ 193\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""178\ 236\ 53\ 193\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""178\ 236\ 53\ 193\$" DenyAccess
SetEnvIF REMOTE_ADDR ""178\ 74\ 98\ 12\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""178\ 74\ 98\ 12\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""178\ 74\ 98\ 12\$" DenyAccess
SetEnvIF REMOTE_ADDR ""178\ 80\ 141\ 209\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""178\ 80\ 141\ 209\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""178\ 80\ 141\ 209\$" DenyAccess
SetEnvIF REMOTE_ADDR ""180\ 183\ 64\ 91\$" DenyAccess
SetEnvIF X-FORWARDED-FOR ""180\ 183\ 64\ 91\$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP ""180\ 183\ 64\ 91\$" DenyAccess
SetEnvIF REMOTE_ADDR ""183\ 88\ 205\ 104\$" DenyAccess

```
SetEnvIF X-FORWARDED-FOR "^183\.88\.205\.104$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^183\.88\.205\.104$" DenyAccess
SetEnvIF REMOTE_ADDR "^186\.116\.117\.138$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^186\.116\.117\.138$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^186\.116\.117\.138$" DenyAccess
SetEnvIF REMOTE_ADDR "^186\.93\.99\.186$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^186\.93\.99\.186$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^186\.93\.99\.186$" DenyAccess
SetEnvIF REMOTE_ADDR "^187\.104\.45\.122$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^187\.104\.45\.122$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^187\.104\.45\.122$" DenyAccess
SetEnvIF REMOTE_ADDR "^188\.116\.168\.39$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.116\.168\.39$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.116\.168\.39$" DenyAccess
SetEnvIF REMOTE_ADDR "^188\.138\.147\.120$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.138\.147\.120$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.138\.147\.120$" DenyAccess
SetEnvIF REMOTE_ADDR "^188\.143\.232\.147$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.143\.232\.147$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.143\.232\.147$" DenyAccess
SetEnvIF REMOTE_ADDR "^188\.143\.232\.45$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.143\.232\.45$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.143\.232\.45$" DenyAccess
SetEnvIF REMOTE_ADDR "^188\.165\.243\.45$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.165\.243\.45$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.165\.243\.45$" DenyAccess
SetEnvIF REMOTE_ADDR "^188\.186\.8\.216$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.186\.8\.216$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.186\.8\.216$" DenyAccess
SetEnvIF REMOTE_ADDR "^188\.233\.112\.225$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.233\.112\.225$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.233\.112\.225$" DenyAccess
SetEnvIF REMOTE_ADDR "^188\.48\.29\.4$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^188\.48\.29\.4$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^188\.48\.29\.4$" DenyAccess
SetEnvIF REMOTE_ADDR "^190\.101\.92\.101$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^190\.101\.92\.101$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^190\.101\.92\.101$" DenyAccess
SetEnvIF REMOTE_ADDR "^190\.90\.57\.225$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^190\.90\.57\.225$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^190\.90\.57\.225$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^192\.188\.242\.172$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^192\.188\.242\.172$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^192\.188\.242\.172$" DenyAccess
SetEnvIF REMOTE_ADDR "^194\.106\.174\.217$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^194\.106\.174\.217$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^194\.106\.174\.217$" DenyAccess
SetEnvIF REMOTE_ADDR "^2\.187\.15\.239$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^2\.187\.15\.239$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^2\.187\.15\.239$" DenyAccess
SetEnvIF REMOTE_ADDR "^200\.27\.231\.114$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^200\.27\.231\.114$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^200\.27\.231\.114$" DenyAccess
SetEnvIF REMOTE_ADDR "^200\.29\.218\.40$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^200\.29\.218\.40$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^200\.29\.218\.40$" DenyAccess
SetEnvIF REMOTE_ADDR "^201\.22\.86\.36$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^201\.22\.86\.36$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^201\.22\.86\.36$" DenyAccess
SetEnvIF REMOTE_ADDR "^212\.1\.104\.34$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^212\.1\.104\.34$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^212\.1\.104\.34$" DenyAccess
SetEnvIF REMOTE_ADDR "^212\.112\.119\.22$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^212\.112\.119\.22$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^212\.112\.119\.22$" DenyAccess
SetEnvIF REMOTE_ADDR "^212\.145\.64\.56$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^212\.145\.64\.56$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^212\.145\.64\.56$" DenyAccess
SetEnvIF REMOTE_ADDR "^212\.235\.115\.23$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^212\.235\.115\.23$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^212\.235\.115\.23$" DenyAccess
SetEnvIF REMOTE_ADDR "^213\.171\.199\.66$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^213\.171\.199\.66$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^213\.171\.199\.66$" DenyAccess
SetEnvIF REMOTE_ADDR "^213\.60\.51\.127$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^213\.60\.51\.127$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^213\.60\.51\.127$" DenyAccess
SetEnvIF REMOTE_ADDR "^217\.137\.108\.28$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^217\.137\.108\.28$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^217\.137\.108\.28$" DenyAccess
SetEnvIF REMOTE_ADDR "^31\.186\.100\.134$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^31\.186\.100\.134$" DenyAccess
```

```
SetEnvIF X-CLUSTER-CLIENT-IP "^31\.186\.100\.134$" DenyAccess
SetEnvIF REMOTE_ADDR "^37\.127\.131\.215$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^37\.127\.131\.215$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^37\.127\.131\.215$" DenyAccess
SetEnvIF REMOTE_ADDR "^37\.16\.219\.141$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^37\.16\.219\.141$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^37\.16\.219\.141$" DenyAccess
SetEnvIF REMOTE_ADDR "^37\.213\.82\.182$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^37\.213\.82\.182$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^37\.213\.82\.182$" DenyAccess
SetEnvIF REMOTE_ADDR "^37\.57\.25\.225$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^37\.57\.25\.225$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^37\.57\.25\.225$" DenyAccess
SetEnvIF REMOTE_ADDR "^41\.210\.49\.250$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^41\.210\.49\.250$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^41\.210\.49\.250$" DenyAccess
SetEnvIF REMOTE_ADDR "^42\.113\.198\.128$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^42\.113\.198\.128$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^42\.113\.198\.128$" DenyAccess
SetEnvIF REMOTE_ADDR "^46\.119\.96\.31$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^46\.119\.96\.31$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^46\.119\.96\.31$" DenyAccess
SetEnvIF REMOTE_ADDR "^46\.2\.236\.211$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^46\.2\.236\.211$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^46\.2\.236\.211$" DenyAccess
SetEnvIF REMOTE_ADDR "^46\.30\.167\.70$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^46\.30\.167\.70$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^46\.30\.167\.70$" DenyAccess
SetEnvIF REMOTE_ADDR "^5\.248\.31\.231$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^5\.248\.31\.231$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^5\.248\.31\.231$" DenyAccess
SetEnvIF REMOTE_ADDR "^58\.187\.113\.28$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^58\.187\.113\.28$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^58\.187\.113\.28$" DenyAccess
SetEnvIF REMOTE_ADDR "^58\.187\.22\.71$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^58\.187\.22\.71$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^58\.187\.22\.71$" DenyAccess
SetEnvIF REMOTE_ADDR "^60\.48\.40\.230$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^60\.48\.40\.230$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^60\.48\.40\.230$" DenyAccess
SetEnvIF REMOTE_ADDR "^74\.14\.237\.15$" DenyAccess
```

```
SetEnvIF X-FORWARDED-FOR "^74\.14\.237\.15$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^74\.14\.237\.15$" DenyAccess
SetEnvIF REMOTE_ADDR "^78\.186\.148\.160$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^78\.186\.148\.160$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^78\.186\.148\.160$" DenyAccess
SetEnvIF REMOTE_ADDR "^78\.186\.239\.158$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^78\.186\.239\.158$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^78\.186\.239\.158$" DenyAccess
SetEnvIF REMOTE_ADDR "^78\.29\.119\.164$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^78\.29\.119\.164$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^78\.29\.119\.164$" DenyAccess
SetEnvIF REMOTE_ADDR "^79\.105\.29\.122$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^79\.105\.29\.122$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^79\.105\.29\.122$" DenyAccess
SetEnvIF REMOTE_ADDR "^79\.131\.208\.169$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^79\.131\.208\.169$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^79\.131\.208\.169$" DenyAccess
SetEnvIF REMOTE_ADDR "^80\.58\.250\.79$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^80\.58\.250\.79$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^80\.58\.250\.79$" DenyAccess
SetEnvIF REMOTE_ADDR "^82\.222\.115\.244$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^82\.222\.115\.244$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^82\.222\.115\.244$" DenyAccess
SetEnvIF REMOTE_ADDR "^83\.206\.51\.34$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^83\.206\.51\.34$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^83\.206\.51\.34$" DenyAccess
SetEnvIF REMOTE_ADDR "^83\.66\.203\.206$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^83\.66\.203\.206$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^83\.66\.203\.206$" DenyAccess
SetEnvIF REMOTE_ADDR "^84\.236\.122\.232$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^84\.236\.122\.232$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^84\.236\.122\.232$" DenyAccess
SetEnvIF REMOTE_ADDR "^85\.102\.117\.26$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^85\.102\.117\.26$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^85\.102\.117\.26$" DenyAccess
SetEnvIF REMOTE_ADDR "^85\.113\.44\.241$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^85\.113\.44\.241$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^85\.113\.44\.241$" DenyAccess
SetEnvIF REMOTE_ADDR "^85\.135\.111\.94$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^85\.135\.111\.94$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^85\.135\.111\.94$" DenyAccess
```

```
SetEnvIF REMOTE_ADDR "^85\.26\.82\.37$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^85\.26\.82\.37$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^85\.26\.82\.37$" DenyAccess
SetEnvIF REMOTE_ADDR "^86\.51\.183\.134$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^86\.51\.183\.134$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^86\.51\.183\.134$" DenyAccess
SetEnvIF REMOTE_ADDR "^90\.188\.254\.239$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^90\.188\.254\.239$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^90\.188\.254\.239$" DenyAccess
SetEnvIF REMOTE_ADDR "^91\.105\.182\.217$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.105\.182\.217$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.105\.182\.217$" DenyAccess
SetEnvIF REMOTE_ADDR "^91\.200\.54\.31$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.200\.54\.31$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.200\.54\.31$" DenyAccess
SetEnvIF REMOTE_ADDR "^91\.211\.17\.199$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.211\.17\.199$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.211\.17\.199$" DenyAccess
SetEnvIF REMOTE_ADDR "^91\.219\.220\.231$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.219\.220\.231$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.219\.220\.231$" DenyAccess
SetEnvIF REMOTE_ADDR "^91\.221\.154\.58$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.221\.154\.58$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.221\.154\.58$" DenyAccess
SetEnvIF REMOTE_ADDR "^91\.229\.79\.227$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.229\.79\.227$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.229\.79\.227$" DenyAccess
SetEnvIF REMOTE_ADDR "^91\.239\.106\.26$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.239\.106\.26$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.239\.106\.26$" DenyAccess
SetEnvIF REMOTE_ADDR "^93\.63\.195\.16$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^93\.63\.195\.16$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^93\.63\.195\.16$" DenyAccess
SetEnvIF REMOTE_ADDR "^93\.84\.12\.234$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^93\.84\.12\.234$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^93\.84\.12\.234$" DenyAccess
SetEnvIF REMOTE_ADDR "^94\.123\.136\.107$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.123\.136\.107$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.123\.136\.107$" DenyAccess
SetEnvIF REMOTE_ADDR "^94\.236\.152\.178$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.236\.152\.178$" DenyAccess
```



```
-----
SetEnvIf X-CLUSTER-CLIENT-IP "^94\.236\.152\.178$" DenyAccess
SetEnvIf REMOTE_ADDR "^95\.137\.159\.56$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^95\.137\.159\.56$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^95\.137\.159\.56$" DenyAccess
SetEnvIf REMOTE_ADDR "^95\.211\.192\.202$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^95\.211\.192\.202$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^95\.211\.192\.202$" DenyAccess
SetEnvIf REMOTE_ADDR "^95\.225\.180\.37$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^95\.225\.180\.37$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^95\.225\.180\.37$" DenyAccess
SetEnvIf REMOTE_ADDR "^95\.241\.106\.161$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^95\.241\.106\.161$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^95\.241\.106\.161$" DenyAccess
SetEnvIf REMOTE_ADDR "^95\.242\.201\.167$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^95\.242\.201\.167$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^95\.242\.201\.167$" DenyAccess
SetEnvIf REMOTE_ADDR "^95\.9\.61\.31$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^95\.9\.61\.31$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^95\.9\.61\.31$" DenyAccess
SetEnvIf REMOTE_ADDR "^199\.192\.230\.98$" DenyAccess
SetEnvIf X-FORWARDED-FOR "^199\.192\.230\.98$" DenyAccess
SetEnvIf X-CLUSTER-CLIENT-IP "^199\.192\.230\.98$" DenyAccess
<files .htaccess>
Order allow,deny
Deny from all
</files>

<files readme.html>
Order allow,deny
Deny from all
</files>

<files readme.txt>
Order allow,deny
Deny from all
</files>

<files install.php>
Order allow,deny
Deny from all
</files>
```

```
<FilesMatch >
```

```
<files wp-config.php>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteRule ^wp-admin/includes/ - [F,L]
```

```
RewriteRule !^wp-includes/ - [S=3]
```

```
RewriteCond %{SCRIPT_FILENAME} !^(. *)wp-includes/ms-files.php
```

```
RewriteRule ^wp-includes/[^(/)]+\.php$ - [F,L]
```

```
RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F,L]
```

```
RewriteRule ^wp-includes/theme-compat/ - [F,L]
```

```
RewriteCond %{REQUEST_METHOD} POST
```

```
RewriteCond %{REQUEST_URI} ^(. *)wp-comments-post\.php*
```

```
RewriteCond %{HTTP_REFERER} !^(. *)nds-snowflake.com.*
```

```
RewriteCond %{HTTP_REFERER} !^http://jetpack\.wordpress\.com/jetpack-comment/ [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^$
```

```
RewriteRule ^(. *)$ - [F,L]
```

```
</IfModule>
```

```
# END Better WP Security
```