```
<IfModule mod_rewrite.c>
RewriteEngine On
# Begin - Force use of SSL for pages
#First rewrite any request to the wrong domain to use the correct one (here www.)
RewriteCond %(HTTP_HOST) ! ^www\.
RewriteRule ^(.*)$ https://www.%(HTTP_HOST)%(REQUEST_URI) [L,R=301]
#Now, rewrite to HTTPS:
RewriteCond %(HTTPS) off
RewriteRule ^(.*) $ https://%(HTTP_HOST)%(REQUEST_URI) [L,R=301]
# End — use SSL for pages and images
#Redirect from old WP format to new Grav format
RewriteRule ^\d(4)/\d(2)/\d(2)/(.*)$ /blog/$1 [R=301,L]
## Begin RewriteBase
# If you are getting 404 errors on subpages, you may have to uncomment the RewriteBase
entry
# You should change the '/' to your appropriate subfolder. For example if you have
# your Grav install at the root of your site '/' should work, else it might be something
# along the lines of: RewriteBase /<your_sub_folder>
##
# RewriteBase /
## End - RewriteBase
## Begin - Exploits
# If you experience problems on your site block out the operations listed below
# This attempts to block the most common type of exploit `attempts` to Grav
# Block out any script trying to base64_encode data within the URL.
RewriteCond %(OUERY STRING) base64 encode[^(]*\([^)]*\) [OR]
# Block out any script that includes a <script> tag in URL.
RewriteCond %(QUERY_STRING) (<1 %3C)([^s]*s)+cript.*(>1 %3E) [NC,OR]
# plack and and analyte finite to be a public popular models of a line
```

```
# block out any script trying to set a PMP GLUBHLS Variable Via UKL.
RewriteCond %(QUERY_STRING) GLOBALS(=|\[|\%[0-9A-Z](0,2)) [OR]
# Block out any script trying to modify a _REQUEST variable via URL.
RewriteCond %(QUERY_STRING) _REQUEST(=L\[L\%[0-9A-Z](0,2))
# Return 403 Forbidden header and show the content of the root homepage
RewriteRule . * index.php [F]
## End - Exploits
## Begin - Index
# If the requested path and file is not /index.php and the request
# has not already been internally rewritten to the index.php script
RewriteCond %(REQUEST_URI) !^/index\.php
# and the requested path and file doesn't directly match a physical file
RewriteCond %(REQUEST_FILENAME) !-f
# and the requested path and file doesn't directly match a physical folder
RewriteCond %(REQUEST_FILENAME) !-d
# internally rewrite the request to the index.php script
RewriteRule . * index.php [L]
## End - Index
## Begin - Security
# Block all direct access for these folders
RewriteRule ^(.gitlcachelbinllogs|backup)/(.*) error [F]
# Block access to specific file types for these system folders
RewriteRule ^(system) vendor)/(.*)\.(txt|xml|md|html|yaml|php|pl|py|cqi|twiq|sh|bat)$ error
[F]
# Block access to specific file types for these user folders
RewriteRule ^(user)/(.*)\.(txt|md|yaml|php|pl|py|cqi|twiq|sh|bat)$ error [F]
# Block all direct access to .md files:
RewriteRule \.md$ error [F]
# Block all direct access to files and folders beginning with a dot
RewriteRule (^{\Lambda}, 1/\Lambda, ) - [F]
# Block access to specific files in the root folder
RewriteRule
^(LICENSE, txtl composer, lockl composer, jsonlinginx, confliweb, configlihtaccess, txtl \, htaccess)$
error [F]
## End - Security
# Begin - Prevent Browsing and Set Default Resources
Options -Indexes
```

```
DirectoryIndex index.php index.html index.htm
# End - Prevent Browsing and Set Default Resources

# Begin - Force use of SSL for pages
RewriteEngine On
RewriteCond %(HTTPS) !=on
RewriteRule ^ https://%(HTTP_HOST)%(REQUEST_URI) [L,R=301]

RewriteEngine On
RewriteCond %(HTTPS) !=on
RewriteCond %(HTTPS) !=on
RewriteRule ^(.*)$ https://%(HTTP_HOST)%(REQUEST_URI) [L,R=301]
# End - use SSL for pages and images

</IfModule>
```