

```
# BEGIN iThemes Security - Do not modify or remove this line
# iThemes Security Config Details: 2
# Protect System Files - Security > Settings > System Tweaks > System Files
<files .htaccess>
  <IfModule mod_authz_core.c>
    Require all denied
  </IfModule>
  <IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
  </IfModule>
</files>
<files readme.html>
  <IfModule mod_authz_core.c>
    Require all denied
  </IfModule>
  <IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
  </IfModule>
</files>
<files readme.txt>
  <IfModule mod_authz_core.c>
    Require all denied
  </IfModule>
  <IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
  </IfModule>
</files>
<files install.php>
  <IfModule mod_authz_core.c>
    Require all denied
  </IfModule>
  <IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
  </IfModule>
</files>
<files wp-config.php>
  <IfModule mod_authz_core.c>
```

```
<IfModule mod_authz_core.c>
    Require all denied
</IfModule>
<IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
</IfModule>
</files>
```

Disable XML-RPC - Security > Settings > WordPress Tweaks > XML-RPC

```
<files xmlrpc.php>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
    </IfModule>
</files>
```

Disable Directory Browsing - Security > Settings > System Tweaks > Directory Browsing Options -Indexes

```
<IfModule mod_rewrite.c>
    RewriteEngine On
```

Protect System Files - Security > Settings > System Tweaks > System Files

```
RewriteRule ^wp-admin/includes/ - [F]
RewriteRule !^wp-includes/ - [S=3]
RewriteCond %{SCRIPT_FILENAME} !^(.*)wp-includes/ms-files.php
RewriteRule ^wp-includes/[^\.]+\.\php$ - [F]
RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F]
RewriteRule ^wp-includes/theme-compat/ - [F]
```

Filter Request Methods - Security > Settings > System Tweaks > Request Methods

```
RewriteCond %{REQUEST_METHOD} ^(TRACE|DELETE|TRACK) [NC]
RewriteRule ^.* - [F]
```

```
</IfModule>
```

END iThemes Security - Do not modify or remove this line

BEGIN W3TC Browser Cache

```
<IfModule mod_mime.c>
  AddType text/css .css
  AddType text/x-component .htc
  AddType application/x-javascript .js
  AddType application/javascript .js2
  AddType text/javascript .js3
  AddType text/x-js .js4
  AddType text/html .html .htm
  AddType text/richtext .rtf .rtx
  AddType image/svg+xml .svg .svgz
  AddType text/plain .txt
  AddType text/xsd .xsd
  AddType text/xsl .xsl
  AddType text/xml .xml
  AddType video/asf .asf .asx .wax .wmv .wmx
  AddType video/avi .avi
  AddType image/bmp .bmp
  AddType application/java .class
  AddType video/divx .divx
  AddType application/msword .doc .docx
  AddType application/vnd.ms-fontobject .eot
  AddType application/x-msdownload .exe
  AddType image/gif .gif
  AddType application/x-gzip .gz .gzip
  AddType image/x-icon .ico
  AddType image/jpeg .jpg .jpeg .jpe
  AddType application/json .json
  AddType application/vnd.ms-access .mdb
  AddType audio/midi .mid .midi
  AddType video/quicktime .mov .qt
  AddType audio/mpeg .mp3 .m4a
  AddType video/mp4 .mp4 .m4v
  AddType video/mpeg .mpeg .mpg .mpe
  AddType application/vnd.ms-project .mpp
  AddType application/x-font-otf .otf
  AddType application/vnd.ms-opentype .otf
  AddType application/vnd.oasis.opendocument.database .odb
  AddType application/vnd.oasis.opendocument.chart .odc
  AddType application/vnd.oasis.opendocument.formula .odf
  AddType application/vnd.oasis.opendocument.graphics .odg
  AddType application/vnd.oasis.opendocument.presentation .odp
```

```
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType application/vnd.ms-opentype .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/font-woff .woff
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
ExpiresByType text/css A31536000
ExpiresByType text/x-component A31536000
ExpiresByType application/x-javascript A31536000
ExpiresByType application/javascript A31536000
ExpiresByType text/javascript A31536000
ExpiresByType text/x-js A31536000
ExpiresByType text/html A3600
ExpiresByType text/richtext A3600
ExpiresByType image/svg+xml A3600
ExpiresByType text/plain A3600
ExpiresByType text/xsd A3600
ExpiresByType text/xsl A3600
ExpiresByType text/xml A3600
ExpiresByType video/asf A31536000
ExpiresByType video/avi A31536000
ExpiresByType image/bmp A31536000
ExpiresByType application/java A31536000
ExpiresByType video/divx A31536000
ExpiresByType application/msword A31536000
ExpiresByType application/vnd.ms-fontobject A31536000
```

ExpiresByType application/x-msdownload A31 536000
ExpiresByType image/gif A31 536000
ExpiresByType application/x-gzip A31 536000
ExpiresByType image/x-icon A31 536000
ExpiresByType image/jpeg A31 536000
ExpiresByType application/json A31 536000
ExpiresByType application/vnd.ms-access A31 536000
ExpiresByType audio/midi A31 536000
ExpiresByType video/quicktime A31 536000
ExpiresByType audio/mpeg A31 536000
ExpiresByType video/mp4 A31 536000
ExpiresByType video/mpeg A31 536000
ExpiresByType application/vnd.ms-project A31 536000
ExpiresByType application/x-font-otf A31 536000
ExpiresByType application/vnd.ms-opentype A31 536000
ExpiresByType application/vnd.oasis.opendocument.database A31 536000
ExpiresByType application/vnd.oasis.opendocument.chart A31 536000
ExpiresByType application/vnd.oasis.opendocument.formula A31 536000
ExpiresByType application/vnd.oasis.opendocument.graphics A31 536000
ExpiresByType application/vnd.oasis.opendocument.presentation A31 536000
ExpiresByType application/vnd.oasis.opendocument.spreadsheet A31 536000
ExpiresByType application/vnd.oasis.opendocument.text A31 536000
ExpiresByType audio/ogg A31 536000
ExpiresByType application/pdf A31 536000
ExpiresByType image/png A31 536000
ExpiresByType application/vnd.ms-powerpoint A31 536000
ExpiresByType audio/x-real audio A31 536000
ExpiresByType image/svg+xml A31 536000
ExpiresByType application/x-shockwave-flash A31 536000
ExpiresByType application/x-tar A31 536000
ExpiresByType image/tiff A31 536000
ExpiresByType application/x-font-ttf A31 536000
ExpiresByType application/vnd.ms-opentype A31 536000
ExpiresByType audio/wav A31 536000
ExpiresByType audio/uma A31 536000
ExpiresByType application/vnd.ms-write A31 536000
ExpiresByType application/font-woff A31 536000
ExpiresByType application/vnd.ms-excel A31 536000
ExpiresByType application/zip A31 536000

</IfModule>

<IfModule mod_deflate.c>

```

<IfModule mod_headers.c>
    Header append Vary User-Agent env=!dont-vary
</IfModule>
<IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript app
<IfModule mod_mime.c>
    # DEFLATE by extension
    AddOutputFilter DEFLATE js css htm html xml
</IfModule>
</IfModule>
</IfModule>
<FilesMatch "\.(css|htc|less|js|js2|js3|js4|CSS|HTC|LESS|JS|JS2|JS3|JS4)$">
    FileETag MTime Size
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public"
        Header set X-Powered-By "W3 Total Cache/0.9.4.1"
    </IfModule>
</FilesMatch>
<FilesMatch "\.(html|htmlrft|rtxl|svg|svgz|txt|xsl|xsl1|xsl2|xsl3|xsl4|HTML|HTMLRFT|RTX|SVG|SVGZ|TXT|XSL|XSL1|XSL2|XSL3|XSL4)$">
    FileETag MTime Size
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public"
        Header set X-Powered-By "W3 Total Cache/0.9.4.1"
    </IfModule>
</FilesMatch>
<FilesMatch "\.(asf|asx|wax|wmv|wmx|avi|bmp|class|divx|doc|docx|eot|exel|gif|gz|gzip|ico|jpg|jpeg|jpe|json|j
    FileETag MTime Size
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public"
        Header set X-Powered-By "W3 Total Cache/0.9.4.1"
    </IfModule>
</FilesMatch>
# END W3TC Browser Cache
# BEGIN W3TC Page Cache core
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /magexpress/

```

```

RewriteCond %{HTTP: Accept-Encoding} gzip
RewriteRule .* - [E=W3TC_ENC:_gzip]
RewriteCond %{HTTP_COOKIE} w3tc_preview [NC]
RewriteRule .* - [E=W3TC_PREVIEW:_preview]
RewriteCond %{REQUEST_METHOD} !=POST
RewriteCond %{QUERY_STRING} =""
RewriteCond %{REQUEST_URI} \/$
RewriteCond %{HTTP_COOKIE} !(<comment_author|wp\~postpass|w3tc_logged_out|wordpress_logg
RewriteCond "%{DOCUMENT_ROOT}/magexpress/wp-content/cache/page_enhanced/%{HTTP_HOST}/%{F
RewriteRule .* "/magexpress/wp-content/cache/page_enhanced/%{HTTP_HOST}/%{REQUEST_URI}/
</IfModule>
# END W3TC Page Cache core

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /magexpress/
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /magexpress/index.php [L]
</IfModule>

# END WordPress

```