

```
#####;
# Internal squeezr rewrite rules
#
# You shouldn't need to change anything here (but the RewriteBase directory in case you don't
# default setup for squeezr).
#
# @package    squeezr
# @author    Joschi Kuphal <joschi@kuphal.net>
# @copyright Copyright © 2014 Joschi Kuphal <joschi@kuphal.net>, http://jkphl.is
# @link      http://squeezr.it
# @github    https://github.com/jkphl/squeezr
# @twitter   @squeezr
# @license   https://github.com/jkphl/squeezr/blob/master/LICENSE.txt MIT License
# @since    1.0b
# @version   1.0b
#####;

# URL rewriting (required for squeezr to work)
<IfModule mod_rewrite.c>

    # Start the rewrite engine
    RewriteEngine On
    RewriteBase /squeezr
#####;
# Set this path ^^^ appropriately in case you don't apply the default setup for squeezr
# .htaccess file respectively the common engine configuration SQUEEZR_ROOT/conf/common.php ;
#####;

    # Redirect non-existing image cache requests to squeezr
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-l [OR]
    RewriteCond %{QUERY_STRING} ^(^[^&]*&)*reset=file
    RewriteRule ^cache/(.*)-(\d+px)(\.(?:jpe?g|gif|png))$ index.php?engine=image&breakpoint=$2&
[NC,L]

    # Redirect non-existing css cache requests to squeezr
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-l [OR]
    RewriteCond %{QUERY_STRING} ^(^[^&]*&)*reset=file
    RewriteRule ^cache/(.*)-(\d+x\d+@(\d+)(?:\.\d+)?)\.css$ index.php?engine=css&breakpoint=$2&
[NC,L]

```

LNU, LJ

</IfModule>