

```

RewriteOptions inherit
## EXPIRES CACHING ##
<IfModule mod_expires.c>
ExpiresActive On
ExpiresByType image/jpg "access 1 year"
ExpiresByType image/jpeg "access 1 year"
ExpiresByType image/gif "access 1 year"
ExpiresByType image/png "access 1 year"
ExpiresByType text/css "access 1 month"
ExpiresByType application/pdf "access 1 month"
ExpiresByType text/x-javascript "access 1 month"
ExpiresByType application/x-shockwave-flash "access 1 month"
ExpiresByType image/x-icon "access 1 year"
ExpiresDefault "access 2 days"
</IfModule>
## EXPIRES CACHING ##

RewriteEngine On
Redirect 301 /plumbers-orange-county/ http://mikediamondservices.com/plumbing-heating-air-co
Redirect 301 /stoppages.html http://mikediamondservices.com/stoppages/
Redirect 301 /home/ http://mikediamondservices.com
Redirect 301 /plumbers-van-nuys/ http://mikediamondservices.com/plumbing-heating-air-conditi
Redirect 301 /plumbers-long-beach/ http://mikediamondservices.com/plumbing-heating-air-condi
Redirect 301 /plumbers-los-angeles/ http://mikediamondservices.com/plumbing-heating-air-conc

RewriteCond %{HTTP_HOST} ^mikediamondservices\.com$ [OR]
RewriteCond %{HTTP_HOST} ^www\.mikediamondservices\.com$
RewriteRule ^good-plumber/(.*)$ "http://www/mikediamondservices.com/the-smell-good-pl

# BEGIN WPSuperCache
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
#If you serve pages from behind a proxy you may want to change 'RewriteCond %{HTTPS} on' to
AddDefaultCharset UTF-8
RewriteCond %{REQUEST_URI} !^.*[^/]$
RewriteCond %{REQUEST_URI} !^.*//.*$
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !.*=.*
RewriteCond %{HTTP:Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %{HTTP:X-Real-IP} !^.*$
RewriteRule ^.*$ /$ [R=302,L]

```

```
RewriteCond %{HTTP: X-Map-Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP: Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^(2.0\ MMPi 240x320| 400x240| AvantGo| BlackBerry| Blazer| Cell;
2. | MMEF20| MOT-VI| NetFront| Newt| Nintendo\ Wii| Nitro| Nokia| Opera\ Mini| Palm| PlayStation\ Portal
10| UP. Browser| UP. Link| webOS| Windows\ CE| WinWAPI| YahooSeeker/M1A1-R2D2| iPhone| iPod| Android| Bl:
RewriteCond %{HTTP_user_agent} !^(u3c\ | u3c-l| acs-l| alavl| alcal| amoi| audi| avani| benq| bird| black| bl
|lg|ul| maui| maxol| midpl| mits| mmeff| mobil| mot-l| motol| mubpl| nec-l| newt| noki| palm| panal| pant| phil| play| p
mol| telil| tim-l| toshi| tsm-l| upgl| upsil| vk-vl| vodal| wap-l| wapal| wapi| wappl| wapri| webcl| winul| winul| xda\ | xda:
RewriteCond %{HTTP: Accept-Encoding} gzip
RewriteCond %{HTTPS} on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html.
RewriteRule ^(.*) "/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html.gz" [L]
```

```
RewriteCond %{REQUEST_URI} !^.*[^\/$]
RewriteCond %{REQUEST_URI} !^.*//.*$
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !.*=.*
RewriteCond %{HTTP: Cookie} !^(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %{HTTP: X-Map-Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP: Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^(2.0\ MMPi 240x320| 400x240| AvantGo| BlackBerry| Blazer| Cell;
2. | MMEF20| MOT-VI| NetFront| Newt| Nintendo\ Wii| Nitro| Nokia| Opera\ Mini| Palm| PlayStation\ Portal
10| UP. Browser| UP. Link| webOS| Windows\ CE| WinWAPI| YahooSeeker/M1A1-R2D2| iPhone| iPod| Android| Bl:
RewriteCond %{HTTP_user_agent} !^(u3c\ | u3c-l| acs-l| alavl| alcal| amoi| audi| avani| benq| bird| black| bl
|lg|ul| maui| maxol| midpl| mits| mmeff| mobil| mot-l| motol| mubpl| nec-l| newt| noki| palm| panal| pant| phil| play| p
mol| telil| tim-l| toshi| tsm-l| upgl| upsil| vk-vl| vodal| wap-l| wapal| wapi| wappl| wapri| webcl| winul| winul| xda\ | xda:
RewriteCond %{HTTP: Accept-Encoding} gzip
RewriteCond %{HTTPS} !on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index.html.gz -f
RewriteRule ^(.*) "/wp-content/cache/supercache/%{SERVER_NAME}/$1/index.html.gz" [L]
```

```
RewriteCond %{REQUEST_URI} !^.*[^\/$]
RewriteCond %{REQUEST_URI} !^.*//.*$
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !.*=.*
RewriteCond %{HTTP: Cookie} !^(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %{HTTP: X-Map-Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP: Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^(2.0\ MMPi 240x320| 400x240| AvantGo| BlackBerry| Blazer| Cell;
2. | MMEF20| MOT-VI| NetFront| Newt| Nintendo\ Wii| Nitro| Nokia| Opera\ Mini| Palm| PlayStation\ Portal
10| UP. Browser| UP. Link| webOS| Windows\ CE| WinWAPI| YahooSeeker/M1A1-R2D2| iPhone| iPod| Android| Bl:
RewriteCond %{HTTP_user_agent} !^(u3c\ | u3c-l| acs-l| alavl| alcal| amoi| audi| avani| benq| bird| black| bl
|lg|ul| maui| maxol| midpl| mits| mmeff| mobil| mot-l| motol| mubpl| nec-l| newt| noki| palm| panal| pant| phil| play| p
mol| telil| tim-l| toshi| tsm-l| upgl| upsil| vk-vl| vodal| wap-l| wapal| wapi| wappl| wapri| webcl| winul| winul| xda\ | xda:
```

```

RewriteCond %{HTTP_user_agent} !^(w3c\ |w3c-l|acs-l|alavl|alcal|amoil|audil|avani|benq|bird|blac|bl
llg|ul|mauil|maxol|midpl|mitsl|mmevl|mobil|mot-l|motol|mwbpl|nec-l|newtl|nokil|palm|panal|panti|phill|play|
mol|telil|tim-l|toshl|tsm-l|upgll|upsil|vk-v|vodal|wap-l|wapal|wapil|wappl|wapri|webcl|winwl|winwl|xda\ |xd:
RewriteCond %{HTTPS} on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html
RewriteRule ^(.*) "/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html" [L]

RewriteCond %{REQUEST_URI} !^.*[/]$
RewriteCond %{REQUEST_URI} !^.*//.*$
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !.*=.*
RewriteCond %{HTTP:Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %{HTTP:X-Wap-Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP:Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^(2.0\ MMP| 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell;
2. | MMEF20| MOT-V| NetFront| Newt| Nintendo\ Wii| Nitro| Nokia| Opera\ Mini| Palm| PlayStation\ Portal
10| UP. Browser| UP. Link| webOS| Windows\ CE| WinWAP| YahooSeeker/M1A1-R2D2| iPhone| iPod| Android| Bl:
RewriteCond %{HTTP_user_agent} !^(w3c\ |w3c-l|acs-l|alavl|alcal|amoil|audil|avani|benq|bird|blac|bl
llg|ul|mauil|maxol|midpl|mitsl|mmevl|mobil|mot-l|motol|mwbpl|nec-l|newtl|nokil|palm|panal|panti|phill|play|
mol|telil|tim-l|toshl|tsm-l|upgll|upsil|vk-v|vodal|wap-l|wapal|wapil|wappl|wapri|webcl|winwl|winwl|xda\ |xd:
RewriteCond %{HTTPS} !on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index.html -f
RewriteRule ^(.*) "/wp-content/cache/supercache/%{SERVER_NAME}/$1/index.html" [L]
</IfModule>

# END WPSuperCache

# BEGIN W3TC Browser Cache
<IfModule mod_deflate.c>
    <IfModule mod_headers.c>
        Header append Vary User-Agent env=!dont-vary
    </IfModule>
    AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript app
text/xsd text/xsl text/xml image/x-icon application/json
    <IfModule mod_mime.c>
        # DEFLATE by extension
        AddOutputFilter DEFLATE js css htm html xml
    </IfModule>
</IfModule>
# END W3TC Browser Cache

```

```
# Use PHP 5.3
# Use PHP53 as default
AddHandler application/x-httpd-php53 .php
<IfModule mod_suphp.c>
    suPHP_ConfigPath /opt/php53/lib
</IfModule>

# compress text, html, javascript, css, xml:
AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/html
AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE text/css
AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE application/xhtml+xml
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/x-javascript
AddType x-font/otf .otf
AddType x-font/ttf .ttf
AddType x-font/eot .eot
AddType x-font/woff .woff
AddType image/x-icon .ico
AddType image/png .png

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress
# Leverage Browser Caching Ninja -- Starts here
# Do not write anything between "Leverage Browser Caching Ninja -- Starts" and "Leverage Br
# It will be deleted while uninstalling Leverage Browser Caching Ninja plugin
<IfModule mod_expires.c>
ExpiresActive On
ExpiresDefault "access plus 1 month"
ExpiresByType image/x-icon "access plus 1 year"
ExpiresByType image/gif "access plus 1 month"
```

```
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/jpg "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType text/css "access 1 month"
ExpiresByType application/javascript "access plus 1 year"
</IfModule>
# Leverage Browser Caching Ninja -- Ends here
```