

```
# -----  
# Adds some security for the Apache server configuration for use with  
# yii2-app-practical-a template.  
# @author Kartik Visweswaran <kartikv2@gmail.com>  
# @see http://demos.krajee.com/app-practical  
# -----
```

```
Allow from all
```

```
# "-Indexes" will have Apache block users from browsing folders without a default document  
# Usually you should leave this activated, because you shouldn't allow everybody to surf th  
# every folder on your server (which includes rather private places like CMS system folders.  
<IfModule mod_autoindex.c>  
    Options -Indexes  
</IfModule>
```

```
# Block access to "hidden" directories whose names begin with a period. This  
# includes directories used by version control systems such as Subversion or Git.  
<IfModule mod_rewrite.c>  
    RewriteCond %{SCRIPT_FILENAME} -d  
    RewriteCond %{SCRIPT_FILENAME} -f  
    RewriteRule "(^|/)\." - [F]  
</IfModule>
```

```
# Block access to backup and source files  
# This files may be left by some text/html editors and  
# pose a great security danger, when someone can access them  
<FilesMatch "(\\.bak|bat|config|sql|fla|md|psd|ini|log|sh|incl|swp|dist)|\\.ini|composer\\.json|composer\\.lock  
    Order allow,deny  
    Deny from all  
    Satisfy All  
</FilesMatch>
```

```
# Increase cookie security  
<IfModule php5_module>  
    php_value session.cookie_httponly true  
</IfModule>
```

```
# Settings to hide index.php and ensure pretty urls  
RewriteEngine on
```

```
RewriteEngine on
```

```
# if a directory or a file exists, use it directly
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
# otherwise forward it to index.php
```

```
RewriteRule . index.php
```