


```

# -----
# Gzip compression
# -----
<IfModule mod_deflate.c>
    # Force deflate for mangled headers developer.yahoo.com/blogs/ymn/posts/2010/12/pushing-
    beyond-gzipping/
    <IfModule mod_setenvif.c>
        <IfModule mod_headers.c>
            SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$
            ^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
            RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
        </IfModule>
    </IfModule>

    # Compress all output labeled with one of the following MIME-types
    # (for Apache versions below 2.3.7, you don't need to enable `mod_filter`
    # and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines as
    # `AddOutputFilterByType` is still in the core directives)
    #<IfModule mod_filter.c>
        AddOutputFilterByType DEFLATE application/atom+xml \
            application/javascript \
            application/json \
            application/rss+xml \
            application/vnd.ms-fontobject \
            application/x-font-ttf \
            application/xhtml+xml \
            application/xml \
            font/opentype \
            image/svg+xml \
            image/x-icon \
            text/css \
            text/html \
            text/plain \
            text/x-component \
            text/xml

    #</IfModule>
</IfModule>
<IfModule mod_expires.c>
    ExpiresActive On
    ExpiresDefault "access now, max-age=0"

```

```
<FilesMatch "\.(jpg|jpeg|png|gif|svg)$">
    ExpiresDefault "access plus 1 month"
</FilesMatch>
</IfModule>
ErrorDocument 500 "<h2>Apache server error</h2>Kazinduzi application failed to start
properly"
```