

AddDefaultCharset UTF-8

DirectoryIndex index.php

*# Protect files and directories from prying eyes.*

```
<FilesMatch "\.  
(engine|incl|info|install|make|module|profile|test|pool|sh|. *sql|theme|tpl(\.php)?  
|xhtml)$|^(\. *|Entries *|Repository|Root|Tag|Template)$">
```

```
    Order allow,deny
```

```
    deny from all
```

```
</FilesMatch>
```

```
<IfModule rewrite_module>
```

```
    RewriteEngine On
```

*# Block access to "hidden" directories whose names begin with a period. This  
# includes directories used by version control systems such as Subversion or  
# Git to store control files. Files whose names begin with a period, as well  
# as the control files used by CVS, are protected by the FilesMatch directive  
# above.*

*# NOTE: This only works when mod\_rewrite is loaded. Without mod\_rewrite, it is  
# not possible to block access to entire directories from .htaccess, because  
# <DirectoryMatch> is not allowed here.*

*# If you do not have mod\_rewrite installed, you should remove these  
# directories from your webroot or otherwise protect them from being  
# downloaded.*

```
RewriteRule "(^|/)\." - [F]
```

*# acces simplesaml forcé en https.*

```
RewriteCond %{HTTPS} off
```

```
RewriteRule ^simplesaml(.*)$ https://%(HTTP_HOST)%{REQUEST_URI} [NE,R,L] # redirige en  
https pour l'authentification
```

```
RewriteCond %{HTTPS} off
```

```
RewriteRule ^_lib/SimpleSAMLphp(.*)$ https://%(HTTP_HOST)%{REQUEST_URI} [NE,L,R] #  
redirige en https pour l'authentification
```

*# fin forçage https*

*# redirection pour authentification avec différentes installations de php*

```
# redirection pour compatibilité avec différentes installation de gepi
RewriteRule ^simpleaml(.*)$ _lib/SimpleSAMLphp/www$1

<IfModule mod_headers.c>
  # Serve gzip compressed CSS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.css $1\.css\.gz [QSA]

  # Serve gzip compressed JS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.js $1\.js\.gz [QSA]

  # Serve correct content types, and prevent mod_deflate double gzip.
  RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
  RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]

  <FilesMatch "(\.js\.gz|\.css\.gz)$">
    # Serve correct encoding type.
    Header append Content-Encoding gzip
    # Force proxies to cache gzipped & non-gzipped css/js files separately.
    Header append Vary Accept-Encoding
  </FilesMatch>
</IfModule>
</IfModule>
```