```
# BEGIN All In One WP Security
#AIOWPS_BLOCK_WP_FILE_ACCESS_START
<Files license.txt>
order allow,deny
deny from all
</files>
<Files wp-config-sample.php>
order allow,deny
deny from all
</Files>
<Files readme.html>
order allow,deny
deny from all
</Files>
#AIOWPS_BLOCK_WP_FILE_ACCESS_END
#AIOWPS_DEBUG_LOG_BLOCK_HTACCESS_RULES_START
<Files debug.log>
order deny,allow
deny from all
</Files>
#AIOWPS_DEBUG_LOG_BLOCK_HTACCESS_RULES_END
#AIOWPS_DISABLE_TRACE_TRACK_START
RewriteEngine On
RewriteCond %{REQUEST_METHOD} ^(TRACE|TRACK)
RewriteRule .* - [F]
#AIOWPS_DISABLE_TRACE_TRACK_END
#AIOWPS_SIX_G_BLACKLIST_START
# 6G BLACKLIST/FIREWALL (2016)
# @ https://perishablepress.com/6g/

# 6G:[QUERY STRINGS]
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteCond %{QUERY_STRING} (eval\() [NC,OR]
RewriteCond %{QUERY_STRING} (127\.0\.0\.1) [NC,OR]
RewriteCond %{QUERY_STRING} ([a-z0-9]{2000}) [NC,OR]
RewriteCond %{QUERY_STRING} (javascript:)(.*)(;) [NC,OR]
RewriteCond %{QUERY_STRING} (base64_encode)(.*)(\() [NC,OR]
RewriteCond %{QUERY_STRING} (GLOBALS|REQUEST)(=|\[|%) [NC,OR]
RewriteCond %{QUERY_STRING} (<|%3C)(.*)script(.*)(>|%3) [NC,OR]
RewriteCond %{QUERY_STRING} (\|\|.*.*.*.*.*.*/*|`|<|>|%) [NC,OR]
```

```
RewriteCond %{QUERY_STRING} \|.\.\.\.|.\.\./|'|"|<|>|\|) [NC,OR]
RewriteCond %{QUERY_STRING} (boot\.ini|etc/passwd|self/environ) [NC,OR]
RewriteCond %{QUERY_STRING} (thumbs?(_editor|open)?|tim(thumb)?)\.php [NC,OR]
RewriteCond %{QUERY_STRING} ('|\")(.*)(drop|insert|md5|select|union) [NC]
RewriteRule .* - [F]
</IfModule>

# 6G:[REQUEST METHOD]
<ifModule mod_rewrite.c>
RewriteCond %{REQUEST_METHOD} ^(connect|debug|delete|move|put|trace|track) [NC]
RewriteRule .* - [F]
</IfModule>

# 6G:[REFERRERS]
<IfModule mod_rewrite.c>
RewriteCond %{HTTP_REFERER} ([a-z0-9]{2000}) [NC,OR]
RewriteCond %{HTTP_REFERER} (semalt.com|todaperfeita) [NC]
RewriteRule .* - [F]
</IfModule>

# 6G:[REQUEST STRINGS]
<IfModule mod_alias.c>
RedirectMatch 403 (?i)([a-z0-9]{2000})
RedirectMatch 403 (?i)(https?|ftp|php):/
RedirectMatch 403 (?i)(base64_encode)(.*)(\()
RedirectMatch 403 (?i)(=\'|=\%27|/\'/?)\.
RedirectMatch 403 (?i)/(\$(\&)?|\*|\"|\.|,|&|&?)/?$
RedirectMatch 403 (?i)(\{0\}|\(/\(|\.\.\.|\+\+\+|\\"\\")
RedirectMatch 403 (?i)(^|`|<|>|:|;|,|%|\|\s|\{|\}|\[|\]|\|)
RedirectMatch 403 (?i)/(=|\$&|_mm|cgi-|etc/passwd|muieblack)
RedirectMatch 403 (?i)(&pws=0|_vti_|\(null\)|\{\$itemURL\}|echo(.*)kae|etc/passwd|eval\(|sel
RedirectMatch 403 (?i)\.(aspx?|bash|bak?|cfg|cgi|dll|exe|git|hg|ini|jsp|log|mdb|out|sql|svn|
RedirectMatch 403 (?i)/(^$|(wp-)?config|mobiquo|phpinfo|shell|sqlpatch|thumb|thumb_editor|th
</IfModule>

# 6G:[USER AGENTS]
<IfModule mod_setenvif.c>
SetEnvIfNoCase User-Agent ([a-z0-9]{2000}) bad_bot
SetEnvIfNoCase User-Agent
(archive.org|binlar|casper|checkprivi|choppy|clshttp|cmsworld|diavol|dotbot|extract|feedfinde
bad_bot
```

```
<limit GET POST PUT>
Order Allow,Deny
Allow from all
Deny from env=bad_bot
</limit>
</IfModule>
#AIOWPS_SIX_G_BLACKLIST_END
# END All In One WP Security

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /wordpress/
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /wordpress/index.php [L]
</IfModule>

# END WordPress
```