

```
RewriteEngine On
RewriteBase /

RewriteCond %{HTTP_HOST} ^www.unvis.it$ [NC]
RewriteRule ^(.*)$ http://unvis.it/$1 [R=301,L]

RedirectMatch 404 log.txt$

RewriteCond   %{REQUEST_FILENAME} !-d
RewriteCond   %{REQUEST_FILENAME} !-f
RewriteCond   %{REQUEST_FILENAME} !-l

RewriteRule   ^(.*)$ /index.php?u=$1          [NE,L,QSA]
RewriteCond   %{QUERY_STRING} ^(.*)?u=([^&+)&.*)?$ [NC]
RewriteRule   ^$ /%2?                          [R=301,L,NE]
```

Turn on the Expires engine

```
ExpiresActive On
```

Expires after a month client accesses the file

```
ExpiresByType image/jpeg A2592000
ExpiresByType image/gif A2592000
ExpiresByType image/png A2592000
ExpiresByType image/x-icon A2592000
ExpiresByType text/plain A2592000
ExpiresByType application/x-javascript A2592000
ExpiresByType text/css A2592000
ExpiresByType text/html A2592000
```

FileETag None is not enough for every server.

```
<IfModule mod_headers.c>
```

```
    Header unset ETag
```

```
</IfModule>
```

Since we're sending far-future expires, we don't need ETags for static content.

developer.yahoo.com/performance/rules.html#etags

```
FileETag None
```

```
<IfModule mod_deflate.c>
```

Force deflate for mangled headers

```
# force deflate for mangled headers
# developer.yahoo.com/blogs/ymn/posts/2010/12/pushing-beyond-gzipping/
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)l ~(15)l -(15))$
    ^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
  </IfModule>
</IfModule>

</IfModule>

<IfModule mod_expires.c>
  <FilesMatch "\.(gif|jpg|jpeg|png|swf|css|js|html?|xml|txt|ico)$">
    ExpiresActive On
    ExpiresDefault "access plus 1 years"
  </FilesMatch>
</IfModule>
<FilesMatch "\.(gif|jpg|jpeg|png|swf|css|js|html?|xml|txt|ico)$">
  FileETag none
</FilesMatch>
```