

```
Options -Indexes
```

```
IndexIgnore *
```

```
## ERRORDOCUMENTS
```

```
ErrorDocument 404 /404.html
```

```
# BLOCK BAD BOTS IF THE UA STARTS WITH THESE
```

```
Options -Indexes
```

```
IndexIgnore *
```

```
## ERRORDOCUMENTS
```

```
ErrorDocument 404 /404.html
```

```
SetEnvIfNoCase User-Agent ^$ bad_bot
```

```
SetEnvIfNoCase User-Agent "^AESOP_com_SpiderMan" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Alexibot" bad_bot
```

```
SetEnvIfNoCase User-Agent "Anonymouse.org" bad_bot
```

```
SetEnvIfNoCase User-Agent "^asterias" bad_bot
```

```
SetEnvIfNoCase User-Agent "^attach" bad_bot
```

```
SetEnvIfNoCase User-Agent "^BackDoorBot" bad_bot
```

```
SetEnvIfNoCase User-Agent "^BackWeb" bad_bot
```

```
SetEnvIfNoCase User-Agent "Bandit" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Baiduspider" bad_bot
```

```
SetEnvIfNoCase User-Agent "^BatchFTP" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Bigfoot" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Black.Hole" bad_bot
```

```
SetEnvIfNoCase User-Agent "^BlackWidow" bad_bot
```

```
SetEnvIfNoCase User-Agent "^BlowFish" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Bot mailto:craftbot@yahoo.com" bad_bot
```

```
SetEnvIfNoCase User-Agent "^BotALot" bad_bot
```

```
SetEnvIfNoCase User-Agent "Buddy" bad_bot
```

```
SetEnvIfNoCase User-Agent "^BuiltBotTough" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Bullseye" bad_bot
```

```
SetEnvIfNoCase User-Agent "^BunnySlippers" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Cegbfeieh" bad_bot
```

```
SetEnvIfNoCase User-Agent "^CheeseBot" bad_bot
```

```
SetEnvIfNoCase User-Agent "^CherryPicker" bad_bot
```

```
SetEnvIfNoCase User-Agent "^Cidbpc" bad_bot
```

```
SetEnvIfNoCase User-Agent UniNaviLaw bad_bot
SetEnvIfNoCase User-Agent "Collector" bad_bot
SetEnvIfNoCase User-Agent "Copier" bad_bot
SetEnvIfNoCase User-Agent "^CopyrightCheck" bad_bot
SetEnvIfNoCase User-Agent "^cosmos" bad_bot
SetEnvIfNoCase User-Agent "^Crescent" bad_bot
SetEnvIfNoCase User-Agent "^Curl" bad_bot
SetEnvIfNoCase User-Agent "^Custo" bad_bot
SetEnvIfNoCase User-Agent "^DA" bad_bot
SetEnvIfNoCase User-Agent "^DISCo" bad_bot
SetEnvIfNoCase User-Agent "^DIIBot" bad_bot
SetEnvIfNoCase User-Agent "^DittoSpyder" bad_bot
SetEnvIfNoCase User-Agent "^Download" bad_bot
SetEnvIfNoCase User-Agent "^Download Demon" bad_bot
SetEnvIfNoCase User-Agent "^Download Devil" bad_bot
SetEnvIfNoCase User-Agent "^Download Wonder" bad_bot
SetEnvIfNoCase User-Agent "Downloader" bad_bot
SetEnvIfNoCase User-Agent "^dragonfly" bad_bot
SetEnvIfNoCase User-Agent "^Drip" bad_bot
SetEnvIfNoCase User-Agent "^eCatch" bad_bot
SetEnvIfNoCase User-Agent "^EasyDL" bad_bot
SetEnvIfNoCase User-Agent "^ebingbong" bad_bot
SetEnvIfNoCase User-Agent "^EirGrabber" bad_bot
SetEnvIfNoCase User-Agent "^EmailCollector" bad_bot
SetEnvIfNoCase User-Agent "^EmailSiphon" bad_bot
SetEnvIfNoCase User-Agent "^EmailWolf" bad_bot
SetEnvIfNoCase User-Agent "^EroCrawler" bad_bot
SetEnvIfNoCase User-Agent "^Exabot" bad_bot
SetEnvIfNoCase User-Agent "^Express WebPictures" bad_bot
SetEnvIfNoCase User-Agent "Extractor" bad_bot
SetEnvIfNoCase User-Agent "^EyeNetIE" bad_bot
SetEnvIfNoCase User-Agent "^FileHound" bad_bot
SetEnvIfNoCase User-Agent "^FlashGet" bad_bot
SetEnvIfNoCase User-Agent "^Foobot" bad_bot
SetEnvIfNoCase User-Agent "^flunky" bad_bot
SetEnvIfNoCase User-Agent "^FrontPage" bad_bot
SetEnvIfNoCase User-Agent "^GetRight" bad_bot
SetEnvIfNoCase User-Agent "^GetSmart" bad_bot
SetEnvIfNoCase User-Agent "^GetWeb!" bad_bot
SetEnvIfNoCase User-Agent "^Go! Zilla" bad_bot
SetEnvIfNoCase User-Agent "Google Wireless Transcoder" bad_bot
```

```
SetEnvIfNoCase User-Agent ""Go-Ahead-Got-It" bad_bot
SetEnvIfNoCase User-Agent "^gotit" bad_bot
SetEnvIfNoCase User-Agent "Grabber" bad_bot
SetEnvIfNoCase User-Agent "^GrabNet" bad_bot
SetEnvIfNoCase User-Agent "^Grafula" bad_bot
SetEnvIfNoCase User-Agent "^Harvest" bad_bot
SetEnvIfNoCase User-Agent "^hloader" bad_bot
SetEnvIfNoCase User-Agent "^HMView" bad_bot
SetEnvIfNoCase User-Agent "^httplib" bad_bot
SetEnvIfNoCase User-Agent "^HTTrack" bad_bot
SetEnvIfNoCase User-Agent "^humanlinks" bad_bot
SetEnvIfNoCase User-Agent "^ia_archiver" bad_bot
SetEnvIfNoCase User-Agent "^IlseBot" bad_bot
SetEnvIfNoCase User-Agent "^Image Stripper" bad_bot
SetEnvIfNoCase User-Agent "^Image Sucker" bad_bot
SetEnvIfNoCase User-Agent "Indy Library" bad_bot
SetEnvIfNoCase User-Agent "^InfoNaviRobot" bad_bot
SetEnvIfNoCase User-Agent "^InfoTekies" bad_bot
SetEnvIfNoCase User-Agent "^Intelliseek" bad_bot
SetEnvIfNoCase User-Agent "^InterGET" bad_bot
SetEnvIfNoCase User-Agent "^Internet Ninja" bad_bot
SetEnvIfNoCase User-Agent "^Iria" bad_bot
SetEnvIfNoCase User-Agent "^Jakarta" bad_bot
SetEnvIfNoCase User-Agent "^JennyBot" bad_bot
SetEnvIfNoCase User-Agent "^JetCar" bad_bot
SetEnvIfNoCase User-Agent "^JOC" bad_bot
SetEnvIfNoCase User-Agent "^JustView" bad_bot
SetEnvIfNoCase User-Agent "^Jyxobot" bad_bot
SetEnvIfNoCase User-Agent "^Kenjin. Spider" bad_bot
SetEnvIfNoCase User-Agent "^Keyword.Density" bad_bot
SetEnvIfNoCase User-Agent "^larbin" bad_bot
SetEnvIfNoCase User-Agent "^LeechFTP" bad_bot
SetEnvIfNoCase User-Agent "^LexiBot" bad_bot
SetEnvIfNoCase User-Agent "^lftp" bad_bot
SetEnvIfNoCase User-Agent "^libWeb/cisHTTP" bad_bot
SetEnvIfNoCase User-Agent "^likse" bad_bot
SetEnvIfNoCase User-Agent "^LinkextractorPro" bad_bot
SetEnvIfNoCase User-Agent "^LinkScan/8.1a.Unix" bad_bot
SetEnvIfNoCase User-Agent "^LNSpiderguy" bad_bot
SetEnvIfNoCase User-Agent "^LinkWalker" bad_bot
SetEnvIfNoCase User-Agent "^lwp-trivial" bad_bot
```

```
SetEnvIfNoCase User-Agent "^LWP: : Simple" bad_bot
SetEnvIfNoCase User-Agent "^Magnet" bad_bot
SetEnvIfNoCase User-Agent "^Mag-Net" bad_bot
SetEnvIfNoCase User-Agent "^MarkWatch" bad_bot
SetEnvIfNoCase User-Agent "^Mass Downloader" bad_bot
SetEnvIfNoCase User-Agent "^Mata.Hari" bad_bot
SetEnvIfNoCase User-Agent "^Memo" bad_bot
SetEnvIfNoCase User-Agent "^Microsoft.URL" bad_bot
SetEnvIfNoCase User-Agent "^Microsoft URL Control" bad_bot
SetEnvIfNoCase User-Agent "^MIDown tool" bad_bot
SetEnvIfNoCase User-Agent "^MIIXpc" bad_bot
SetEnvIfNoCase User-Agent "^Mirror" bad_bot
SetEnvIfNoCase User-Agent "^Missigua Locator" bad_bot
SetEnvIfNoCase User-Agent "^Mister PiX" bad_bot
SetEnvIfNoCase User-Agent "^moget" bad_bot
SetEnvIfNoCase User-Agent "^Mozilla/3. Mozilla/2.01" bad_bot
SetEnvIfNoCase User-Agent "^Mozilla.*NEWT" bad_bot
SetEnvIfNoCase User-Agent "^NAMEPROTECT" bad_bot
SetEnvIfNoCase User-Agent "^Navroad" bad_bot
SetEnvIfNoCase User-Agent "^NearSite" bad_bot
SetEnvIfNoCase User-Agent "^NetAnts" bad_bot
SetEnvIfNoCase User-Agent "^Netcraft" bad_bot
SetEnvIfNoCase User-Agent "^NetMechanic" bad_bot
SetEnvIfNoCase User-Agent "^NetSpider" bad_bot
SetEnvIfNoCase User-Agent "^Net Vampire" bad_bot
SetEnvIfNoCase User-Agent "^NetZIP" bad_bot
SetEnvIfNoCase User-Agent "^NextGenSearchBot" bad_bot
SetEnvIfNoCase User-Agent "^NG" bad_bot
SetEnvIfNoCase User-Agent "^NICERSPRO" bad_bot
SetEnvIfNoCase User-Agent "^NimbleCrawler" bad_bot
SetEnvIfNoCase User-Agent "^Ninja" bad_bot
SetEnvIfNoCase User-Agent "^NPbot" bad_bot
SetEnvIfNoCase User-Agent "^Octopus" bad_bot
SetEnvIfNoCase User-Agent "^Offline Explorer" bad_bot
SetEnvIfNoCase User-Agent "^Offline Navigator" bad_bot
SetEnvIfNoCase User-Agent "^Openfind" bad_bot
SetEnvIfNoCase User-Agent "^OutfoxBot" bad_bot
SetEnvIfNoCase User-Agent "^PageGrabber" bad_bot
SetEnvIfNoCase User-Agent "^Papa Foto" bad_bot
SetEnvIfNoCase User-Agent "^pavuk" bad_bot
SetEnvIfNoCase User-Agent "^pcBrowser" bad_bot
```

```
SetEnvIfNoCase User-Agent "^PHP version tracker" bad_bot
SetEnvIfNoCase User-Agent "^Pockey" bad_bot
SetEnvIfNoCase User-Agent "^ProPowerBot/2.14" bad_bot
SetEnvIfNoCase User-Agent "^ProWebWalker" bad_bot
SetEnvIfNoCase User-Agent "^psbot" bad_bot
SetEnvIfNoCase User-Agent "^Pump" bad_bot
SetEnvIfNoCase User-Agent "^QueryN.Metasearch" bad_bot
SetEnvIfNoCase User-Agent "^RealDownload" bad_bot
SetEnvIfNoCase User-Agent "Reaper" bad_bot
SetEnvIfNoCase User-Agent "Recorder" bad_bot
SetEnvIfNoCase User-Agent "^ReGet" bad_bot
SetEnvIfNoCase User-Agent "^RepoMonkey" bad_bot
SetEnvIfNoCase User-Agent "^RMA" bad_bot
SetEnvIfNoCase User-Agent "Siphon" bad_bot
SetEnvIfNoCase User-Agent "sitecheck.internetseer.com" bad_bot
SetEnvIfNoCase User-Agent "^SiteSnagger" bad_bot
SetEnvIfNoCase User-Agent "^SlySearch" bad_bot
SetEnvIfNoCase User-Agent "^SmartDownload" bad_bot
SetEnvIfNoCase User-Agent "^Snake" bad_bot
SetEnvIfNoCase User-Agent "^Snapbot" bad_bot
SetEnvIfNoCase User-Agent "^Snoopy" bad_bot
SetEnvIfNoCase User-Agent "^sogou" bad_bot
SetEnvIfNoCase User-Agent "^SpaceBison" bad_bot
SetEnvIfNoCase User-Agent "^SpankBot" bad_bot
SetEnvIfNoCase User-Agent "^spanner" bad_bot
SetEnvIfNoCase User-Agent "^Squorm" bad_bot
SetEnvIfNoCase User-Agent "Stripper" bad_bot
SetEnvIfNoCase User-Agent "Sucker" bad_bot
SetEnvIfNoCase User-Agent "^SuperBot" bad_bot
SetEnvIfNoCase User-Agent "^SuperHTTP" bad_bot
SetEnvIfNoCase User-Agent "^Surfbot" bad_bot
SetEnvIfNoCase User-Agent "^suzuran" bad_bot
SetEnvIfNoCase User-Agent "^Szukacz/1.4" bad_bot
SetEnvIfNoCase User-Agent "^tAkeOut" bad_bot
SetEnvIfNoCase User-Agent "^Teleport" bad_bot
SetEnvIfNoCase User-Agent "^Telesoft" bad_bot
SetEnvIfNoCase User-Agent "^TurnitinBot/1.5" bad_bot
SetEnvIfNoCase User-Agent "^The.Intraformant" bad_bot
SetEnvIfNoCase User-Agent "^TheNomad" bad_bot
SetEnvIfNoCase User-Agent "^TightTwatBot" bad_bot
SetEnvIfNoCase User-Agent "^Titan" bad_bot
```

```
SetEnvIfNoCase User-Agent "^toCrawl/Urldispatcher" bad_bot
SetEnvIfNoCase User-Agent "^True_Robot" bad_bot
SetEnvIfNoCase User-Agent "^turingos" bad_bot
SetEnvIfNoCase User-Agent "^TurnitinBot" bad_bot
SetEnvIfNoCase User-Agent "^URLy.Warning" bad_bot
SetEnvIfNoCase User-Agent "^Vacuum" bad_bot
SetEnvIfNoCase User-Agent "^VCI" bad_bot
SetEnvIfNoCase User-Agent "^VoidEYE" bad_bot
SetEnvIfNoCase User-Agent "^Web Image Collector" bad_bot
SetEnvIfNoCase User-Agent "^Web Sucker" bad_bot
SetEnvIfNoCase User-Agent "^WebAuto" bad_bot
SetEnvIfNoCase User-Agent "^WebBandit" bad_bot
SetEnvIfNoCase User-Agent "^Webclipping.com" bad_bot
SetEnvIfNoCase User-Agent "^WebCopier" bad_bot
SetEnvIfNoCase User-Agent "^WebEMailExtrac.*" bad_bot
SetEnvIfNoCase User-Agent "^WebEnhancer" bad_bot
SetEnvIfNoCase User-Agent "^WebFetch" bad_bot
SetEnvIfNoCase User-Agent "^WebGo IS" bad_bot
SetEnvIfNoCase User-Agent "^Web. Image. Collector" bad_bot
SetEnvIfNoCase User-Agent "^WebLeacher" bad_bot
SetEnvIfNoCase User-Agent "^WebmasterWorldForumBot" bad_bot
SetEnvIfNoCase User-Agent "^WebReaper" bad_bot
SetEnvIfNoCase User-Agent "^WebSauger" bad_bot
SetEnvIfNoCase User-Agent "^WebSite" bad_bot
SetEnvIfNoCase User-Agent "^Website eXtractor" bad_bot
SetEnvIfNoCase User-Agent "^Website Quester" bad_bot
SetEnvIfNoCase User-Agent "^Webster" bad_bot
SetEnvIfNoCase User-Agent "^WebStripper" bad_bot
SetEnvIfNoCase User-Agent "^WebWhacker" bad_bot
SetEnvIfNoCase User-Agent "^WebZIP" bad_bot
SetEnvIfNoCase User-Agent "Whacker" bad_bot
SetEnvIfNoCase User-Agent "^Widow" bad_bot
SetEnvIfNoCase User-Agent "^WISENutbot" bad_bot
SetEnvIfNoCase User-Agent "^WWWOFFLE" bad_bot
SetEnvIfNoCase User-Agent "^WWW-Collector-E" bad_bot
SetEnvIfNoCase User-Agent "^Xaldon" bad_bot
SetEnvIfNoCase User-Agent "^Xenu" bad_bot
SetEnvIfNoCase User-Agent "^Zeus" bad_bot
SetEnvIfNoCase User-Agent "^Zyborg" bad_bot
```

<Limit GET POST HEAD>

```
Order Allow, Deny
Allow from all
Deny from env=bad_bot
</Limit>
```