

```

# # Use the front controller as index file. It serves as a fallback solution when
# # every other rewrite/redirect fails (e.g. in an aliased environment without
# # mod_rewrite). Additionally, this reduces the matching process for the
# # start page (path "/") because otherwise Apache will apply the rewriting rules
# # to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).
# DirectoryIndex app.php
#
# <IfModule mod_rewrite.c>
#     RewriteEngine On
#
#     # Determine the RewriteBase automatically and set it as environment variable.
#     # If you are using Apache aliases to do mass virtual hosting or installed the
#     # project in a subdirectory, the base path will be prepended to allow proper
#     # resolution of the app.php file and to redirect to the correct URI. It will
#     # work in environments without path prefix as well, providing a safe, one-size
#     # fits all solution. But as you do not need it in this case, you can comment
#     # the following 2 lines to eliminate the overhead.
#     RewriteCond %{REQUEST_URI}::$1 ^(/.+)/(.*)::\2$
#     RewriteRule ^(.*) - [E=BASE:%1]
#
#     # Redirect to URI without front controller to prevent duplicate content
#     # (with and without `/app.php`). Only do this redirect on the initial
#     # rewrite by Apache and not on subsequent cycles. Otherwise we would get an
#     # endless redirect loop (request -> rewrite to front controller ->
#     # redirect -> request -> ...).
#     # So in case you get a "too many redirects" error or you always get redirected
#     # to the start page because your Apache does not expose the REDIRECT_STATUS
#     # environment variable, you have 2 choices:
#     # - disable this feature by commenting the following 2 lines or
#     # - use Apache >= 2.3.9 and replace all L flags by END flags and remove the
#     #   following RewriteCond (best solution)
#     RewriteCond %{ENV:REDIRECT_STATUS} ^$
#     RewriteRule ^app\.php(/(.*)|)$ %{ENV:BASE}/%2 [R=301,L]
#
#     # If the requested filename exists, simply serve it.
#     # We only want to let Apache serve files and not directories.
#     RewriteCond %{REQUEST_FILENAME} -f
#     RewriteRule .? - [L]
#
#     # Rewrite all other queries to the front controller.
#     RewriteRule ^ - [E=FRONT_CONTROLLER:%1]

```

```
# RewriteRule ^ %<ENV:ORIG_URI>/app.php [L]
# </IfModule>
#
# <IfModule !mod_rewrite.c>
#   <IfModule mod_alias.c>
#       # When mod_rewrite is not available, we instruct a temporary redirect of
#       # the start page to the front controller explicitly so that the website
#       # and the generated links can still be used.
#       RedirectMatch 302 ^/$ /app.php/
#       # RedirectTemp cannot be used instead
#   </IfModule>
# </IfModule>
```