

```
### Begin: Browser caching of resource files ###
```

```
# Enable long browser caching for JavaScript and CSS files.
```

```
# This affects Frontend and Backend and increases performance.
```

```
# You can also add other file extensions (like gif, png, jpg), if you want them to be  
longer cached, too.
```

```
<FilesMatch "\.(js|css|jpeg|jpg|png|gif)$">
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive on
```

```
ExpiresDefault "access plus 7 days"
```

```
</IfModule>
```

```
</FilesMatch>
```

```
### End: Browser caching of resource files ###
```

```
### Begin: Settings for mod_rewrite ###
```

```
<IfModule mod_rewrite.c>
```

```
# Enable URL rewriting
```

```
RewriteEngine on
```

```
# Change this path, if your package installation is located in a subdirectory of the  
website root.
```

```
RewriteBase /
```

```
# Disable SQL injection
```

```
RewriteCond %{QUERY_STRING} [^a-z]
```

```
(declare|char|set|cast|convert|delete|drop|exec|insert|meta|script|select|truncate|update)  
[^a-z] [NC]
```

```
RewriteRule (.*) - [F]
```

```
# IMPORTANT: This rule has to be the very first RewriteCond in order to work!
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
# Main URL rewriting.
```

```
RewriteCond $1 !^(index\.php|resources|robots\.txt)
```

```
RewriteRule ^(.*)$ /index.php/$1 [L, NC]
```

```
 RewriteRule (.*)$ index.php/$1 [L,QSA]
</IfModule>
```

```
### End: Settings for mod_rewrite ###
```