```
<<<<<< HEAD
# Copyright (c) 2003–2010, CKSource – Frederico Knabben. All rights reserved.
# For licensing, see LICENSE.html or http://ckeditor.com/license
# On some specific Linux installations you could face problems with Firefox.
# It could give you errors when loading the editor saying that some illegal
# characters were found (three strange chars in the beginning of the file).
# This could happen if you map the . js or . css files to PHP, for example.
# Those characters are the Byte Order Mask (BOM) of the Unicode encoded files.
# All FCKeditor files are Unicode encoded.
AddType application/x-javascript .js
AddType text/css.css
#
# If PHP is mapped to handle XML files, you could have some issues. The
# following will disable it.
AddType text/xml .xml
======
# Copyright (c) 2003–2010, CKSource – Frederico Knabben. All rights reserved.
# For licensing, see LICENSE.html or http://ckeditor.com/license
# On some specific Linux installations you could face problems with Firefox.
# It could give you errors when loading the editor saying that some illegal
# characters were found (three strange chars in the beginning of the file).
# This could happen if you map the . js or . css files to PHP, for example.
# Those characters are the Bute Order Mask (BOM) of the Unicode encoded files.
# All FCKeditor files are Unicode encoded.
```

```
AddType application/x-javascript .js

AddType text/css .css

#

# If PHP is mapped to handle XML files, you could have some issues. The

# following will disable it.

#

AddType text/xml .xml

>>>>>> origin/master
```