

```
<IfModule mod_deflate.c>
  AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
  application/javascript text/xml application/xml text/x-component
  <FilesMatch "\.(ttf|otf|eot|svg)$" >
    SetOutputFilter DEFLATE
  </FilesMatch>
</IfModule>
```

FileETag none

AddType application/javascript; charset=UTF-8 .js

AddType text/css; charset=UTF-8 .css

```
<IfModule mod_expires.c>
  ExpiresActive On
  ExpiresByType image/gif "access plus 1 year"
  ExpiresByType image/jpg "access plus 1 year"
  ExpiresByType image/jpeg "access plus 1 year"
  ExpiresByType image/png "access plus 1 year"
  ExpiresByType text/css "access plus 1 year"
  ExpiresByType application/javascript "access plus 1 year"
  ExpiresByType image/x-icon "access plus 1 year"
</IfModule>
```

```
<Files .git*>
  order allow,deny
  deny from all
</Files>
```

```
<IfModule mod_rewrite.c>
```

RewriteEngine On

RewriteBase /

RewriteRule ^@\$\$ http://twitter.com/jsperf [R=301,L]

If running a local copy of jsPerf please feel free to prune these redirects

RewriteRule ^dart-disclaimer http://jsperf.com/dart [R=301,L]

RewriteRule ^document-head-speed-test\$ http://jsperf.com/document-head [R=301,L]

RewriteRule ^testing\$ http://jsperf.com/accessing-dom-elements [R=301,L]

RewriteRule ^www\.jsperf\.com http://jsperf.com [R=301,L]

```

RewriteRule array-creating http://jsperf.com/literal-vs-constructor-array [R=301,L]
RewriteRule ^jquery-each2-vs-quick-each-vs-each http://jsperf.com/jquery-each-vs-quick-each/2 [R=301,L]
RewriteRule ^equality-operators-with-the-same-types http://jsperf.com/equality-operators-with-the-same-types [R=301,L]
RewriteRule ^math-min-a-b-vs-a-b-a-b http://jsperf.com/math-vs-greater-than [R=301,L]
RewriteRule ^remove-all-child-nodes http://jsperf.com/removechildren/3 [R=301,L]

RewriteCond %{HTTP_HOST} !^jsperf.com|^a\.jsperf.com|^dev\.jsperf.com$ [NC]
RewriteRule ^(.*)$ http://jsperf.com%{REQUEST_URI} [R=301,L]

RewriteCond %{HTTP_HOST} ^a.jsperf.com$ [NC]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^(.*)\.css$ _css/main.css

RewriteCond %{HTTP_HOST} ^a.jsperf.com$ [NC]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^(.*)-([0-9]+)\.js$ _js/$1.js

RewriteCond %{HTTP_HOST} ^a.jsperf.com$ [NC]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^(.*)\.js$ _js/$1.js

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^_css/([0-9]*)\.css$ _css/main.css

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^api/json$ _api/json.php [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^api/jsonp$ _api/jsonp.php [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^browse/([a-z0-9-]+)\.atom/?$ index.php?slug=browseAuthor&author=$1&atom=true [L]

RewriteCond %{REQUEST_FILENAME} !-f

```

```
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^browse/([a-z0-9]+)/?$ index.php?slug=browseAuthor&author=$1 [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^status/([0-9]{3})/?$ index.php?slug=status&action=$1 [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^(edit|delete)-comment/([0-9]+)/?$ index.php?slug=$1Comment&id=$2 [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^([a-z0-9]+)/([0-9]+)/?(edit|delete|publish|embed|dev)/?$ index.php?
slug=$1&rev=$2&action=$3 [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^([a-z0-9]+)/([0-9]+).atom/?$ index.php?slug=$1&rev=$2&atom=true [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^([a-z0-9]+)/([0-9]+)/?$ index.php?slug=$1&rev=$2 [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^([a-z0-9]+)/?(edit|delete|publish|embed|dev)/?$ index.php?slug=$1&action=$2
[L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^([a-z0-9]+).xml index.php?slug=$1.xml [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^([a-z0-9]+).atom index.php?slug=$1&atom=true [L, QSA]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^([a-z0-9]+)? index.php?slug=$1 [L, QSA]
```

```
</IfModule>
```

ErrorDocument 400 /status/400

ErrorDocument 403 /status/403

ErrorDocument 404 /status/404