

```
# BEGIN W3TC Minify cache
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /
    RewriteRule ^[_0-9a-zA-Z-]+/wp-content/cache/minify/[0-9]+/w3tc_rewrite_test$ /wp-conter
</IfModule>
# END W3TC Minify cache
# BEGIN W3TC Browser Cache
<IfModule mod_mime.c>
    AddType text/css .css
    AddType text/x-component .htc
    AddType application/x-javascript .js
    AddType application/javascript .js2
    AddType text/javascript .js3
    AddType text/x-js .js4
    AddType text/html .html .htm
    AddType text/richtext .rtf .rtx
    AddType image/svg+xml .svg .svgz
    AddType text/plain .txt
    AddType text/xsd .xsd
    AddType text/xsl .xsl
    AddType text/xml .xml
    AddType video/asf .asf .asx .wax .wmv .wmx
    AddType video/avi .avi
    AddType image/bmp .bmp
    AddType application/java .class
    AddType video/divx .divx
    AddType application/msword .doc .docx
    AddType application/vnd.ms-fontobject .eot
    AddType application/x-msdownload .exe
    AddType image/gif .gif
    AddType application/x-gzip .gz .gzip
    AddType image/x-icon .ico
    AddType image/jpeg .jpg .jpeg .jpe
    AddType application/json .json
    AddType application/vnd.ms-access .mdb
    AddType audio/midi .mid .midi
    AddType video/quicktime .mov .qt
    AddType audio/mpeg .mp3 .m4a
    AddType video/mp4 .mp4 .m4v
    AddType image/png .png .png .png .png
```

```
MimeType video/mpeg .mpeg .mpg .mpe
AddType application/vnd.ms-project .mpp
AddType application/x-font-otf .otf
AddType application/vnd.ms-opentype .otf
AddType application/vnd.oasis.opendocument.database .odb
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.formula .odf
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType application/vnd.ms-opentype .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/font-woff .woff
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
ExpiresByType text/css A31536000
ExpiresByType text/x-component A31536000
ExpiresByType application/x-javascript A31536000
ExpiresByType application/javascript A31536000
ExpiresByType text/javascript A31536000
ExpiresByType text/x-js A31536000
ExpiresByType text/html A3600
ExpiresByType text/richtext A3600
ExpiresByType image/svg+xml A3600
ExpiresByType text/plain A3600
ExpiresByType text/xsd A3600
```

```
-----
```

ExpiresByType text/xsl R3600  
ExpiresByType text/xml R3600  
ExpiresByType video/asf R31536000  
ExpiresByType video/avi R31536000  
ExpiresByType image/bmp R31536000  
ExpiresByType application/java R31536000  
ExpiresByType video/divx R31536000  
ExpiresByType application/msword R31536000  
ExpiresByType application/vnd.ms-fontobject R31536000  
ExpiresByType application/x-msdownload R31536000  
ExpiresByType image/gif R31536000  
ExpiresByType application/x-gzip R31536000  
ExpiresByType image/x-icon R31536000  
ExpiresByType image/jpeg R31536000  
ExpiresByType application/json R31536000  
ExpiresByType application/vnd.ms-access R31536000  
ExpiresByType audio/midi R31536000  
ExpiresByType video/quicktime R31536000  
ExpiresByType audio/mpeg R31536000  
ExpiresByType video/mp4 R31536000  
ExpiresByType video/mpeg R31536000  
ExpiresByType application/vnd.ms-project R31536000  
ExpiresByType application/x-font-otf R31536000  
ExpiresByType application/vnd.ms-opentype R31536000  
ExpiresByType application/vnd.oasis.opendocument.database R31536000  
ExpiresByType application/vnd.oasis.opendocument.chart R31536000  
ExpiresByType application/vnd.oasis.opendocument.formula R31536000  
ExpiresByType application/vnd.oasis.opendocument.graphics R31536000  
ExpiresByType application/vnd.oasis.opendocument.presentation R31536000  
ExpiresByType application/vnd.oasis.opendocument.spreadsheet R31536000  
ExpiresByType application/vnd.oasis.opendocument.text R31536000  
ExpiresByType audio/ogg R31536000  
ExpiresByType application/pdf R31536000  
ExpiresByType image/png R31536000  
ExpiresByType application/vnd.ms-powerpoint R31536000  
ExpiresByType audio/x-realaudio R31536000  
ExpiresByType image/svg+xml R31536000  
ExpiresByType application/x-shockwave-flash R31536000  
ExpiresByType application/x-tar R31536000  
ExpiresByType image/tiff R31536000  
ExpiresByType application/x-font-ttf R31536000

```

ExpiresByType application/vnd.ms-opentype A31536000
ExpiresByType audio/wav A31536000
ExpiresByType audio/wma A31536000
ExpiresByType application/vnd.ms-write A31536000
ExpiresByType application/font-woff A31536000
ExpiresByType application/vnd.ms-excel A31536000
ExpiresByType application/zip A31536000
</IfModule>
<IfModule mod_deflate.c>
  <IfModule mod_headers.c>
    Header append Vary User-Agent env=!dont-vary
  </IfModule>
  AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript ap
<IfModule mod_mime.c>
  # DEFLATE by extension
  AddOutputFilter DEFLATE js css htm html xml
</IfModule>
</IfModule>
<FilesMatch "\.(css|htc|less|js|js2|js3|js4|CSS|HTC|LESS|JS|JS2|JS3|JS4)$">
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public"
  </IfModule>
</FilesMatch>
<FilesMatch "\.(html|html|rtf|rtx|svg|svgz|txt|xsl|xsl|xml|HTML|HTML|RTF|RTX|SVG|SVGZ|TXT|XSL|
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public"
  </IfModule>
</FilesMatch>
<FilesMatch "\.(asf|asx|wax|wmv|wmx|avi|bmp|class|divx|doc|docx|eot|exel|gif|gz|gzipped|ico|jpg|jpeg|jpe|json|
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public"
  </IfModule>
</FilesMatch>
# END W3TC Browser Cache

```

```

# BEGIN W3TC Page Cache core
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /
    RewriteCond %{HTTP:Accept-Encoding} gzip
    RewriteRule .* - [E=W3TC_ENC:_gzip]
    RewriteCond %{HTTP_COOKIE} w3tc_preview [NC]
    RewriteRule .* - [E=W3TC_PREVIEW:_preview]
    RewriteCond %{REQUEST_METHOD} !=POST
    RewriteCond %{QUERY_STRING} =""
    RewriteCond %{REQUEST_URI} \/$
    RewriteCond %{HTTP_COOKIE} !(comment_author|wp\-postpass|w3tc_logged_out|wordpress_logged_
    RewriteCond "%{DOCUMENT_ROOT}/wp-content/cache/page_enhanced/%{HTTP_HOST}/%{REQUEST_URI}
    RewriteRule .* "/wp-content/cache/page_enhanced/%{HTTP_HOST}/%{REQUEST_URI}/_index%{ENV:
</IfModule>
# END W3TC Page Cache core
# BEGIN W3TC Skip 404 error handling by WordPress for static files
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteCond %{REQUEST_URI} !(robots\.txt|[a-z0-9_\-]*sitemap[a-z0-9_\-]*\.(xml|xsl|html)
    RewriteCond %{REQUEST_FILENAME} \.(css|htc|less|js|js2|js3|js4|html|htmlrtf|rtx|svg|svgz
    RewriteRule .* - [L]
</IfModule>
# END W3TC Skip 404 error handling by WordPress for static files
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]

# add a trailing slash to /wp-admin
RewriteRule ^([_0-9a-zA-Z]+)/wp-admin$ $1wp-admin/ [R=301,L]

RewriteCond %{REQUEST_FILENAME} -f [OR]
RewriteCond %{REQUEST_FILENAME} -d
RewriteRule ^ - [L]
RewriteRule ^([_0-9a-zA-Z]+)/?(wp-(content|admin|includes).*) $2 [L]
RewriteRule ^([_0-9a-zA-Z]+)/?(.*\.php)$ $2 [L]
RewriteRule . index.php [L]

```

</IfModule>

# END WordPress