

```

#
# Apache/PHP/Drupal settings:
#

# Protect files and directories from prying eyes.
<FilesMatch "\.
(engine|incl|info|install|make|module|profile|test|po|sh|. *sql|theme|tpl(\.php)?|xmp|svn-
base)$|^(\code-style\..|Entries.*|Repository|Root|Tag|Template|all-
wcprops|entries|format)$">
    Order allow,deny
</FilesMatch>

# Don't show directory listings for URLs which map to a directory.
Options -Indexes

# Follow symbolic links in this directory.
Options +FollowSymLinks

# Make Drupal handle any 404 errors.
ErrorDocument 404 /index.php

# Force simple error message for requests for non-existent favicon.ico.
<Files favicon.ico>
    # There is no end quote below, for compatibility with Apache 1.3.
    ErrorDocument 404 "The requested file favicon.ico was not found.
</Files>

# Set the default handler.
DirectoryIndex index.php

# Override PHP settings. More in sites/default/settings.php
# but the following cannot be changed at runtime.

# PHP 4, Apache 1.
<IfModule mod_php4.c>
    php_value magic_quotes_gpc          0
    php_value register_globals          0
    php_value session.auto_start        0
    php_value mbstring.http_input        pass
    php_value mbstring.http_output        pass
    php_value mbstring.encoding_translation 0

```

```
php_value mbstring.encoding_translation 0
</IfModule>
```

PHP 4, Apache 2.

```
<IfModule sapi_apache2.c>
php_value magic_quotes_gpc 0
php_value register_globals 0
php_value session.auto_start 0
php_value mbstring.http_input pass
php_value mbstring.http_output pass
php_value mbstring.encoding_translation 0
</IfModule>
```

PHP 5, Apache 1 and 2.

```
<IfModule mod_php5.c>
php_value magic_quotes_gpc 0
php_value register_globals 0
php_value session.auto_start 0
php_value mbstring.http_input pass
php_value mbstring.http_output pass
php_value mbstring.encoding_translation 0
</IfModule>
```

Requires mod_expires to be enabled.

```
<IfModule mod_expires.c>
```

```
# Enable expirations.
```

```
ExpiresActive On
```

```
# Cache all files for 2 weeks after access (A).
```

```
ExpiresDefault A1209600
```

```
<FilesMatch \.php$>
```

```
# Do not allow PHP scripts to be cached unless they explicitly send cache
# headers themselves. Otherwise all scripts would have to overwrite the
# headers set by mod_expires if they want another caching behavior. This may
# fail if an error occurs early in the bootstrap process, and it may cause
# problems if a non-Drupal PHP file is installed in a subdirectory.
```

```
ExpiresActive Off
```

```
</FilesMatch>
```

```
</IfModule>
```

... ..

```
# Various rewrite rules.
<IfModule mod_rewrite.c>
    RewriteEngine on

    # If your site can be accessed both with and without the 'www.' prefix, you
    # can use one of the following settings to redirect users to your preferred
    # URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
    #
    # To redirect all users to access the site WITH the 'www.' prefix,
    # (http://example.com/... will be redirected to http://www.example.com/...)
    # adapt and uncomment the following:
    # RewriteCond %{HTTP_HOST} ^example\.com$ [NC]
    # RewriteRule ^(.*)$ http://www.example.com/$1 [L,R=301]
    #
    # To redirect all users to access the site WITHOUT the 'www.' prefix,
    # (http://www.example.com/... will be redirected to http://example.com/...)
    # uncomment and adapt the following:
    RewriteCond %{HTTP_HOST} ^www\.behavenet\.com$ [NC]
    RewriteRule ^(.*)$ http://behavenet.com/$1 [L,R=301]

    # Modify the RewriteBase if you are using Drupal in a subdirectory or in a
    # VirtualDocumentRoot and the rewrite rules are not working properly.
    # For example if your site is at http://example.com/drupal uncomment and
    # modify the following line:
    # RewriteBase /drupal
    #
    # If your site is running in a VirtualDocumentRoot at http://example.com/,
    # uncomment the following line:
    # RewriteBase /

    # Rewrite old behavenet.com URLs to point to our new URL lookup function
    RewriteCond %{REQUEST_URI} \.htm$
    RewriteRule ^(.*)$ index.php?q=behavenet/not_found/$1 [L,QSA]

    ### BOOST START ###

    # Gzip Cookie Test
    RewriteRule ^(.*)boost-gzip-cookie-test\.html cache/perm/boost-gzip-cookie-
test\.html\.gz [L,T=text/html,E=no-gzip:1]

    # GZIP - Cached css & js files
```

```

RewriteCond %{HTTP_COOKIE} !(boost-gzip)
RewriteCond %{HTTP: Accept-encoding} !gzip
RewriteRule .* - [S=2]
RewriteCond %{DOCUMENT_ROOT}/cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\.css\.gz -s
RewriteRule .* cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\.css\.gz [L, QSA, T=text/css, E=no-gzip: 1]
RewriteCond %{DOCUMENT_ROOT}/cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\.js\.gz -s
RewriteRule .* cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\.js\.gz
[L, QSA, T=text/javascript, E=no-gzip: 1]

```

NORMAL - Cached css & js files

```

RewriteCond %{DOCUMENT_ROOT}/cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\.css -s
RewriteRule .* cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\.css [L, QSA, T=text/css]
RewriteCond %{DOCUMENT_ROOT}/cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\.js -s
RewriteRule .* cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\.js [L, QSA, T=text/javascript]

```

Caching for anonymous users

Skip boost IF not get request OR uri has wrong dir OR cookie is set OR request came from this server OR https request

```

RewriteCond %{REQUEST_METHOD} !^(GET|HEAD)$ [OR]
RewriteCond %{REQUEST_URI}
(<^(admin|cache|misc|modules|sites|system|openid|themes|node/add|comment/reply)|
</(edit|user|user/<login|password|register)>)$) [OR]
RewriteCond %{HTTP: Pragma} no-cache [OR]
RewriteCond %{HTTP: Cache-Control} no-cache [OR]
RewriteCond %{HTTPS} on [OR]
RewriteCond %{HTTP_COOKIE} DRUPAL_UID
RewriteRule .* - [S=7]

```

GZIP

```

RewriteCond %{HTTP_COOKIE} !(boost-gzip)
RewriteCond %{HTTP: Accept-encoding} !gzip
RewriteRule .* - [S=3]
RewriteCond %{DOCUMENT_ROOT}/cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%{QUERY_STRING}\.html\.gz -s
RewriteRule .* cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%{QUERY_STRING}\.html\.gz
[L, T=text/html, E=no-gzip: 1]
RewriteCond %{DOCUMENT_ROOT}/cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%{QUERY_STRING}\.xml\.gz -s
RewriteRule .* cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%{QUERY_STRING}\.xml\.gz
[L, T=text/xml, E=no-gzip: 1]

```

```
    RewriteCond %{DOCUMENT_ROOT}/cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%  
{QUERY_STRING}\.json\.gz -s  
    RewriteRule .* cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%{QUERY_STRING}\.json\.gz  
[L, T=text/javascript, E=no-gzip:1]
```

NORMAL

```
    RewriteCond %{DOCUMENT_ROOT}/cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%  
{QUERY_STRING}\.html -s  
    RewriteRule .* cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%{QUERY_STRING}\.html  
[L, T=text/html]
```

```
    RewriteCond %{DOCUMENT_ROOT}/cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%  
{QUERY_STRING}\.xml -s  
    RewriteRule .* cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%{QUERY_STRING}\.xml  
[L, T=text/xml]
```

```
    RewriteCond %{DOCUMENT_ROOT}/cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%  
{QUERY_STRING}\.json -s  
    RewriteRule .* cache/normal/%{SERVER_NAME}%{REQUEST_URI}_%{QUERY_STRING}\.json  
[L, T=text/javascript]
```

BOOST END

Rewrite URLs of the form 'x' to the form 'index.php?q=x'.

```
    RewriteCond %{REQUEST_FILENAME} !-f  
    RewriteCond %{REQUEST_FILENAME} !-d  
    RewriteCond %{REQUEST_URI} !=/favicon.ico  
    RewriteRule ^(\.*)$ index.php?q=$1 [L,QSA]  
</IfModule>
```

\$Id\$