

```
FileETag none

<IfModule mod_deflate.c>
#The following line is enough for .js and .css
AddOutputFilter DEFLATE js css

#The following line also enables compression by file content type, for the following list of
AddOutputFilterByType DEFLATE text/html text/plain text/xml application/xml

#The following lines are to avoid bugs with some browsers
BrowserMatch ^Mozilla/4 gzip-only-text/html
BrowserMatch ^Mozilla/4\.0[678] no-gzip
BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
</IfModule>

<IfModule mod_headers.c>
<FilesMatch "\.(js|css|xml|gz)$">
Header append Vary: Accept-Encoding
</FilesMatch>
</IfModule>

<IfModule mod_expires.c>

# Enable expirations
ExpiresActive On

# Default directive
ExpiresDefault "access plus 1 month"

# My favicon
ExpiresByType image/x-icon "access plus 1 year"

# Images
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/jpg "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"

# CSS
ExpiresByType text/css "access 1 month"

# Javascript
ExpiresByType application/javascript "access plus 1 year"
```

```
ExpiresByType application/javascript access plus 1 year
```

```
</IfModule>
```

```
# BEGIN WordPress
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteBase /
```

```
RewriteRule ^index\.php$ - [L]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule . /index.php [L]
```

```
</IfModule>
```

```
# END WordPress
```

```
# BEGIN wtp_cache
```

```
<IfModule mod_mime.c>
```

```
# Text
```

```
AddType text/css .css
```

```
AddType application/x-javascript .js
```

```
AddType text/html .html .htm
```

```
AddType text/richtext .rtf .rtx
```

```
AddType text/plain .txt
```

```
AddType text/xml .xml
```

```
# Image
```

```
AddType image/gif .gif
```

```
AddType image/x-icon .ico
```

```
AddType image/jpeg .jpg .jpeg .jpe
```

```
AddType image/png .png
```

```
AddType image/svg+xml .svg .svgz
```

```
# Video
```

```
AddType video/asf .asf .asx .wax .wmv .wmx
```

```
AddType video/avi .avi
```

```
AddType video/quicktime .mov .qt
```

```
AddType video/mp4 .mp4 .m4v
```

```
AddType video/mpeg .mpeg .mpg .mpe
```

```
.. ---
```

PDF

AddType application/pdf .pdf

Flash

AddType application/x-shockwave-flash .swf

Font

AddType application/x-font-ttf .ttf .ttc

AddType application/vnd.ms-fontobject .eot

AddType application/x-font-otf .otf

Audio

AddType audio/mpeg .mp3 .m4a

AddType audio/ogg .ogg

AddType audio/wav .wav

AddType audio/wma .wma

Zip/Tar

AddType application/x-tar .tar

AddType application/x-gzip .gz .gzip

AddType application/zip .zip

</IfModule>

<IfModule mod_expires.c>

ExpiresActive On

Text

ExpiresByType text/css A31536000

ExpiresByType application/x-javascript A31536000

ExpiresByType text/html A3600

ExpiresByType text/richtext A3600

ExpiresByType text/plain A3600

ExpiresByType text/xml A3600

Image

ExpiresByType image/gif A31536000

ExpiresByType image/x-icon A31536000

ExpiresByType image/jpeg A31536000

ExpiresByType image/png A31536000

ExpiresByType image/svg+xml A31536000

Video

```
ExpiresByType video/asf R31536000
ExpiresByType video/avi R31536000
ExpiresByType video/quicktime R31536000
ExpiresByType video/mp4 R31536000
ExpiresByType video/mpeg R31536000
```

PDF

```
ExpiresByType application/pdf R31536000
```

Flash

```
ExpiresByType application/x-shockwave-flash R31536000
```

Font

```
ExpiresByType application/x-font-ttf R31536000
ExpiresByType application/vnd.ms-fontobject R31536000
ExpiresByType application/x-font-otf R31536000
```

Audio

```
ExpiresByType audio/mpeg R31536000
ExpiresByType audio/ogg R31536000
ExpiresByType audio/wav R31536000
ExpiresByType audio/wma R31536000
```

Zip/Tar

```
ExpiresByType application/x-tar R31536000
ExpiresByType application/x-gzip R31536000
ExpiresByType application/zip R31536000
```

```
</IfModule>
```

```
<FilesMatch "\.(?>
```

```
i: cssl jsl html htмлl rtfл rtxl txtl xmlл gifl icol jpgl jpegl jpel pngl svgl svgzl asfl asxl waxl wmvл wmxl avil
```

```
<IfModule mod_headers.c>
```

```
Header set Pragma "public"
```

```
Header append Cache-Control "public, must-revalidate, proxy-revalidate"
```

```
Header unset ETag
```

```
</IfModule>
```

```
</FilesMatch>
```

```
<FilesMatch "\.(?(i: cssl jsl gifl icol jpgl jpegl jpel pngl pdfл swfl ttfл ttcl eotл otf)$">
```

```
<IfModule mod_headers.c>
```

```
Header unset Set-Cookie
```

```
</IfModule>
```

```
</FilesMatch>
# END wtwp_cache

# BEGIN wtwp_security
<IfModule mod_rewrite.c>
  RewriteEngine On
  RewriteBase /
  RewriteRule ^wp-admin/includes/ - [F,L]
  RewriteRule !^wp-includes/ - [S=3]
  RewriteRule ^wp-includes/[^\.]+\.\php$ - [F,L]
  RewriteRule ^wp-includes/js/tinymce/langs/.+\.\php - [F,L]
  RewriteRule ^wp-includes/theme-compat/ - [F,L]
</IfModule>
<Files "wp-config.php">
  Order allow,deny
  Deny from all
</Files>
Options -Indexes
# END wtwp_security
```