

RewriteEngine On

```
# Some hosts may require you to use the `RewriteBase` directive.
# If you need to use the `RewriteBase` directive, it should be the
# absolute physical path to the directory that contains this htaccess file.
#
# RewriteBase /

RewriteCond %{REQUEST_FILENAME} !-f [OR]
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^assets/ - [L]
RewriteRule ^ index.php [QSA,L]

<IfModule mod_deflate.c>
    AddOutputFilterByType DEFLATE application/javascript application/json text/css text/html
    text/javascript
</IfModule>
<ifModule mod_expires.c>
    ExpiresActive On
    ExpiresByType application/javascript "access plus 10 minutes"
    ExpiresByType text/css "access plus 10 minutes"
    ExpiresByType text/html "access plus 10 minutes"
    ExpiresByType text/javascript "access plus 10 minutes"
</ifModule>

<IfModule mod_deflate.c>
    AddOutputFilterByType DEFLATE image/gif image/jpeg image/png image/svg+xml image/webp
</IfModule>
<ifModule mod_expires.c>
    ExpiresByType image/gif "access plus 1 hour"
    ExpiresByType image/jpeg "access plus 1 hour"
    ExpiresByType image/png "access plus 1 hour"
    ExpiresByType image/svg+xml "access plus 1 hour"
    ExpiresByType image/webp "access plus 1 hour"
</ifModule>

<IfModule mod_mime.c>
    AddType application/font-woff .woff
    AddType font/eot .eot
    AddType font/opentype .otf
    AddType font/woff2 .woff2
```

```
HeaderType font/truetype          .ttf
</IfModule>
<IfModule mod_deflate.c>
    AddOutputFilterByType DEFLATE application/font-woff font/eot font/opentype font/truetype
</IfModule>
<ifModule mod_expires.c>
    ExpiresByType application/font-woff "access plus 1 hour"
    ExpiresByType font/eot             "access plus 1 hour"
    ExpiresByType font/opentype        "access plus 1 hour"
    ExpiresByType font/truetype        "access plus 1 hour"
</ifModule>
```