

```

RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]

# add a trailing slash to /wp-admin
RewriteRule ^wp-admin$ wp-admin/ [R=301,L]

RewriteCond %{REQUEST_FILENAME} -f [OR]
RewriteCond %{REQUEST_FILENAME} -d
RewriteRule ^ - [L]
RewriteRule ^(wp-(content|admin|includes).*) $1 [L]
RewriteRule ^(.*\.)php$ $1 [L]
RewriteRule . index.php [L]
# BEGIN W3TC CDN
<FilesMatch "\.
(asf|asx|wax|wmv|wmx|avi|bmp|class|divx|doc|docx|eot|exel|gif|gz|gzip|ico|jpg|jpeg|jpe|json|j
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteCond %{HTTPS} !=on
    RewriteRule .* - [E=CANONICAL:http://%{HTTP_HOST}%{REQUEST_URI}],NE]
    RewriteCond %{HTTPS} =on
    RewriteRule .* - [E=CANONICAL:https://%{HTTP_HOST}%{REQUEST_URI}],NE]
</IfModule>
<IfModule mod_headers.c>
    Header set Link "<%{CANONICAL}e>; rel=\"canonical\""
</IfModule>
</FilesMatch>
<FilesMatch "\.(ttf|otf|eot|woff)$">
<IfModule mod_headers.c>
    Header set Access-Control-Allow-Origin "*"
</IfModule>
</FilesMatch>
# END W3TC CDN
# BEGIN W3TC Browser Cache
<IfModule mod_mime.c>
    AddType text/css .css
    AddType text/x-component .htc
    AddType application/x-javascript .js
    AddType application/javascript .js2
    AddType text/javascript .js3
    AddType text/html .html

```

MimeType text/x-javascript .js4
AddType text/html .html .htm
AddType text/richtext .rtf .rtx
AddType image/svg+xml .svg .svgz
AddType text/plain .txt
AddType text/xsd .xsd
AddType text/xsl .xsl
AddType text/xml .xml
AddType video/asf .asf .asx .wax .wmv .wmx
AddType video/avi .avi
AddType image/bmp .bmp
AddType application/java .class
AddType video/divx .divx
AddType application/msword .doc .docx
AddType application/vnd.ms-fontobject .eot
AddType application/x-msdownload .exe
AddType image/gif .gif
AddType application/x-gzip .gz .gzip
AddType image/x-icon .ico
AddType image/jpeg .jpg .jpeg .jpe
AddType application/json .json
AddType application/vnd.ms-access .mdb
AddType audio/midi .mid .midi
AddType video/quicktime .mov .qt
AddType audio/mpeg .mp3 .m4a
AddType video/mp4 .mp4 .m4v
AddType video/mpeg .mpeg .mpg .mpe
AddType application/vnd.ms-project .mpp
AddType application/x-font-otf .otf
AddType application/vnd.oasis.opendocument.database .odb
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.formula .odf
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram

```
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
ExpiresByType text/css A31536000
ExpiresByType text/x-component A31536000
ExpiresByType application/x-javascript A31536000
ExpiresByType application/javascript A31536000
ExpiresByType text/javascript A31536000
ExpiresByType text/x-js A31536000
ExpiresByType text/html A3600
ExpiresByType text/richtext A3600
ExpiresByType image/svg+xml A3600
ExpiresByType text/plain A3600
ExpiresByType text/xsd A3600
ExpiresByType text/xsl A3600
ExpiresByType text/xml A3600
ExpiresByType video/asf A31536000
ExpiresByType video/avi A31536000
ExpiresByType image/bmp A31536000
ExpiresByType application/java A31536000
ExpiresByType video/divx A31536000
ExpiresByType application/msword A31536000
ExpiresByType application/vnd.ms-fontobject A31536000
ExpiresByType application/x-msdownload A31536000
ExpiresByType image/gif A31536000
ExpiresByType application/x-gzip A31536000
ExpiresByType image/x-icon A31536000
ExpiresByType image/jpeg A31536000
ExpiresByType application/json A31536000
ExpiresByType application/vnd.ms-access A31536000
ExpiresByType audio/midi A31536000
ExpiresByType video/quicktime A31536000
```

```
ExpiresByType audio/mpeg A31536000
ExpiresByType video/mp4 A31536000
ExpiresByType video/mpeg A31536000
ExpiresByType application/vnd.ms-project A31536000
ExpiresByType application/x-font-otf A31536000
ExpiresByType application/vnd.oasis.opendocument.database A31536000
ExpiresByType application/vnd.oasis.opendocument.chart A31536000
ExpiresByType application/vnd.oasis.opendocument.formula A31536000
ExpiresByType application/vnd.oasis.opendocument.graphics A31536000
ExpiresByType application/vnd.oasis.opendocument.presentation A31536000
ExpiresByType application/vnd.oasis.opendocument.spreadsheet A31536000
ExpiresByType application/vnd.oasis.opendocument.text A31536000
ExpiresByType audio/ogg A31536000
ExpiresByType application/pdf A31536000
ExpiresByType image/png A31536000
ExpiresByType application/vnd.ms-powerpoint A31536000
ExpiresByType audio/x-realaudio A31536000
ExpiresByType image/svg+xml A31536000
ExpiresByType application/x-shockwave-flash A31536000
ExpiresByType application/x-tar A31536000
ExpiresByType image/tiff A31536000
ExpiresByType application/x-font-ttf A31536000
ExpiresByType audio/wav A31536000
ExpiresByType audio/wma A31536000
ExpiresByType application/vnd.ms-write A31536000
ExpiresByType application/vnd.ms-excel A31536000
ExpiresByType application/zip A31536000
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
<IfModule mod_headers.c>
```

```
Header append Vary User-Agent env=!dont-vary
```

```
</IfModule>
```

```
AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript ap
```

```
<IfModule mod_mime.c>
```

```
# DEFLATE by extension
```

```
AddOutputFilter DEFLATE js css htm html xml
```

```
</IfModule>
```

```
</IfModule>
```

```
<FilesMatch "\.(css|htc|js|js2|js3|js4|CSS|HTC|JS|JS2|JS3|JS4)$">
```

```
FileETag MTime Size
```

```
<IfModule mod_headers.c>
```

```
    Header set Pragma "public"
    Header append Cache-Control "public"
</IfModule>
</FilesMatch>
<FilesMatch "\.(html|html|rtf|rtx|svg|svgz|txt|xsd|xsl|xml|HTML|HTML|RTF|RTX|SVG|SVGZ|TXT|XSD|
FileETag MTime Size
<IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public"
</IfModule>
</FilesMatch>
<FilesMatch "\.(
(asf|asx|wax|wmv|wmx|avi|bmp|class|divx|doc|docx|eot|exel|gif|gz|gzip|ico|jpg|jpeg|jpe|json|n
FileETag MTime Size
<IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public"
</IfModule>
</FilesMatch>
# END W3TC Browser Cache
```