


```
application/xml \
text/css \
text/html \
text/plain \
```

```
</IfModule>
```

```
# -----
# Expires headers (for better cache control)
# -----
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive on
```

```
ExpiresByType text/cache-manifest "access plus 0 seconds"
ExpiresByType text/html "access plus 0 seconds"
ExpiresByType text/xml "access plus 0 seconds"
ExpiresByType application/xml "access plus 0 seconds"
ExpiresByType application/json "access plus 0 seconds"
ExpiresByType application/rss+xml "access plus 1 hour"
ExpiresByType application/atom+xml "access plus 1 hour"
```

```
</IfModule>
```

```
# -----
# ETag removal
# -----
```

```
# FileETag None is not enough for every server.
```

```
<IfModule mod_headers.c>
```

```
Header unset ETag
```

```
</IfModule>
```

```
# Since we're sending far-future expires, we don't need ETags for static content.
```

```
# developer.yahoo.com/performance/rules.html#etags
```

```
FileETag None
```

```
# -----
# A little more security
# -----
```

```
# Prevent access to template files
```

```
<FilesMatch "\.(tpl|html|xml)$">
```

```
    Order allow,deny
    Deny from all
</FilesMatch>
```

```
# -----
# Custom Errors
# -----
ErrorDocument 500 http://getnightingale.com/500
ErrorDocument 400 http://getnightingale.com/400
ErrorDocument 401 http://getnightingale.com/401
ErrorDocument 403 http://getnightingale.com/403
ErrorDocument 404 http://getnightingale.com/404
ErrorDocument 410 http://getnightingale.com/410
```