

```
#####
## SECURITY      ##
#####

# BEGIN Disable directory browsing
Options All -Indexes

# END Disable directory browsing

# BEGIN Strong htaccess protection
<Files ~ "^.*\.([Hh][Tt][Aa])">
order allow,deny
deny from all
satisfy all
</Files>

# END Strong htaccess protection

# BEGIN Protect against script injections
Options +FollowSymLinks
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteCond %{QUERY_STRING} (\<| %3C). *script. *(\>| %3E) [NC,OR]
RewriteCond %{QUERY_STRING} GLOBALS(=| \[| \)%[0-9A-Z]{0,2}) [OR]
RewriteCond %{QUERY_STRING} _REQUEST(=| \[| \)%[0-9A-Z]{0,2})
RewriteRule ^(.*)$ index.php [F,L]
</IfModule>

# END Protect against script injections

# BEGIN Protect wp-config.php
<files wp-config.php>
Order deny,allow
Deny from all
</files>

# END Protect wp-config.php

#####
## CACHING      ##
#####
```

```
#####
```

```
# BEGIN Leverage browser caching
```

```
<IfModule mod_expires.c>
ExpiresActive On
ExpiresByType image/jpg "access 1 year"
ExpiresByType image/jpeg "access 1 year"
ExpiresByType image/gif "access 1 year"
ExpiresByType image/png "access 1 year"
ExpiresByType text/css "access 1 month"
ExpiresByType application/pdf "access 1 month"
ExpiresByType application/x-javascript "access 1 month"
ExpiresByType application/javascript "access 1 month"
ExpiresByType application/x-shockwave-flash "access 1 month"
ExpiresByType image/x-icon "access 1 year"
ExpiresDefault "access 2 days"
</IfModule>
```

```
# END Leverage browser caching
```

```
# BEGIN Enable GZIP compression
```

```
<ifModule mod_gzip.c>
mod_gzip_on Yes
mod_gzip_dechunk Yes
mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
mod_gzip_item_include handler ^cgi-script$
mod_gzip_item_include mime ^text/. *
mod_gzip_item_include mime ^application/x-javascript.*
mod_gzip_item_exclude mime ^image/. *
mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
</ifModule>
```

```
# END Enable GZIP compression
```

```
# BEGIN Enable DEFLATE compression
```

```
<IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE "application/atom+xml" \
        "application/javascript" \
        "application/json" \
        "application/ld+json" \
        "application/manifest+json" \
        "application/rss+xml" \
        "application/vnd.geo+json" \
        "application/vnd.ms-fontobject" \
        "application/x-font-ttf" \
        "application/x-javascript" \
        "font/opentype" \
        "text/css" \
        "text/html" \
        "text/plain" \
        "text/xml"
```

```
"application/rdf+xml" \  
"application/rss+xml" \  
"application/schema+json" \  
"application/vnd.geo+json" \  
"application/vnd.ms-fontobject" \  
"application/x-font-ttf" \  
"application/x-javascript" \  
"application/x-web-app-manifest+json" \  
"application/xhtml+xml" \  
"application/xml" \  
"font/eot" \  
"font/opentype" \  
"image/bmp" \  
"image/svg+xml" \  
"image/vnd.microsoft.icon" \  
"image/x-icon" \  
"text/cache-manifest" \  
"text/css" \  
"text/html" \  
"text/javascript" \  
"text/plain" \  
"text/vcard" \  
"text/vnd.rim.location.xloc" \  
"text/vtt" \  
"text/x-component" \  
"text/x-cross-domain-policy" \  
"text/xml"
```

```
</IfModule>
```

```
# END Enable DEFLATE compression
```

```
#####  
## WORDPRESS ##  
#####
```

```
# BEGIN WordPress
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteBase /draft/
```

```
RewriteRule ^index\.php$ - [L]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /draft/index.php [L]
</IfModule>
```

END WordPress