

```
# Elgg htaccess directives
# Copyright Curverider Ltd 2008-2009
# License http://www.gnu.org/licenses/old-licenses/gpl-2.0.html GNU Public License version
# 2
# Link http://elgg.org/

<Files "htaccess_dist">
    order allow,deny
    deny from all
</Files>

# Don't listing directory
Options -Indexes

# Follow symbolic links
Options +FollowSymLinks

# Default handler
DirectoryIndex index.php

# Turn on expiry
<IfModule mod_expires.c>
    ExpiresActive On
    ExpiresDefault "access plus 10 years"
</IfModule>

# php 5, apache 1 and 2
<IfModule mod_php5.c>
    # limit the maximum memory consumed by the php script to 64M
    php_value memory_limit 64M
    # register_globals is deprecated as of PHP 5.3.0 - disable it for security reasons.
    php_value register_globals 0
    # post_max_size is the maximum size of ALL the data that is POST'ed to php at a time (8
    MB)
    php_value post_max_size 8388608
    # upload_max_filesize is the maximum size of a single uploaded file (5 MB)
    php_value upload_max_filesize 5242880
    # on development servers, set to 1 to display errors. Set to 0 on production servers.
    php_value display_errors 0
</IfModule>
```

```

# Turn on mod_gzip if available
<IfModule mod_gzip.c>
    mod_gzip_on yes
    mod_gzip_dechunk yes
    mod_gzip_keep_workfiles No
    mod_gzip_minimum_file_size 1000
    mod_gzip_maximum_file_size 1000000
    mod_gzip_maximum_inmem_size 1000000
    mod_gzip_item_include mime ^text/*
    mod_gzip_item_include mime ^application/javascript$
    mod_gzip_item_include mime ^application/x-javascript$
    # Exclude old browsers and images since IE has trouble with this
    mod_gzip_item_exclude reqheader "User-Agent: .*Mozilla/4\..*\"
    mod_gzip_item_exclude mime ^image/*
</IfModule>

## Apache2 deflate support if available
##
## Important note: mod_headers is required for correct functioning across proxies.
##
<IfModule mod_deflate.c>
    AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css text/javascript
    application/javascript application/x-javascript
    BrowserMatch ^Mozilla/4 gzip-only-text/html
    BrowserMatch ^Mozilla/4\.[0678] no-gzip
    BrowserMatch \bMSIE !no-gzip

<IfModule mod_headers.c>
    Header append Vary User-Agent env=!dont-vary
</IfModule>

# The following is to disable compression for actions. The reason being is that these
# may offer direct downloads which (since the initial request comes in as text/html and
# headers
# get changed in the script) get double compressed and become unusable when downloaded
# by IE.
    SetEnvIfNoCase Request_URI action/* no-gzip dont-vary
    SetEnvIfNoCase Request_URI actions/* no-gzip dont-vary
</IfModule>
```

```
# Configure ETags
<FilesMatch "\.(jpg|jpeg|gif|png|mp3|flv|mov|avi|3gp|html|htm|swf)$">
    FileETag MTime Size
</FilesMatch>

<IfModule mod_rewrite.c>

    RewriteEngine on

    # If Elgg is in a subdirectory on your site, you might need to add a RewriteBase line
    # containing the path from your site root to elgg's root, e.g. If your site is
    # http://example.com/ and Elgg is in http://example.com/sites/elgg/, you might need
    #
    #RewriteBase /sites/elgg/
    #
    # here, only without the # in front.
    #
    # If you're not running Elgg in a subdirectory on your site, but still getting lots
    # of 404 errors beyond the front page, you could instead try:
    #
    #RewriteBase /

    RewriteRule ^action\/( [A-Za-z0-9\_\-\_]+)\$ engine/handlers/action_handler.php?action=$1&%{QUERY_STRING}

    RewriteRule ^services/api\/( [A-Za-z0-9\_\-\_]+)\/( .*)\$ engine/handlers/service_handler.php?handler=$1&request=$2&%{QUERY_STRING}

    RewriteRule ^export\/( [A-Za-z]+)\/( [0-9]+)\$ services/export/handler.php?view=$1&guid=$2
    RewriteRule ^export\/( [A-Za-z]+)\/( [0-9]+)\/$ services/export/handler.php?view=$1&guid=$2
    RewriteRule ^export\/( [A-Za-z]+)\/( [0-9]+)\/( [A-Za-z]+)\/( [A-Za-z0-9\_\_]+)\/$ services/export/handler.php?view=$1&guid=$2&type=$3&idname=$4

    RewriteRule ^\_css\//css\.\_css\$ _css/css.php

    RewriteRule ^pg\/( [A-Za-z0-9\_\-\_]+)\/( .*)\$ engine/handlers/pagehandler.php?handler=$1&page=$2&%{QUERY_STRING}
    RewriteRule ^pg\/( [A-Za-z0-9\_\-\_]+)\$ engine/handlers/pagehandler.php?handler=$1 &%{QUERY_STRING}
```

```
RewriteRule xml-rpc.php engine/handlers/xml-rpc_handler.php
RewriteRule mt/mt-xmlrpc.cgi engine/handlers/xml-rpc_handler.php

RewriteRule ^tag/(.+)/?$ engine/handlers/pagehandler.php?handler=search&page=$1

</IfModule>
```