

```

Options +FollowSymLinks
IndexIgnore /*

RewriteEngine On
#RewriteBase /

# Always rewrite asset requests
RewriteRule ^file/. *$ index.php [L]

# Things not to rewrite
RewriteCond %{REQUEST_URI} !^\/assets\/
RewriteCond %{REQUEST_URI} !(\. gif$)|(\. jpg$)|(\. png$)|(\. css$)|(\. js$)|(\. ico$)

# If a file exists, use it directly
RewriteCond %{REQUEST_FILENAME} !-f

# Otherwise forward it to index.php
RewriteRule ^.*$ index.php [L]

##### boilerplate stuff #####

# -----
# Better website experience for IE users
# -----

# Force the latest IE version, in various cases when it may fall back to IE7 mode
# github.com/rails/rails/commit/123eb25#commitcomment-118920
# Use ChromeFrame if it's installed for a better experience for the poor IE folk

<IfModule mod_headers.c>
  Header set X-UA-Compatible "IE=Edge,chrome=1"
  # mod_headers can't match by content-type, but we don't want to send this header on *.swf
  <FilesMatch "\.(js|css|gif|png|jpe?
gl|pdf|xml|ogal|oggl|m4al|ogvl|mp4l|m4vl|webml|svg|svgz|eot|ttf|otf|woff|icol|webpl|appcache|manifest|
>
  Header unset X-UA-Compatible
</FilesMatch>
</IfModule>

# -----
# -----

```

```

# WEBOPTIM access
# -----

# Allow access from all domains for webfonts.
# Alternatively you could only whitelist your
# subdomains like "subdomain.example.com".

<FilesMatch "\.(ttf|ttd|otf|eot|woff|font. css)$">
  <IfModule mod_headers.c>
    Header set Access-Control-Allow-Origin "*"
  </IfModule>
</FilesMatch>

# -----
# Gzip compression
# -----

<IfModule mod_deflate.c>

# Force deflate for mangled headers developer.yahoo.com/blogs/ydn/posts/2010/12/pushing-beyond-100kb
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$ ^(gzip|deflate)\s+
HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
  </IfModule>
</IfModule>

# HTML, TXT, CSS, JavaScript, JSON, XML, HTC:
<IfVersion < 2.4.4>
<IfModule filter_module>
FilterDeclare    COMPRESS
FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/html
FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/css
FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/plain
FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/xml
FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/x-component
FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/javascript
FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/json
FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/xml
FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/xhtml+xml

```

```

FilterProvider COMPRESS DEFLATE resp=Content-Type $application/rss+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/atom+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/vnd.ms-fontobject
FilterProvider COMPRESS DEFLATE resp=Content-Type $image/svg+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/x-font-ttf
FilterProvider COMPRESS DEFLATE resp=Content-Type $font/opentype
FilterChain COMPRESS
FilterProtocol COMPRESS DEFLATE change=yes;byteranges=no
</IfModule>
</IfVersion>

```

```
<IfVersion >= 2.4.4>
```

```
<IfModule filter_module>
```

```

FilterDeclare COMPRESS
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'text/html'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'text/css'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'text/plain'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'text/xml'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'text/x-component'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'application/javascript'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'application/json'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'application/xml'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'application/xhtml+xml'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'application/rss+xml'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'application/atom+xml'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'application/vnd.ms-fontobject'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'image/svg+xml'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'image/x-icon'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'application/x-font-ttf'"
FilterProvider COMPRESS DEFLATE "%(Content_Type) = 'font/opentype'"
FilterChain COMPRESS
FilterProtocol COMPRESS DEFLATE change=yes;byteranges=no
</IfModule>
</IfVersion>

```

```
<IfModule !mod_filter.c>
```

```
# Legacy versions of Apache
```

```
AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
```

```
AddOutputFilterByType DEFLATE application/javascript
```

```
AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
```

```
AddOutputFilterByType DEFLATE application/xhtml+xml application/rss+xml application/atom+
```

```
    AddOutputFilterByType DEFLATE image/svg+xml application/vnd.ms-fontobject application/x-font-  
</IfModule>  
</IfModule>
```