

```
# Deny access to database files
<Files ~ "\.(sqlitel sdbf s3dbf db)$">
    Deny from all
</Files>

# Don't show directory listings
Options -Indexes

# URL rewrites
<IfModule mod_rewrite.c>

    Options -MultiViews

    RewriteEngine On
    # RewriteBase /

    # Protect some contents
    RewriteRule ^.*?\.git+ - [F,L]

    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule .* index.php [L]

    <IfModule mod_env.c>
        SetEnv SITE_URL_REWRITE On
    </IfModule>

</IfModule>

# Allow Cross-Origin-Resource-Sharing
<IfModule mod_headers.c>
Header add Access-Control-Allow-Origin "*"
Header add Access-Control-Allow-Methods: "GET, POST, OPTIONS, DELETE, PUT"
</IfModule>

AddDefaultCharset utf-8

AddType application/javascript js jsonp
AddType application/json json

# End of
```

AUDIO

AddType audio/ogg oga ogg
AddType audio/mp4 m4a f4a f4b

Video

AddType video/ogg ogv
AddType video/mp4 mp4 m4v f4v f4p
AddType video/webm webm
AddType video/x-flv flv

SVG

Required for svg webfonts on iPad

twitter.com/FontSquirrel/status/14855840545

AddType image/svg+xml svg svgz
AddEncoding gzip svgz

Webfonts

AddType application/vnd.ms-fontobject eot
AddType application/x-font-ttf ttf ttc
AddType font/opentype otf
AddType application/x-font-woff woff

Assorted types

AddType image/x-icon ico
AddType image/webp webp
AddType text/cache-manifest appcache manifest
AddType text/x-component htc
AddType application/xml rss atom xml rdf
AddType text/x-vcard vcf
AddType application/x-shockwave-flash swf

<IfModule mod_expires.c>

ExpiresActive On

ExpiresByType application/json "access plus 1 year"
ExpiresByType application/pdf "access plus 1 year"
ExpiresByType application/x-shockwave-flash "access plus 1 year"
ExpiresByType image/bmp "access plus 1 year"
ExpiresByType image/gif "access plus 1 year"
ExpiresByType image/jpeg "access plus 1 year"
ExpiresByType image/png "access plus 1 year"
ExpiresByType text/css "access plus 1 year"

```
ExpiresByType image/svg+xml "access plus 1 year"
ExpiresByType image/tiff "access plus 1 year"
ExpiresByType image/vnd.microsoft.icon "access plus 1 year"
ExpiresByType image/x-icon "access plus 1 year"
ExpiresByType text/css "access plus 1 year"
ExpiresByType video/x-flv "access plus 1 year"
ExpiresByType application/vnd.bw-fontobject "access plus 1 year"
ExpiresByType application/x-font-ttf "access plus 1 year"
ExpiresByType application/font-woff "access plus 1 year"
ExpiresByType font/opentype "access plus 1 year"
ExpiresByType image/webp "access plus 1 year"
```

The following MIME types are in the process of registration

```
ExpiresByType application/xslt+xml "access plus 1 year"
ExpiresByType image/svg+xml "access plus 1 year"
```

The following MIME types are NOT registered

```
ExpiresByType application/mathml+xml "access plus 1 year"
ExpiresByType application/rss+xml "access plus 1 year"
```

JavaScript has various MIME types

```
ExpiresByType application/x-javascript "access plus 1 year"
ExpiresByType application/javascript "access plus 1 year"
ExpiresByType text/ecmascript "access plus 1 year"
ExpiresByType text/javascript "access plus 1 year"
```

```
</IfModule>
```

```
# -----
# Disabling ETags as they are most likely misconfigured and
# do not add functionalit beyond Last-Modified
# -----
```

```
<IfModule mod_headers.c>
```

```
    # Try removing etag headers (if it's coming from proxy for example)
```

```
    Header unset ETag
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
    # Force deflate for mangled headers developer.yahoo.com/blogs/ydn/posts/2010/12/pushing-beyond-gzipping/
```

```
    <IfModule mod_setenvif.c>
```

```
<IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)l ""(15)l -(15))$
^((gzip|deflate)\s*, ?\s*)+ [X"-]{4,13}$ HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
</IfModule>
</IfModule>
```

```
# Compress all output labeled with one of the following MIME-types
# (for Apache versions below 2.3.7, you don't need to enable `mod_filter`
# and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines as
# `AddOutputFilterByType` is still in the core directives)
```

```
<IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE application/atom+xml \
        application/javascript \
        application/json \
        application/rss+xml \
        application/vnd.ms-fontobject \
        application/x-font-ttf \
        application/xhtml+xml \
        application/xml \
        font/opentype \
        image/svg+xml \
        image/x-icon \
        text/css \
        text/html \
        text/plain \
        text/x-component \
        text/xml
```

```
</IfModule>
```

```
</IfModule>
```

```
# Remove ETags
```

```
FileETag None
```