

```
<IfModule mod_rewrite.c>
```

```
# (1)
```

```
RewriteEngine On
```

```
# (2)
```

```
Options +FollowSymlinks
```

```
# (3)
```

```
# Options +SymLinksIfOwnerMatch
```

```
# (4)
```

```
# RewriteBase /
```

```
#RewriteBase    /
```

```
# (5)
```

```
# RewriteOptions <options>
```

```
# (6)
```

```
RewriteCond %{HTTPS} =on
```

```
RewriteRule ^ - [env=proto:https]
```

```
RewriteCond %{HTTPS} !=on
```

```
RewriteRule ^ - [env=proto:http]
```

```
RewriteCond    %{REQUEST_URI}
```

```
!^(/index\.php|/img|/js|/css|/robots\.txt|/favicon\.ico)
```

```
#RewriteCond %{DOCUMENT_ROOT}%{REQUEST_URI} -f [OR]
```

```
#RewriteCond %{DOCUMENT_ROOT}%{REQUEST_URI} -d
```

```
RewriteCond    %{REQUEST_FILENAME} !-f
```

```
RewriteCond    %{REQUEST_FILENAME} !-d
```

```
# If an existing asset or directory is requested go to it as it is
```

```
#RewriteRule ^ - [L]
```

```
RewriteRule    . /index.html [L]
```

```
# If the requested resource doesn't exist, use index.html
```

```
#RewriteRule . /index.php [QSA,L]
```

```
Options -Indexes
```

```
ErrorDocument 404 http://www.domain.com/your-custom-404.php
```

```
ErrorDocument 403 http://www.domain.com/your-custom-404.php
```

```
</IfModule>
```

```
# -----  
# Expires headers (for better cache control)  
# -----  
  
# These are pretty far-future expires headers.  
# They assume you control versioning with filename-based cache busting  
# Additionally, consider that outdated proxies may miscache  
# www.stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring/  
  
# If you don't use filenames to version, lower the CSS and JS to something like  
# "access plus 1 week".
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive on
```

```
# Add correct content-type for fonts
```

```
AddType application/vnd.ms-fontobject .eot
```

```
AddType font/ttf .ttf
```

```
AddType font/otf .otf
```

```
AddType font/x-woff .woff
```

```
AddType image/svg+xml .svg
```

```
# Your document html
```

```
ExpiresByType text/html "access plus 0 seconds"
```

```
# Media: images, video, audio
```

```
ExpiresByType audio/ogg "access plus 1 week"
```

```
ExpiresByType image/gif "access plus 1 week"
```

```
ExpiresByType image/jpeg "access plus 1 week"
```

```
ExpiresByType image/png "access plus 1 week"
```

```
ExpiresByType video/mp4 "access plus 1 week"
```

```
ExpiresByType video/ogg "access plus 1 week"
```

```
ExpiresByType video/webm "access plus 1 week"
```

```
ExpiresByType video/webm "access plus 1 week"
```

```
# CSS and JavaScript
```

```
ExpiresByType application/javascript "access plus 4 hours"
```

```
-----
```

```
ExpiresByType text/css "access plus 4 hours"

# # Compress compressible fonts
# AddOutputFilterByType DEFLATE font/ttf font/otf image/svg+xml
#
# # Add a far future Expires header for fonts
ExpiresByType application/vnd.ms-fontobject "access plus 1 week"
ExpiresByType font/ttf "access plus 1 week"
ExpiresByType font/otf "access plus 1 week"
ExpiresByType font/x-woff "access plus 1 week"
ExpiresByType image/svg+xml "access plus 1 week"

</IfModule>

<IfModule mod_headers.c>
    Header append Cache-Control "public, no-transform"
</IfModule>
#RewriteEngine On
#
## Some hosts may require you to use the `RewriteBase` directive.
## If you need to use the `RewriteBase` directive, it should be the
## absolute physical path to the directory that contains this htaccess file.
##
#RewriteBase /
#
#RewriteCond %{REQUEST_FILENAME} !-f
#RewriteRule ^ index.html [QSA,L]
#
#Options -Indexes
```