

```
RequestHeader set X-Prerender-Token "MXL07cNH4FEwgV0Tc70"
```

```
# Change YOUR_TOKEN to your prerender token and uncomment that line if you want to cache uri  
# Change http://example.com (at the end of the last RewriteRule) to your website url
```

```
<IfModule mod_headers.c>
```

```
    #RequestHeader set X-Prerender-Token "MXL07cNH4FEwgV0Tc70"
```

```
</IfModule>
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    <IfModule mod_proxy_http.c>
```

```
        RewriteCond %{HTTP_USER_AGENT} baiduspider|facebookexternalhit|twitterbot|rogerbot|
```

```
        RewriteCond %{QUERY_STRING} _escaped_fragment_
```

```
        # Only proxy the request to Prerender if it's a request for HTML
```

```
        RewriteRule ^(?:.*?)
```

```
(\.js|\.css|\.xml|\.less|\.png|\.jpg|\.jpeg|\.gif|\.pdf|\.doc|\.txt|\.ico|\.rss|\.zip|\.mp3|
```

```
(.*) http://service.prerender.io/http://rob.clayburn.me/$2 [P,L]
```

```
    </IfModule>
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
    AddOutputFilterByType DEFLATE text/text text/html text/plain text/xml text/css applicator
```

```
</IfModule>
```

```
<FilesMatch "\.(ico|pdf|flv|jpg|jpeg|png|gif|js|css|swf)$">
```

```
    Header set Cache-Control "max-age=604800, public"
```

```
</FilesMatch>
```