

DirectoryIndex index.php

```
# BEGIN WPSuperCache  
# END WPSuperCache
```

```
# BEGIN WordPress
```

```
## Block known bad user agents, bots and potentially malicious request methods  
## The following list may include bots that no longer exist or that are not a problem for  
your site.
```

```
## The list will always be incomplete and it is therefore wise to  
## follow discussions on one of the many "security" mailing lists or on a forum  
## such as http://www.webmasterworld.com/search\_engine\_spiders/  
## It is also unwise to rely on this list as your ONLY security mechanism.
```

```
## White-list allowed sites
```

```
## Better to use IP addresses than {REMOTE_HOST} name
```

```
## RewriteCond %{REMOTE_HOST} !wordpress\.org$ [NC]
```

```
## White-list WordPress and Automatic servers
```

```
RewriteCond %{REMOTE_ADDR} !216\.65\.19\.4
```

```
RewriteCond %{REMOTE_ADDR} !64\.34\.174\.135
```

```
RewriteCond %{REMOTE_ADDR} !64\.34\.177\.159
```

```
RewriteCond %{REMOTE_ADDR} !66\.135\.48\.
```

```
RewriteCond %{REMOTE_ADDR} !69\.0\.231\.112
```

```
RewriteCond %{REMOTE_ADDR} !69\.170\.134\.
```

```
RewriteCond %{REMOTE_ADDR} !69\.174\.248\.140
```

```
RewriteCond %{REMOTE_ADDR} !72\.233\.104\.124
```

```
RewriteCond %{REMOTE_ADDR} !72\.233\.104\.98
```

```
RewriteCond %{REMOTE_ADDR} !72\.233\.56\.138
```

```
RewriteCond %{REMOTE_ADDR} !72\.233\.56\.139
```

```
RewriteCond %{REMOTE_ADDR} !72\.233\.69\.14
```

```
RewriteCond %{REMOTE_ADDR} !74\.200\.244\.
```

```
RewriteCond %{REMOTE_ADDR} !74\.200\.247\.188
```

```
RewriteCond %{REMOTE_ADDR} !76\.74\.159\.137
```

```
RewriteCond %{REMOTE_ADDR} !76\.74\.248\.
```

```
RewriteCond %{REMOTE_ADDR} !76\.74\.254\.126
```

```
## White list Disqus
```

```
RewriteCond %{REMOTE_ADDR} !75\.126\.109\.204
```

```
RewriteCond %{REMOTE_ADDR} !74\.86\.190\.242
```

```
RewriteCond %{REMOTE_ADDR} !173\.192\.61\.226
```

```
## End of WordPress section
```

```
## white-list Liveryre
```

```
RewriteCond %{REMOTE_ADDR} !50.19.5.163
```

```
# White-list localhost
```

```
RewriteCond %{HTTP_HOST} !^(127\.0\.0\.1|localhost) [NC]
```

```
## Block bad user agents
```

```
RewriteCond %{HTTP_USER_AGENT} BlackWidow [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Bot\ mailto:craftbot@yahoo.com [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ChinaClaw [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Custo [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} DISCo [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Download\ Demon [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} EirGrabber [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} EmailSiphon [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} EmailWolf [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Express\ WebPictures [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ExtractorPro [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} EyeNetIE [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} FlashGet [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} GetRight [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} GetWeb! [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Go!Zilla [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Go-Ahead-Got-It [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} GrabNet [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Grafula [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} HMView [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Image\ Stripper [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Image\ Sucker [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} InterGET [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Internet\ Ninja [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} JOC\ Web\ Spider [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} JetCar [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} LeechFTP [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} MIDown\ tool [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Mass\ Downloader [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Mister\ PiX [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} Navroad [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} NearSite [NC,OR]
```

RewriteCond %{HTTP_USER_AGENT} NetHnts [NC,OR]
RewriteCond %{HTTP_USER_AGENT} NetSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} NetZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Net\ Vampire [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Octopus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Offline\ Explorer [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Offline\ Navigator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PageGrabber [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Papa\ Foto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ReGet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} RealDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} SiteSnagger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} SmartDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} SuperBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} SuperHTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Surfbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Teleport\ Pro [NC,OR]
RewriteCond %{HTTP_USER_AGENT} TurnitinBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} VoidEYE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WWWOFFLE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebAuto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebCopier [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebFetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebGo\ IS [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebLeacher [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebReaper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebSauger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebStripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebWhacker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Web\ Image\ Collector [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Website\ Quester [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Website\ extractor [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Widow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Xaldon\ WebSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Zeus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} archiverloader [NC,OR]
RewriteCond %{HTTP_USER_AGENT} casper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} clshhttp [NC,OR]
RewriteCond %{HTTP_USER_AGENT} cmsworldmap [NC,OR]

```
RewriteCond %{HTTP_USER_AGENT} curl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} diavol [NC,OR]
RewriteCond %{HTTP_USER_AGENT} dotbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} eCatch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} email [NC,OR]
RewriteCond %{HTTP_USER_AGENT} extract [NC,OR]
RewriteCond %{HTTP_USER_AGENT} flicky [NC,OR]
RewriteCond %{HTTP_USER_AGENT} grab [NC,OR]
RewriteCond %{HTTP_USER_AGENT} harvest [NC,OR]
RewriteCond %{HTTP_USER_AGENT} jakarta [NC,OR]
RewriteCond %{HTTP_USER_AGENT} java [NC,OR]
RewriteCond %{HTTP_USER_AGENT} kmccrew [NC,OR]
RewriteCond %{HTTP_USER_AGENT} larbin [NC,OR]
RewriteCond %{HTTP_USER_AGENT} libwww [NC,OR]
RewriteCond %{HTTP_USER_AGENT} miner [NC,OR]
RewriteCond %{HTTP_USER_AGENT} nikto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} pavuk [NC,OR]
RewriteCond %{HTTP_USER_AGENT} pcBrowser [NC,OR]
RewriteCond %{HTTP_USER_AGENT} planetnetwork [NC,OR]
RewriteCond %{HTTP_USER_AGENT} pycurl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} python [NC,OR]
RewriteCond %{HTTP_USER_AGENT} scan [NC,OR]
RewriteCond %{HTTP_USER_AGENT} skygrid [NC,OR]
RewriteCond %{HTTP_USER_AGENT} tAkeOut [NC,OR]
RewriteCond %{HTTP_USER_AGENT} wget [NC,OR]
RewriteCond %{HTTP_USER_AGENT} winhttp [NC]
RewriteCond %{HTTP_REFERER} \.ru [NC,OR]
RewriteCond %{HTTP_REFERER} \.cn [NC]
## Note: The final RewriteCond must NOT use the [OR] flag.
## Return 403 Forbidden error.
RewriteRule .* - [F]

## Protect sensitive files from client-side viewing.
<FilesMatch "^(wp-config\.php|php\.ini|install\.php|info|readme\.html|bb-
config\.php|\.htaccess|readme\.txt|error_log|error\.log|PHP_errors\.log|\.svn)">
  Deny from all
</FilesMatch>

<Limit GET HEAD POST>
  order deny,allow
  deny from .ru
```

```
deny from .cn
</Limit>

# protect xmlrpc
<Files xmlrpc.php>
    Order Deny,Allow
    Deny from all
</Files>

<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /

RewriteCond %{SERVER_PORT} !111$

RewriteCond %{HTTP_HOST} ^www\.(.*)$ [NC]
RewriteRule ^(.*)$ http://%1/$1 [R=301,L]

RewriteCond %{HTTPS} off
RewriteCond %{REQUEST_URI} pallet-pricing
RewriteCond %{HTTP_HOST} ^(\www\.)?(.*)$ [NC]
RewriteRule ^(.*)$ https://%2/$1 [R=301,L,QSA]

RewriteRule ^charcoal.*products\.html?$ /products/ [R,L]
RewriteRule ^printablelist\.html?$ /products/ [R,L]
RewriteRule ^how_to_order\.html?$ /products/ [R,L]
RewriteRule ^guest_book\.html?$ /products/ [R,L]
RewriteRule ^history\.html?$ /products/ [R,L]

RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress

AuthName bbcharcoal.com
AuthUserFile /mnt/stor9-wc2-
dfw1/528353/528995/www.bbcharcoal.com/web/content/_vti_pvt/service.pwd
AuthGroupFile /mnt/stor9-wc2-
```

dfw1/528353/528995/www.bbcharcoal.com/web/content/_vti_pvt/service.grp