

```

#####
## uncomment these lines for CGI mode
## make sure to specify the correct cgi php binary file name
## it might be /cgi-bin/php-cgi

#   Action php5-cgi /cgi-bin/php5-cgi
#   AddHandler php54-cgi .php

#####
## GoDaddy specific options

#   Options -MultiViews

## you might also need to add this line to php.ini
##   cgi.fix_pathinfo = 1
## if it still doesn't work, rename php.ini to php5.ini

#####
## this line is specific for 1and1 hosting

#AddType x-mapp-php5 .php
#AddHandler x-mapp-php54 .php

#####
## default index file

SetEnvIf Host www\.uptownstreet\.com MAGE_RUN_CODE=uptownstreet_com
SetEnvIf Host www\.uptownstreet\.com MAGE_RUN_TYPE=website
SetEnvIf Host ^uptownstreet\.com MAGE_RUN_CODE=uptownstreet_com
SetEnvIf Host ^uptownstreet\.com MAGE_RUN_TYPE=website

    DirectoryIndex index.php

<IfModule mod_php5.c>

#####
## adjust memory limit

#   php_value memory_limit 64M
    php_value memory_limit 256M
#   php_value max_execution_time 18000

```

```
php_value max_execution_time 10000
```

```
#####
```

```
## disable magic quotes for php request vars
```

```
php_flag magic_quotes_gpc off
```

```
#####
```

```
## disable automatic session start
```

```
## before autoload was initialized
```

```
php_flag session.auto_start off
```

```
#####
```

```
## enable resulting html compression
```

```
#php_flag zlib.output_compression on
```

```
#####
```

```
# disable user agent verification to not break multiple image upload
```

```
php_flag suhosin.session.cryptua off
```

```
#####
```

```
# turn off compatibility with PHP4 when dealing with objects
```

```
php_flag zend.zel_compatibility_mode Off
```

```
</IfModule>
```

```
<IfModule mod_security.c>
```

```
#####
```

```
# disable POST processing to not break multiple image upload
```

```
SecFilterEngine Off
```

```
SecFilterScanPOST Off
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
#####
```

```
... # vim: set fd=350 : # vim: set fd=350 :
```

```
## enable apache served files compression
## http://developer.yahoo.com/performance/rules.html#gzip

# Insert filter on all content
###SetOutputFilter DEFLATE
# Insert filter on selected content types only
#AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css text/javascript

# Netscape 4.x has some problems...
#BrowserMatch ^Mozilla/4 gzip-only-text/html

# Netscape 4.06-4.08 have some more problems
#BrowserMatch ^Mozilla/4\.[0678] no-gzip

# MSIE masquerades as Netscape, but it is fine
#BrowserMatch \bMSIE !no-gzip !gzip-only-text/html

# Don't compress images
#SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip dont-vary

# Make sure proxies don't deliver the wrong content
#Header append Vary User-Agent env=!dont-vary

</IfModule>

<IfModule mod_ssl.c>

#####
## make HTTPS env vars available for CGI mode

    SSLOptions StdEnvVars

</IfModule>

<IfModule mod_rewrite.c>

#####
## enable rewrites

# For security reasons, Option followsymlinks cannot be overridden.
#    Options +FollowSymLinks
```

```
Options +SymLinksIfOwnerMatch
RewriteEngine on
```

```
#####
## you can put here your magento root folder
## path relative to web root
```

```
#RewriteBase /magento/
```

```
#####
## uncomment next line to enable light API calls processing
```

```
# RewriteRule ^api/([a-z][0-9a-z_]+)/?$ api.php?type=$1 [QSA,L]
```

```
#####
## rewrite API2 calls to api.php (by now it is REST only)
```

```
RewriteRule ^api/rest api.php?type=rest [QSA,L]
```

```
#####
## workaround for HTTP authorization
## in CGI environment
```

```
RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]
```

```
#####
## TRACE and TRACK HTTP methods disabled to prevent XSS attacks
```

```
RewriteCond %{REQUEST_METHOD} ^TRAC[EK]
```

```
RewriteRule .* - [L,R=405]
```

```
#####
## redirect for mobile user agents
```

```
#RewriteCond %{REQUEST_URI} !^/mobiledirectoryhere/.*$
```

```
#RewriteCond %{HTTP_USER_AGENT} "android|blackberry|ipad|iphone|ipod|iemobile|opera
mobile|palmos|webos|googlebot-mobile" [NC]
```

```
#RewriteRule ^(.*)$ /mobiledirectoryhere/ [L,R=302]
```

```
#####
## always send 404 on missing files in these folders
```

```
RewriteCond %{REQUEST_URI} !^/(media|skin|js)/

#####
## never rewrite for existing files, directories and links

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_FILENAME} !-l

#####
## rewrite everything else to index.php

RewriteRule .* index.php [L]

</IfModule>

#####
## Prevent character encoding issues from server overrides
## If you still have problems, use the second line instead

AddDefaultCharset Off
#AddDefaultCharset UTF-8

<IfModule mod_expires.c>

#####
## Add default Expires header
## http://developer.yahoo.com/performance/rules.html#expires

ExpiresDefault "access plus 1 year"

</IfModule>

#####
## By default allow all access

Order allow,deny
Allow from all

#####
```

Deny access to release notes to prevent disclosure of the installed Magento version

`<Files RELEASE_NOTES.txt>`

`order allow,deny`

`deny from all`

`</Files>`

#####

If running in cluster environment, uncomment this

<http://developer.yahoo.com/performance/rules.html#etags>

#FileETag none