Use the front controller as index file. It serves as a fallback solution when # every other rewrite/redirect fails (e.g. in an aliased environment without # mod_rewrite). Additionally, this reduces the matching process for the # start page (path "/") because otherwise Apache will apply the rewriting rules # to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl). #DirectoryIndex app.php

By default, Apache does not evaluate symbolic links if you did not enable this # feature in your server configuration. Uncomment the following line if you # install assets as symlinks or if you experience problems related to symlinks # when compiling LESS/Sass/CoffeScript assets. # Options FollowSymlinks

Disabling MultiViews prevents unwanted negotiation, e.g. "/app" should not resolve # to the front controller "/app.php" but be rewritten to "/app.php/app".

<IfModule mod_negotiation.c>

Options –MultiViews

</IfModule>

<IfModule mod_rewrite.c> RewriteEngine On

Determine the RewriteBase automatically and set it as environment variable. # If you are using Apache aliases to do mass virtual hosting or installed the # project in a subdirectory, the base path will be prepended to allow proper # resolution of the app.php file and to redirect to the correct URI. It will # work in environments without path prefix as well, providing a safe, one-size # fits all solution. But as you do not need it in this case, you can comment # the following 2 lines to eliminate the overhead. RewriteCond %(REQUEST_URI):: \$1 ^(/.+)/(.*)::\2\$ RewriteRule ^(.*) - [E=BASE: %1]

```
# Sets the HTTP_AUTHORIZATION header removed by apache
RewriteCond %(HTTP: Authorization) .
RewriteRule .* - [E=HTTP_AUTHORIZATION: %(HTTP: Authorization)]
```

```
# Redirect to URI without front controller to prevent duplicate content
# (with and without `/app.php`). Only do this redirect on the initial
# rewrite by Apache and not on subsequent cycles. Otherwise we would get an
# endless redirect loop (request -> rewrite to front controller ->
# endirect > rewrite > > >
```

```
# rearrect -> request -> ...).
# So in case you get a "too many redirects" error or you always get redirected
# to the start page because your Apache does not expose the REDIRECT_STATUS
# environment variable, you have 2 choices:
# - disable this feature by commenting the following 2 lines or
# - use Apache >= 2.3.9 and replace all L flags by END flags and remove the
# following RewriteCond (best solution)
RewriteCond %(ENV: REDIRECT_STATUS) ^$
RewriteRule ^app\.php(/(.*)1$) %(ENV: BRSE)/$2 [R=301,L]
```

If the requested filename exists, simply serve it.
We only want to let Apache serve files and not directories.
RewriteCond %(REQUEST_FILENAME) -f
RewriteRule .? - [L]

RewriteRule pogoda-dnia day.html RewriteRule pogoda-miesiaca month.html RewriteRule pogoda-roku year.html RewriteRule wybierz-zakres custom.html

```
# Rewrite all other queries to the front controller.
RewriteRule ^api.? %(ENV: BASE)/app.php [L]
</IfModule>
```