

```
# Deny access to database files
<Files ~ "\.(sqlitel sdb| s3dbl db)$">
  Require all denied
</Files>

# Don't show directory listings
Options -Indexes

# URL rewrites
<IfModule mod_rewrite.c>

  Options -MultiViews

  RewriteEngine On
  # RewriteBase /

  # Protect some contents
  RewriteRule ^.*?/\.(git+ - [F,L]

  RewriteCond %{REQUEST_FILENAME} !-f
  RewriteCond %{REQUEST_FILENAME} !-d
  RewriteRule .* index.php [L]

  <IfModule mod_env.c>
    SetEnv COCKPIT_URL_REWRITE On
  </IfModule>

</IfModule>

# Allow Cross-Origin-Resource-Sharing
<IfModule mod_headers.c>
  Header add Access-Control-Allow-Origin "*"
  Header add Access-Control-Allow-Methods: "GET, POST, OPTIONS, DELETE, PUT"
</IfModule>

AddDefaultCharset utf-8

AddType application/javascript js jsonp
AddType application/json json

# ...
```

*# AUDIO*

AddType audio/ogg oga ogg  
AddType audio/mp4 m4a f4a f4b

*# Video*

AddType video/ogg ogv  
AddType video/mp4 mp4 m4v f4v f4p  
AddType video/webm webm  
AddType video/x-flv flv

*# SVG*

*# Required for svg webfonts on iPad*

*# twitter.com/FontSquirrel/status/14855840545*

AddType image/svg+xml svg svgz  
AddEncoding gzip svgz

*# Webfonts*

AddType application/vnd.ms-fontobject eot  
AddType application/x-font-ttf ttf ttc  
AddType font/opentype otf  
AddType application/x-font-woff woff

*# Assorted types*

AddType image/x-icon ico  
AddType image/webp webp  
AddType text/cache-manifest appcache manifest  
AddType text/x-component htc  
AddType application/xml rss atom xml rdf  
AddType text/x-vcard vcf  
AddType application/x-shockwave-flash swf

<IfModule mod\_expires.c>

ExpiresActive On

ExpiresByType application/json "access plus 1 year"  
ExpiresByType application/pdf "access plus 1 year"  
ExpiresByType application/x-shockwave-flash "access plus 1 year"  
ExpiresByType image/bmp "access plus 1 year"  
ExpiresByType image/gif "access plus 1 year"  
ExpiresByType image/jpeg "access plus 1 year"  
ExpiresByType image/png "access plus 1 year"

```
ExpiresByType image/png "access plus 1 year"
ExpiresByType image/svg+xml "access plus 1 year"
ExpiresByType image/tiff "access plus 1 year"
ExpiresByType image/vnd.microsoft.icon "access plus 1 year"
ExpiresByType image/x-icon "access plus 1 year"
ExpiresByType text/css "access plus 1 year"
ExpiresByType video/x-flv "access plus 1 year"
ExpiresByType application/vnd.bw-fontobject "access plus 1 year"
ExpiresByType application/x-font-ttf "access plus 1 year"
ExpiresByType application/font-woff "access plus 1 year"
ExpiresByType font/opentype "access plus 1 year"
ExpiresByType image/webp "access plus 1 year"
```

*# The following MIME types are in the process of registration*

```
ExpiresByType application/xslt+xml "access plus 1 year"
ExpiresByType image/svg+xml "access plus 1 year"
```

*# The following MIME types are NOT registered*

```
ExpiresByType application/mathml+xml "access plus 1 year"
ExpiresByType application/rss+xml "access plus 1 year"
```

*# JavaScript has various MIME types*

```
ExpiresByType application/x-javascript "access plus 1 year"
ExpiresByType application/javascript "access plus 1 year"
ExpiresByType text/ecmascript "access plus 1 year"
ExpiresByType text/javascript "access plus 1 year"
```

</IfModule>

```
# -----
# Disabling ETags as they are most likely misconfigured and
# do not add functionalit beyond Last-Modified
# -----
```

<IfModule mod\_headers.c>

*# Try removing etag headers (if it's coming from proxy for example)*

```
Header unset ETag
```

</IfModule>

<IfModule mod\_deflate.c>

*# Force deflate for mangled headers developer.yahoo.com/blogs/ydn/posts/2010/12/pushing-*

*beyond-gzipping/*

```
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)l "(15)l -(15))$
^((gzip|deflate)\s*, ?\s*)+ [X"-]{4,13}$ HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
  </IfModule>
</IfModule>
```

*# Compress all output labeled with one of the following MIME-types*  
*# (for Apache versions below 2.3.7, you don't need to enable `mod\_filter`*  
*# and can remove the `<IfModule mod\_filter.c>` and `</IfModule>` lines as*  
*# `AddOutputFilterByType` is still in the core directives)*

```
<IfModule mod_filter.c>
  AddOutputFilterByType DEFLATE application/atom+xml \
    application/javascript \
    application/json \
    application/rss+xml \
    application/vnd.ms-fontobject \
    application/x-font-ttf \
    application/xhtml+xml \
    application/xml \
    font/opentype \
    image/svg+xml \
    image/x-icon \
    text/css \
    text/html \
    text/plain \
    text/x-component \
    text/xml
```

```
</IfModule>
```

```
</IfModule>
```

*# Remove ETags*

```
FileETag None
```