

SetEnv APPLICATION\_ENV development

```
<IfModule mod_rewrite.c>
#####
## Enable rewrites
    RewriteEngine on
#   RewriteBase /axis/

    ## See
http://framework.zend.com/manual/en/zend.controller.router.html#zend.controller.router.intro
    RewriteCond %{REQUEST_FILENAME} -s [OR]
    RewriteCond %{REQUEST_FILENAME} -l [OR]
    RewriteCond %{REQUEST_FILENAME} -d
    RewriteRule ^.*$ - [NC,L]

    ## Remove trailing slash
    RewriteRule ^(.+[^/]+)/$ http://%{HTTP_HOST}/$1 [R=301,L]

    ## To redirect all users to the site WITH the 'www.' prefix
#   RewriteCond %{HTTP_HOST} ^example\.com$ [NC]
#   RewriteRule ^(.*)$ http://www.example.com/$1 [L,R=301]

    ## To redirect all users to the site WITHOUT the 'www.' prefix
#   RewriteCond %{HTTP_HOST} ^www\.example\.com$ [NC]
#   RewriteRule ^(.*)$ http://example.com/$1 [L,R=301]

    ### don't serve files from the next folders
    RewriteCond %{REQUEST_URI} !^(media|skin|js)/

    RewriteRule ^.*$ index.php [NC,L]
</IfModule>

<IfModule mod_php5.c>
#####
## Disable magic quotes
    php_value magic_quotes_gpc off

#####
## Description
#   - - - - -
```

```
#  pnp_tag zlib, output_compression on

</IfModule>

<IfModule mod_headers.c>
#####
## Client side caching

#  <FilesMatch "\.(ico|pdf|flv|jpg|jpeg|png|gif|js|css|swf)$">
#      Header set Cache-Control "public"
#      Header set Expires "Thu, 15 Apr 2012 20:00:00 GMT"
#  </FilesMatch>

</IfModule>

<IfModule mod_deflate.c>
#####
## Compress output before sending
## http://httpd.apache.org/docs/2.0/mod/mod_deflate.html
# Add filter
#  AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css text/javascript

# Netscape 4.x has some problems...
#  BrowserMatch ^Mozilla/4 gzip-only-text/html

# Netscape 4.06-4.08 have some more problems
#  BrowserMatch ^Mozilla/4\.[0678] no-gzip

# MSIE masquerades as Netscape, but it is fine
#  BrowserMatch \bMSIE !no-gzip !gzip-only-text/html

# NOTE: Due to a bug in mod_setenvif up to Apache 2.0.48
# the above regex won't work. You can use the following
# workaround to get the desired effect:
#  BrowserMatch \bMSIE[E] !no-gzip !gzip-only-text/html

# Don't compress images
#  SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip dont-vary

# Make sure proxies don't deliver the wrong content
#  Header append Vary User-Agent env=!dont-vary
```

```
</IfModule>
```

```
#####
```

```
## Allow access by default
```

```
Order allow,deny
```

```
Allow from all
```

```
#####
```

```
## http://developer.yahoo.com/performance/rules.html#etags
```

```
# FileETag none
```

```
## Default charset parameter to be added when a response content-type is text/plain or text,
```

```
## http://httpd.apache.org/docs/2.0/mod/core.html#AddDefaultCharset
```

```
AddDefaultCharset Off
```

```
#AddDefaultCharset utf-8
```

```
#####
```

```
## Server specific fixes
```

```
#####
```

```
## GoDaddy hosting options
```

```
# Options -MultiViews
```

```
## 1and1 hosting options
```

```
# AddType x-mapp-php5 .php
```

```
# DirectoryIndex index.php
```

```
# Options -MultiViews
```