

```
# Use the front controller as index file. It serves as a fallback solution when
# every other rewrite/redirect fails (e.g. in an aliased environment without
# mod_rewrite). Additionally, this reduces the matching process for the
# start page (path "/") because otherwise Apache will apply the rewriting rules
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).
DirectoryIndex app.php
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    # PIP start
```

```
    RewriteCond %{REQUEST_URI} !wp-content/themes
```

```
    # don't apply the AI behaviour to images inside AI's cache folder:
```

```
    RewriteCond %{REQUEST_URI} !ai-cache
```

```
    # Send any GIF, JPG, or PNG request that IS NOT stored inside one of the above
directories
```

```
    # to adaptive-images.php so we can select appropriately sized versions
```

```
    RewriteRule \.(?:jpe?gl gif|png)$ libraries/Phpimageprescaler/image.php
```

```
    # PIP end
```

```
    # Determine the RewriteBase automatically and set it as environment variable.
```

```
    # If you are using Apache aliases to do mass virtual hosting or installed the
```

```
    # project in a subdirectory, the base path will be prepended to allow proper
```

```
    # resolution of the app.php file and to redirect to the correct URI. It will
```

```
    # work in environments without path prefix as well, providing a safe, one-size
```

```
    # fits all solution. But as you do not need it in this case, you can comment
```

```
    # the following 2 lines to eliminate the overhead.
```

```
    RewriteCond %{REQUEST_URI}::$1 ^(/.+)/(.*)::\2$
```

```
    RewriteRule ^(.*) - [E=BASE:%1]
```

```
    # Redirect to URI without front controller to prevent duplicate content
```

```
    # (with and without `/app.php`). Only do this redirect on the initial
```

```
    # rewrite by Apache and not on subsequent cycles. Otherwise we would get an
```

```
    # endless redirect loop (request -> rewrite to front controller ->
```

```
    # redirect -> request -> ...).
```

```
    # So in case you get a "too many redirects" error or you always get redirected
```

```
    # to the start page because your Apache does not expose the REDIRECT_STATUS
```

```
    # environment variable, you have 2 choices:
```

```
    # - disable this feature by commenting the following 2 lines or
```

```
    # - use Apache >= 2.3.9 and replace all L flags by END flags and remove the
```

```
    # following RewriteCond (best solution)
```

```
# Following RewriteCond (Best Solution)
RewriteCond %{ENV:REDIRECT_STATUS} ^$
RewriteRule ^app\.php(/(.*)|)$ %{ENV:BASE}/$2 [R=301,L]
```

```
# If the requested filename exists, simply serve it.
# We only want to let Apache serve files and not directories.
```

```
RewriteCond %{REQUEST_FILENAME} -f
RewriteRule .? - [L]
```

```
# Rewrite all other queries to the front controller.
RewriteRule .? %{ENV:BASE}/app.php [L]
```

```
</IfModule>
```

```
<IfModule !mod_rewrite.c>
```

```
<IfModule mod_alias.c>
```

```
# When mod_rewrite is not available, we instruct a temporary redirect of
# the start page to the front controller explicitly so that the website
# and the generated links can still be used.
```

```
RedirectMatch 302 ^/$ /app.php/
```

```
# RedirectTemp cannot be used instead
```

```
</IfModule>
```

```
</IfModule>
```