

```
#
# Apache/PHP/Drupal settings:
#

# Protect files and directories from prying eyes.
<FilesMatch "\.
(engineincl|incl|install|make|module|profile|test|po|sh|. *sql|themel|tpl(\. php)?
|xtmpl)$|^(\. *|Entries.*|Repository|Root|Tag|Template)$">
    Order allow,deny
</FilesMatch>

# Don't show directory listings for URLs which map to a directory.
Options -Indexes

# Follow symbolic links in this directory.
Options +FollowSymLinks

# Make Drupal handle any 404 errors.
ErrorDocument 404 /index.php

# Set the default handler.
DirectoryIndex index.php index.html index.htm

# Set MIME types
AddType text/x-markdown .md .markdown .mkd
AddType text/x-patch .diff .patch
AddType text/x-csv .csv
AddType text/x-python .py
AddType application/vnd.oasis.opendocument.text .odt
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.graphics .odg
AddType image/x-xcf .xcf
AddType image/x-compressed-xcf .xcf.gz

# Set icons
AddIconByType (Markdown,/sites/patientensicht.ch/files/images/md-icon.png) text/x-markdown

# Set file encodings for files without header
AddCharset UTF-8 .csv .txt .diff .patch .md .markdown .mkd
```

```
# Override PHP settings that cannot be changed at runtime. See
# sites/default/default.settings.php and drupal_environment_initialize() in
# includes/bootstrap.inc for settings that can be changed at runtime.

# PHP 5, Apache 1 and 2.
<IfModule mod_php5.c>
    php_flag magic_quotes_gpc                off
    php_flag magic_quotes_sybase            off
    php_flag register_globals                off
    php_flag session.auto_start             off
    php_value mbstring.http_input           pass
    php_value mbstring.http_output          pass
    php_flag mbstring.encoding_translation  off
</IfModule>

# Requires mod_expires to be enabled.
<IfModule mod_expires.c>
    # Enable expirations.
    ExpiresActive On

    # Cache all files for 2 weeks after access (A).
    ExpiresDefault A1209600

    <FilesMatch \.php$>
        # Do not allow PHP scripts to be cached unless they explicitly send cache
        # headers themselves. Otherwise all scripts would have to overwrite the
        # headers set by mod_expires if they want another caching behavior. This may
        # fail if an error occurs early in the bootstrap process, and it may cause
        # problems if a non-Drupal PHP file is installed in a subdirectory.
        ExpiresActive Off
    </FilesMatch>
</IfModule>

# Various rewrite rules.
<IfModule mod_rewrite.c>
    RewriteEngine on

    # .htaccess changes in Drupal 7.20
    # Set "protossl" to "s" if we were accessed via https://. This is used later
    # if you enable "www." stripping or enforcement, in order to ensure that
    # "www." is not stripped from https:// URLs.
    RewriteRule ^ https://%{HTTP_HOST}%{REQUEST_URI} [R=301,PT,SSL]
```

```

# you don't bounce between http and https.
RewriteRule ^ - [E=protoss1]
RewriteCond %{HTTPS} on
RewriteRule ^ - [E=protoss1:s]

# Make sure Authorization HTTP header is available to PHP
# even when running as CGI or FastCGI.
RewriteRule ^ - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]

# Block access to "hidden" directories whose names begin with a period. This
# includes directories used by version control systems such as Subversion or
# Git to store control files. Files whose names begin with a period, as well
# as the control files used by CVS, are protected by the FilesMatch directive
# above.
#
# NOTE: This only works when mod_rewrite is loaded. Without mod_rewrite, it is
# not possible to block access to entire directories from .htaccess, because
# <DirectoryMatch> is not allowed here.
#
# If you do not have mod_rewrite installed, you should remove these
# directories from your webroot or otherwise protect them from being
# downloaded.
RewriteRule "(^/)\." - [F]

# Does not work
# RewriteRule ^d7/$ http://csvi-ms.net/ [R=301,L]

# If your site can be accessed both with and without the 'www.' prefix, you
# can use one of the following settings to redirect users to your preferred
# URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
#
# To redirect all users to access the site WITH the 'www.' prefix,
# (http://example.com/... will be redirected to http://www.example.com/...)
# uncomment the following:
# RewriteCond %{HTTP_HOST} .
# RewriteCond %{HTTP_HOST} !^www\. [NC]
# RewriteRule ^ http://%{ENV:protoss1}://www.%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
#
# To redirect all users to access the site WITHOUT the 'www.' prefix,
# (http://www.example.com/... will be redirected to http://example.com/...)
# uncomment the following:

```

```

# RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
# RewriteRule ^ http%{ENV: protoss1}: //%1 %{REQUEST_URI} [L, R=301]

RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
RewriteRule ^ http%{ENV: protoss1}: //%1 %{REQUEST_URI} [L, R=301]

RewriteCond %{HTTP_HOST} ^www\.patientensicht\.net$ [NC]
RewriteRule ^(.*)$ http%{ENV: protoss1}: //patientensicht.ch/$1 [L, R=301]

RewriteCond %{HTTP_HOST} ^patientensicht\.net$ [NC]
RewriteRule ^(.*)$ http%{ENV: protoss1}: //patientensicht.ch/$1 [L, R=301]

# # Only thar.ch/lobbycontrol allowed
# RewriteCond %{HTTP_HOST} !^thar\.ch [NC]
# RewriteRule ^lobbycontrol - [F, L]

# http://httpd.apache.org/docs/current/rewrite/remapping.html
# RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
# RewriteRule ^woki/index\.php$ /lobbycontrol/index.php [L]
# RewriteRule ^wiki/index\.php$ /lobbycontrol/index.php [PT]
# RewriteRule ^woki/(.*)$ /lobbycontrol/$1 [PT]

# favicon
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
RewriteRule ^/?(favicon\.(png|ico))$ /sites/lobbywatch.ch/$1 [PT, NC]

# wiki
# RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
# RewriteRule ^wiki/(.*)$ /sites/lobbywatch.ch/wiki/$1 [PT]
#
# RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
# RewriteRule ^wiki/*$ /wiki/ [R, L]

RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
RewriteRule ^wiki/(.*)$ /sites/lobbywatch.ch/wiki/$1 [R, L]

RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
RewriteRule ^wiki/*$ /wiki/ [R, L]

# auswertung
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch

```

```
RewriteRule ^auswertung/(.*)$ /sites/lobbywatch.ch/app/auswertung/$1 [PT]
```

```
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
```

```
RewriteRule ^auswertung/*$ /auswertung/ [R,L]
```

auswertung

```
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
```

```
RewriteRule ^oldauswertung/(.*)$ /sites/lobbywatch.ch/app/oldauswertung/$1 [PT]
```

```
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
```

```
RewriteRule ^oldauswertung/*$ /oldauswertung/ [R,L]
```

bearbeitung

```
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
```

```
RewriteRule ^bearbeitung/(.*)$ /sites/lobbywatch.ch/app/bearbeitung/$1 [PT]
```

```
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
```

```
RewriteRule ^bearbeitung/*$ /bearbeitung/ [R,L]
```

test

test/auswertung

```
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
```

```
RewriteRule ^test/auswertung/(.*)$ /sites/lobbywatch.ch/app/test/auswertung/$1 [PT]
```

```
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
```

```
RewriteRule ^test/auswertung/*$ /test/auswertung/ [R,L]
```

test/bearbeitung

```
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
```

```
RewriteRule ^test/bearbeitung/(.*)$ /sites/lobbywatch.ch/app/test/bearbeitung/$1 [PT]
```

```
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
```

```
RewriteRule ^test/bearbeitung/*$ /test/bearbeitung/ [R,L]
```

#test

```
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
```

```
RewriteRule ^test/(.*)$ /sites/lobbywatch.ch/app/test/$1 [PT]
```

```
RewriteCond %{HTTP_HOST} ^lobbywatch\.ch
```

```
RewriteRule ^test/*$ /test/ [R,L]
```

```
# Modify the RewriteBase if you are using Drupal in a subdirectory or in a
# VirtualDocumentRoot and the rewrite rules are not working properly.
# For example if your site is at http://example.com/drupal uncomment and
# modify the following line:
# RewriteBase /drupal
#
# If your site is running in a VirtualDocumentRoot at http://example.com/,
# uncomment the following line:
# RewriteBase /

# Pass all requests not referring directly to files in the filesystem to
# index.php. Clean URLs are handled in drupal_environment_initialize().
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico
RewriteRule ^ index.php [L]

# Rules to correctly serve gzip compressed CSS and JS files.
# Requires both mod_rewrite and mod_headers to be enabled.
<IfModule mod_headers.c>
  # Serve gzip compressed CSS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP: Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.css $1\.css\.gz [QSA]

  # Serve gzip compressed JS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP: Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.js $1\.js\.gz [QSA]

  # Serve correct content types, and prevent mod_deflate double gzip.
  RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
  RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]

  <FilesMatch "(\.js\.gz|\.css\.gz)$">
    # Serve correct encoding type.
    Header set Content-Encoding gzip
    # Force proxies to cache gzipped & non-gzipped css/js files separately.
    Header append Vary Accept-Encoding
  </FilesMatch>
</IfModule>
```

```
<IfModule mod_deflate.c>
    # compress text, HTML, JavaScript, CSS, and XML
    AddOutputFilterByType DEFLATE text/plain
    AddOutputFilterByType DEFLATE text/html
    AddOutputFilterByType DEFLATE text/xml
    AddOutputFilterByType DEFLATE text/css
    AddOutputFilterByType DEFLATE application/xml
    AddOutputFilterByType DEFLATE application/xhtml+xml
    AddOutputFilterByType DEFLATE application/rss+xml
    AddOutputFilterByType DEFLATE application/javascript
    AddOutputFilterByType DEFLATE application/x-javascript
</IfModule>

</IfModule>
AddHandler application/x-httpd-php55 .php
<IfModule mod_suphp.c>
    suPHP_ConfigPath "/home/csvimsne/etc/php_settings/php55"
</IfModule>
```