

```
AuthName "betmybirth.mind2web.fr"
AuthType Basic
#AuthUserFile "/kunden/homepages/41/d345308054/htdocs/betmybirth/web/.htpasswd"
AuthUserFile "D:\Divers\Perso\Projects\Betmybirth\betmybirth_1\betmybirth\web\.htpasswd"
```

```
# Use the front controller as index file. It serves as a fallback solution when
# every other rewrite/redirect fails (e.g. in an aliased environment without
# mod_rewrite). Additionally, this reduces the matching process for the
# start page (path "/") because otherwise Apache will apply the rewriting rules
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).
DirectoryIndex app_dev.php
```

```
<IfModule mod_rewrite.c>
```

```
Options +FollowSymLinks
```

```
RewriteEngine On
```

```
RewriteBase /
```

```
# Redirect to URI without front controller to prevent duplicate content
# (with and without `/app.php`). Only do this redirect on the initial
# rewrite by Apache and not on subsequent cycles. Otherwise we would get an
# endless redirect loop (request -> rewrite to front controller ->
# redirect -> request -> ...).
# So in case you get a "too many redirects" error or you always get redirected
# to the startpage because your Apache does not expose the REDIRECT_STATUS
# environment variable, you have 2 choices:
# - disable this feature by commenting the following 2 lines or
# - use Apache >= 2.3.9 and replace all L flags by END flags and remove the
# following RewriteCond (best solution)
```

```
RewriteCond %{ENV:REDIRECT_STATUS} ^$
```

```
RewriteRule ^app\.php(/(.*)|)$ %{CONTEXT_PREFIX}/$2 [R=301,L]
```

```
# If the requested filename exists, simply serve it.
# We only want to let Apache serve files and not directories.
```

```
RewriteCond %{REQUEST_FILENAME} -f
```

```
RewriteRule .? - [L]
```

```
# The following rewrites all other queries to the front controller. The
# condition ensures that if you are using Apache aliases to do mass virtual
# hosting, the base path will be prepended to allow proper resolution of the
# app.php file; it will work in non-aliased environments as well, providing
# a safe fallback file in all situations
```

```
# a safe, one-size fits all solution.
RewriteCond %{REQUEST_URI}::$1 ^(/.+)(.+)::\2$
RewriteRule ^(.*) - [E=BASE:%1]
RewriteRule .? %{ENV:BASE}app_dev.php [L]
</IfModule>

<IfModule !mod_rewrite.c>
  <IfModule mod_alias.c>
    # When mod_rewrite is not available, we instruct a temporary redirect of
    # the startpage to the front controller explicitly so that the website
    # and the generated links can still be used.
    RedirectMatch 302 ^/$ /app_dev.php/
    # RedirectTemp cannot be used instead
  </IfModule>
</IfModule>
```